

20 Reha**MED** 

| Abdominal belt           | 188 | Quadripod stick       |
|--------------------------|-----|-----------------------|
| Aluminum stick           | 193 | Raised toilet seat    |
| Anti-decubitus kit       | 283 | Ramps                 |
| Aquaprotect              | 268 | Reacher               |
| Armchair                 | 153 | Ring-shaped rubber    |
| Axillary walker          | 218 | Rollator              |
| Bariatric wheelchair     | 126 | Rollator bariatric    |
| Bath board               | 230 | Round cushion         |
| Bath mat                 | 238 | Scooter               |
| Bath seat                | 230 | Seat stick            |
| Blanket support          | 176 | Shower stool          |
| Bottle holder            | 265 | Single side           |
| Cervical support pillow  | 274 | Stand-up chair        |
| Commode chair            | 248 | Stocking aid          |
| Compact wheelchair       | 123 | Swivel bath seat      |
| Crutches                 | 208 | Therapy balls         |
| Cushions                 | 275 | Tripod stick          |
| Elbow protector          | 296 | Visually impaired sti |
| Electric bed             | 167 | Walker (RM)           |
| Electric wheelchair      | 129 | WC frame              |
| Fleece                   | 298 | Wheelchair            |
| Footrest                 | 266 | Wooden stick          |
| Grab bar                 | 257 |                       |
| Grip fork                | 265 |                       |
| Grip knife               | 265 |                       |
| Hair washing kit         | 266 |                       |
| Handrail tubes           | 255 |                       |
| Harness                  | 185 |                       |
| Heel and ankle protector | 297 |                       |
| Hygienic shower stool    | 235 |                       |
| Knee protector           | 296 |                       |
| Lifter                   | 179 |                       |
| Mattress                 | 289 |                       |
| Overbed Table            | 176 |                       |
| Overlay mattress         | 295 |                       |
| Pedal exerciser          | 270 |                       |
| Pillow                   | 273 |                       |
| Plate                    | 264 |                       |

300

Positioning cushion

| uadripod stick            | 204 |
|---------------------------|-----|
| aised toilet seat         | 260 |
| amps                      | 151 |
| eacher                    | 264 |
| ing-shaped rubber cushion | 267 |
| pllator                   | 222 |
| ollator bariatric         | 227 |
| ound cushion              | 267 |
| cooter                    | 141 |
| eat stick                 | 207 |
| nower stool               | 232 |
| ngle side                 | 175 |
| and-up chair              | 267 |
| cocking aid               | 265 |
| wivel bath seat           | 231 |
| nerapy balls              | 271 |
| ripod stick               | 204 |
| isually impaired stick    | 202 |
| /alker (RM)               | 212 |
| /C frame                  | 254 |
| /heelchair                | 93  |
| /ooden stick              | 192 |

# **WHEELCHAIRS**

Various types of wheelchairs are available, from the standard model to the lightweight model with aluminum frame, or the tilting model for the most important needs.

A selection of special wheelchairs is also available, to complete an offer covering all needs. We present a bariatric model, a model for narrow passages and models for traveling and transfer.

#### **REHA-PP**

# RehaPrima - standard wheelchair





Wheelchair with folding frame, foldable semi-desk armrests, removable and height-adjustable footrests. Available with 24" rear wheels with solid PU tire, 8" plastic front wheels with solid PU tire. Canvas seat in padded Nylon with rear pocket on the back (available in fireproof version on request) and safety belt.

Reinforced fork attachment.

Available in seat sizes from 38 to 44 cm with single cross frame and in seat sizes from 46 to 51 cm with double cross frame.

Blue color.

















| Code      | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight  | Capacity |
|-----------|---------------|----------------|-----------------|---------------|----------------|-------------------|---------|----------|
| REHA-PP38 | 38 cm         | 54 cm          | 104 cm          | 40 cm         | 50 cm          | 25 cm             | 16,5 kg | 130 kg   |
| REHA-PP40 | 40 cm         | 56 cm          | 104 cm          | 40 cm         | 50 cm          | 25 cm             | 16,8 kg | 130 kg   |
| REHA-PP42 | 42 cm         | 58 cm          | 104 cm          | 40 cm         | 50 cm          | 25 cm             | 17,0 kg | 130 kg   |
| REHA-PP44 | 44 cm         | 60 cm          | 104 cm          | 40 cm         | 50 cm          | 25 cm             | 17,3 kg | 130 kg   |
| REHA-PP46 | 46 cm         | 62 cm          | 104 cm          | 40 cm         | 50 cm          | 25 cm             | 17,5 kg | 150 kg   |
| REHA-PP49 | 49 cm         | 65 cm          | 104 cm          | 40 cm         | 50 cm          | 25 cm             | 17,8 kg | 150 kg   |
| REHA-PP52 | 52 cm         | 69 cm          | 104 cm          | 40 cm         | 50 cm          | 25 cm             | 18,1 kg | 150 kg   |

Reha PP / PT standard wheelchairs, self-propelled and transit, can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.



REHA-P-A01 Elevating legrests



**REHA-CG-A02**Tray with recess



P-36 Universal I.V. pole for Intermed wheelchairs

#### **REHA-PT**

# RehaPrima - standard transit wheelchair





Wheelchair with folding frame, foldable semi-desk armrests, removable and height-adjustable footrests. Available with 24" rear wheels with solid PU tire, 8" plastic front wheels with solid PU tire. Canvas seat in padded Nylon with rear pocket on the back (available in fireproof version on request) and safety belt.

Reinforced fork attachment.

Available in seat sizes from 38 to 44 cm with single cross frame and in seat sizes from 46 to 51 cm with double cross frame.

Blue color.

















| Code      | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight  | Capacity |
|-----------|---------------|----------------|-----------------|---------------|----------------|-------------------|---------|----------|
| REHA-PT38 | 38 cm         | 52 cm          | 96 cm           | 40 cm         | 50 cm          | 25 cm             | 14,5 kg | 130 kg   |
| REHA-PT40 | 40 cm         | 54 cm          | 96 cm           | 40 cm         | 50 cm          | 25 cm             | 14,8 kg | 130 kg   |
| REHA-PT42 | 42 cm         | 56 cm          | 96 cm           | 40 cm         | 50 cm          | 25 cm             | 15,0 kg | 130 kg   |
| REHA-PT44 | 44 cm         | 58 cm          | 96 cm           | 40 cm         | 50 cm          | 25 cm             | 15,3 kg | 130 kg   |
| REHA-PT46 | 46 cm         | 60 cm          | 96 cm           | 40 cm         | 50 cm          | 25 cm             | 15,5 kg | 150 kg   |
| REHA-PT49 | 49 cm         | 63 cm          | 96 cm           | 40 cm         | 50 cm          | 25 cm             | 15,8 kg | 150 kg   |
| REHA-PT52 | 52 cm         | 67 cm          | 96 cm           | 40 cm         | 50 cm          | 25 cm             | 16,1 kg | 150 kg   |

Reha PP / PT standard wheelchairs, self-propelled and transit, can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.



REHA-P-A01 Elevating legrests



REHA-CG-A02
Tray with recess



P-36 Universal I.V. pole for Intermed wheelchairs

#### **REHA-CP**

# RehaComfort - self-propelled standard wheelchair





Wheelchair with folding frame, folding semi-desk armrests with PU padding, height-adjustable footrests. 24" quick release rear wheels with full PU tire and predisposition on the frame for 12" quick release wheels. "8x2" plastic front wheels with solid PU tire. Steel lever parking brakes. Canvas seat in padded Nylon with rear pocket on the back (available in fireproof version on request) and safety belt. Reinforced fork attachment.

Available in seat sizes from 38 to 52 cm with double cross frame and carrying capacity with capacity, for sizes from 46 to 52 cm, increased up to 150 Kg Grey colour.

















| Code      | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight  | Capacity |
|-----------|---------------|----------------|-----------------|---------------|----------------|-------------------|---------|----------|
| REHA-CP38 | 38 cm         | 54 cm          | 104 cm          | 40 cm         | 50 cm          | 25 cm             | 16,5 kg | 130 kg   |
| REHA-CP40 | 40 cm         | 56 cm          | 104 cm          | 40 cm         | 50 cm          | 25 cm             | 16,8 kg | 130 kg   |
| REHA-CP42 | 42 cm         | 58 cm          | 104 cm          | 40 cm         | 50 cm          | 25 cm             | 17,0 kg | 130 kg   |
| REHA-CP44 | 44 cm         | 60 cm          | 104 cm          | 40 cm         | 50 cm          | 25 cm             | 17,3 kg | 130 kg   |
| REHA-CP46 | 46 cm         | 62 cm          | 104 cm          | 40 cm         | 50 cm          | 25 cm             | 17,5 kg | 150 kg   |
| REHA-CP49 | 49 cm         | 65 cm          | 104 cm          | 40 cm         | 50 cm          | 25 cm             | 17,8 kg | 150 kg   |
| REHA-CP52 | 52 cm         | 69 cm          | 104 cm          | 40 cm         | 50 cm          | 25 cm             | 18,1 kg | 150 kg   |

Reha CP / CT standard wheelchairs, self-propelled and transit, can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.



REHA-P-A01 Elevating legrests



REHA-CG-A02
Tray with recess



P-36 Universal I.V. pole for Intermed wheelchairs

#### **REHA-CT**

# RehaComfort - transit standard weelchair





Wheelchair with folding frame, folding semi-desk armrests with PU padding, height-adjustable footrests. 12" quick release rear wheels with full PU tire and predisposition on the frame for 24" quick release wheels. "8x2" plastic front wheels with solid PU tire. Steel lever parking brakes. Canvas seat in padded Nylon with rear pocket on the back (available in fireproof version on request) and safety belt. Reinforced fork attachment.

Available in seat sizes from 38 to 52 cm with double cross frame and carrying capacity with capacity, for sizes from 46 to 52 cm, increased up to 150 Kg. Grey colour.

















| Code      | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight  | Capacity |
|-----------|---------------|----------------|-----------------|---------------|----------------|-------------------|---------|----------|
| REHA-CT38 | 38 cm         | 52 cm          | 96 cm           | 40 cm         | 50 cm          | 25 cm             | 14,5 kg | 130 kg   |
| REHA-CT40 | 40 cm         | 54 cm          | 96 cm           | 40 cm         | 50 cm          | 25 cm             | 14,8 kg | 130 kg   |
| REHA-CT42 | 42 cm         | 56 cm          | 96 cm           | 40 cm         | 50 cm          | 25 cm             | 15,0 kg | 130 kg   |
| REHA-CT44 | 44 cm         | 58 cm          | 96 cm           | 40 cm         | 50 cm          | 25 cm             | 15,3 kg | 130 kg   |
| REHA-CT46 | 46 cm         | 60 cm          | 96 cm           | 40 cm         | 50 cm          | 25 cm             | 15,5 kg | 150 kg   |
| REHA-CT49 | 49 cm         | 63 cm          | 96 cm           | 40 cm         | 50 cm          | 25 cm             | 15,8 kg | 150 kg   |
| REHA-CT52 | 52 cm         | 67 cm          | 96 cm           | 40 cm         | 50 cm          | 25 cm             | 16,1 kg | 150 kg   |

Reha CP / CT standard wheelchairs, self-propelled and transit, can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.



REHA-P-A01 Elevating legrests



REHA-CG-A02
Tray with recess



P-36 Universal I.V. pole for Intermed wheelchairs

### **REHALUM P**

# Rehalum - aluminum standard wheelchair





Standard wheelchair with folding aluminum frame with double cross. Equipped with 24" quick release rear wheels with solid PU tires, possibility of fitting 12" quick release rear wheels with solid PU tires as an alternative. Flip-up semi-desk armrests, removable and height-adjustable footrests. Canvas seat in padded nylon with a pocket on the backrest and a safety belt. The front wheel forks are made of aluminum.

















| Code     | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight  | Capacity |
|----------|---------------|----------------|-----------------|---------------|----------------|-------------------|---------|----------|
| REHA-38P | 38 cm         | 54 cm          | 40 cm           | 104 cm        | 50 cm          | 24 cm             | 13,5 kg | 130 kg   |
| REHA-40P | 40 cm         | 56 cm          | 40 cm           | 104 cm        | 50 cm          | 24 cm             | 13,8 kg | 130 kg   |
| REHA-42P | 42 cm         | 58 cm          | 40 cm           | 104 cm        | 50 cm          | 24 cm             | 14,0 kg | 130 kg   |
| REHA-44P | 44 cm         | 60 cm          | 40 cm           | 104 cm        | 50 cm          | 24 cm             | 14,3 kg | 130 kg   |
| REHA-46P | 46 cm         | 62 cm          | 40 cm           | 104 cm        | 50 cm          | 24 cm             | 14,5 kg | 150 kg   |
| REHA-49P | 49 cm         | 65 cm          | 40 cm           | 104 cm        | 50 cm          | 24 cm             | 14,8 kg | 150 kg   |
| REHA-52P | 52 cm         | 69 cm          | 40 cm           | 104 cm        | 50 cm          | 24 cm             | 15,1 kg | 150 kg   |

RehAlum wheelchairs can be equipped with specific accessories to customize the configuration according to user needs.



REHA-P-A01 Elevating legrests



**REHALUM-A07**Height-adjustable armrests



P-29L Tray with recess



P-36 Universal I.V. pole for Intermed wheelchairs

### **REHALUM T**

# Rehalum - aluminum standard transit wheelchair





Standard wheelchair with folding aluminum frame with double cross. Equipped with 12" quick release rear wheels with solid PU tires, possibility of fitting 24" quick release rear wheels with solid PU tires as an alternative. Flip-up semi-desk armrests, removable and height-adjustable footrests. Canvas seat in padded nylon with a pocket on the backrest and a safety belt. The front wheel forks are made of aluminum.

















| Code     | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight  | Capacity |
|----------|---------------|----------------|-----------------|---------------|----------------|-------------------|---------|----------|
| REHA-38T | 38 cm         | 52 cm          | 40 cm           | 96 cm         | 50 cm          | 24 cm             | 11,5 kg | 130 kg   |
| REHA-40T | 40 cm         | 54 cm          | 40 cm           | 96 cm         | 50 cm          | 24 cm             | 11,8 kg | 130 kg   |
| REHA-42T | 42 cm         | 56 cm          | 40 cm           | 96 cm         | 50 cm          | 24 cm             | 12,0 kg | 130 kg   |
| REHA-44T | 44 cm         | 58 cm          | 40 cm           | 96 cm         | 50 cm          | 24 cm             | 12,3 kg | 130 kg   |
| REHA-46T | 46 cm         | 60 cm          | 40 cm           | 96 cm         | 50 cm          | 24 cm             | 12,5 kg | 150 kg   |
| REHA-49T | 49 cm         | 63 cm          | 40 cm           | 96 cm         | 50 cm          | 24 cm             | 12,8 kg | 150 kg   |
| REHA-52T | 52 cm         | 67 cm          | 40 cm           | 96 cm         | 50 cm          | 24 cm             | 13,1 kg | 150 kg   |

RehAlum wheelchairs can be equipped with specific accessories to customize the configuration according to user needs.



REHA-P-A01 Elevating legrests



REHALUM-A07 Height-adjustable armrests



P-29L Tray with recess



P-36 Universal I.V. pole for Intermed wheelchairs

#### **E-LIGHT P**

### E-Light-P - self-propelled aluminum wheelchair





Wheelchair with folding aluminum frame with double cross, 24" rear wheels with quick-release, solid PU tires and variable positioning on the frame, equipped with aluminum handrails, parking brakes. and wheels for narrow passages. The front wheels are 7.5" mounted on an aluminum fork with the possibility of adjustment to three positions to vary the height of the seat.

The backrest with rear pocket and the seat are padded and made of Nylon. (optionally available in self-extinguishing fabric).

The armrests have a desk configuration (table) with polyurethane padding and side panel to protect clothes, foldable and adjustable in height.

The removable footrests are equipped with a heel strap, have the possibility of antero-posterior rotation and height adjustment for foot plate.

The wheelchair is available in 7 different seat sizes as indicated in the technical specs, and in light blue color.

















| Code        | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight<br>(from) | Capacity |
|-------------|---------------|----------------|-----------------|---------------|----------------|-------------------|------------------|----------|
| E-LIGHT-37P | 37 cm         | 56 cm          | 117 cm          | 40 cm         | 52 cm          | 19 - 28 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT-40P | 40 cm         | 59 cm          | 117 cm          | 40 cm         | 52 cm          | 19 - 28 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT-42P | 42 cm         | 60 cm          | 117 cm          | 40 cm         | 52 cm          | 19 - 28 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT-44P | 44 cm         | 62 cm          | 117 cm          | 40 cm         | 52 cm          | 19 - 28 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT-46P | 46 cm         | 64 cm          | 117 cm          | 40 cm         | 52 cm          | 19 - 28 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT-49P | 49 cm         | 66 cm          | 117 cm          | 40 cm         | 52 cm          | 19 - 28 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT-52P | 52 cm         | 69 cm          | 117 cm          | 40 cm         | 52 cm          | 19 - 28 cm        | ≥ 15 kg          | 120 kg   |

The E-Light P and T wheelchairs in aluminum can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.



**EL-A01** Elevating legrests



EL-A02 Anti-tipping kit



P-36 Universal I.V. pole for Intermed wheelchairs

#### **E-LIGHT T**

e-light

# E-Light-T - aluminum transit wheelchair



Wheelchair with folding aluminum frame with double cross, 12" rear wheels with quick-release, PU solid tires, equipped with parking brakes. The front wheels are 7.5" mounted on an aluminum fork with the possibility of adjustment in three positions to vary the height of the seat.

The backrest with rear pocket and the seat are padded and made of Nylon. (optionally available in self-extinguishing fabric).

The armrests have a desk (table) configuration with polyurethane padding and side panel to protect clothes, foldable and adjustable in height.

The removable footrests are equipped with a heel strap, have the possibility of antero-posterior rotation and height adjustment for the footrest.

The wheelchair is available in 7 different seat sizes as indicated in the technical specifications and in the light blue color of the frame.

















| Code        | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight<br>(from) | Capacity |
|-------------|---------------|----------------|-----------------|---------------|----------------|-------------------|------------------|----------|
| E-LIGHT-37T | 37 cm         | 56 cm          | 110 cm          | 42 cm         | 52 cm          | 19 - 28 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT-40T | 40 cm         | 59 cm          | 110 cm          | 42 cm         | 52 cm          | 19 - 28 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT-42T | 42 cm         | 60 cm          | 110 cm          | 42 cm         | 52 cm          | 19 - 28 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT-44T | 44 cm         | 62 cm          | 110 cm          | 42 cm         | 52 cm          | 19 - 28 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT-46T | 46 cm         | 64 cm          | 110 cm          | 42 cm         | 52 cm          | 19 - 28 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT-49T | 49 cm         | 66 cm          | 110 cm          | 42 cm         | 52 cm          | 19 - 28 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT-52T | 52 cm         | 69 cm          | 110 cm          | 42 cm         | 52 cm          | 19 - 28 cm        | ≥ 15 kg          | 120 kg   |

The E-Light P and T wheelchairs in aluminum can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.



**EL-A01** Elevating legrests



EL-A02 Anti-tipping kit



P-36 Universal I.V. pole for Intermed wheelchairs

### E-LIGHT 2P

# E-Light 2P - self-propelled wheelchair in aluminum





Wheelchair with folding aluminum frame and double cross, 24" rear wheels with quick-release PU solid tires and variable positioning on the frame, with aluminum handrail. Parking brakes, wheels for narrow passages (anti-tip system available on request) and possibility of seat depth adjustment. The front wheels have a size of 7.5 "mounted on an aluminum fork with the possibility of varying the position or diameter of the wheels, to vary the height of the seat from the ground. The backrest with rear pocket and the seat are padded and made of Nylon. (available on request in fireproof version). The armrests are foldable with polyurethane padding, side panel for clothing protection and adjustable in height. The removable footrests are equipped with heel strap, have the possibility of rear rotation and height adjustment of the footrest. The wheelchair is available in 7 different seat sizes as indicated in the technical characteristics and in Blue color of the frame.

















| Code          | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight<br>(from) | Capacity |
|---------------|---------------|----------------|-----------------|---------------|----------------|-------------------|------------------|----------|
| E-LIGHT 2-37P | 37 cm         | 56 cm          | 107 - 111 cm    | 42 - 46 cm    | 52 cm          | 23 - 30 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT 2-40P | 40 cm         | 59 cm          | 107 - 111 cm    | 42 - 46 cm    | 52 cm          | 23 - 30 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT 2-42P | 42 cm         | 60 cm          | 107 - 111 cm    | 42 - 46 cm    | 52 cm          | 23 - 30 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT 2-44P | 44 cm         | 62 cm          | 107 - 111 cm    | 42 - 46 cm    | 52 cm          | 23 - 30 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT 2-46P | 46 cm         | 64 cm          | 107 - 111 cm    | 42 - 46 cm    | 52 cm          | 23 - 30 cm        | ≥ 15 kg          | 140 kg   |
| E-LIGHT 2-49P | 49 cm         | 66 cm          | 107 - 111 cm    | 42 - 46 cm    | 52 cm          | 23 - 30 cm        | ≥ 15 kg          | 140 kg   |
| E-LIGHT 2-52P | 52 cm         | 69 cm          | 107 - 111 cm    | 42 - 46 cm    | 52 cm          | 23 - 30 cm        | ≥ 15 kg          | 140 kg   |

The E-Light 2P/T self-propelled and transit wheelchairs in aluminum can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.



**EL-A01** Elevating legrests



EL-A02 Anti-tipping kit



P-36 Universal I.V. pole for Intermed wheelchairs

### E-LIGHT 2T

# E-Light 2T - transit wheelchair in aluminum





Wheelchair with folding aluminum frame and double cross, 12" rear wheels with quick-release PU solid tires. Parking brakes, (anti-tip system available on request) and possibility of seat depth adjustment. The front wheels have a size of 7.5 "mounted on an aluminum fork with the possibility of varying the position or diameter of the wheels, to vary the height of the seat from the ground. The backrest with rear pocket and the seat are padded and made of Nylon. (available on request in fireproof version). The armrests are foldable with polyurethane padding, side panel for clothing protection and adjustable in height. The removable footrests are equipped with heel strap, have the possibility of rear rotation and height adjustment of the footrest. The wheelchair is available in 7 different seat sizes as indicated in the technical characteristics and in Blue color of the frame.

















| Code          | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight<br>(from) | Capacity |
|---------------|---------------|----------------|-----------------|---------------|----------------|-------------------|------------------|----------|
| E-LIGHT 2-37T | 37 cm         | 56 cm          | 107 - 111 cm    | 42 - 46 cm    | 52 cm          | 23 - 30 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT 2-40T | 40 cm         | 59 cm          | 107 - 111 cm    | 42 - 46 cm    | 52 cm          | 23 - 30 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT 2-42T | 42 cm         | 60 cm          | 107 - 111 cm    | 42 - 46 cm    | 52 cm          | 23 - 30 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT 2-44T | 44 cm         | 62 cm          | 107 - 111 cm    | 42 - 46 cm    | 52 cm          | 23 - 30 cm        | ≥ 15 kg          | 120 kg   |
| E-LIGHT 2-46T | 46 cm         | 64 cm          | 107 - 111 cm    | 42 - 46 cm    | 52 cm          | 23 - 30 cm        | ≥ 15 kg          | 140 kg   |
| E-LIGHT 2-49T | 49 cm         | 66 cm          | 107 - 111 cm    | 42 - 46 cm    | 52 cm          | 23 - 30 cm        | ≥ 15 kg          | 140 kg   |
| E-LIGHT 2-52T | 52 cm         | 69 cm          | 107 - 111 cm    | 42 - 46 cm    | 52 cm          | 23 - 30 cm        | ≥ 15 kg          | 140 kg   |

The E-Light 2P/T self-propelled and transit wheelchairs in aluminum can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.



**EL-A01** Elevating legrests



EL-A02 Anti-tipping kit



P-36 Universal I.V. pole for Intermed wheelchairs

#### **F-LIGHT**

# F-Light - lightweight aluminum wheelchair





Wheelchair with folding aluminum frame and double cross, with the possibility of adjusting the seat depth by about 5 cm, seat and backrest in fireproof padded Nylon with rear pocket.

Armrests, foldable and removable, equipped with side panels to save clothes. 24" rear wheels with polyurethane tires or, on request, with inflatable tires, with quick release, equipped with aluminum handrail, adjustable brakes, with retractable levers to facilitate lateral transfers, wheels for narrow passages (optional anti-tip system). The front wheels have a size of 8" with an aluminum fork adjustable in inclination, designed to adopt other wheel sizes. The removable footrests are equipped with heel belts, have the possibility of antero-posterior rotation, adjust the height and flexion-extension of the footplate. The wheelchair is available in 7 seat sizes.

Color: matt dark blue.

















| Code       | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight<br>(from) | Capacity |
|------------|---------------|----------------|-----------------|---------------|----------------|-------------------|------------------|----------|
| F-LIGHT-37 | 37 cm         | 56 cm          | 105 - 109 cm    | 42 - 46 cm    | 50 cm          | 21 cm             | ≥ 14 kg          | 120 kg   |
| F-LIGHT-40 | 40 cm         | 59 cm          | 105 - 109 cm    | 42 - 46 cm    | 50 cm          | 21 cm             | ≥ 14 kg          | 120 kg   |
| F-LIGHT-42 | 42 cm         | 60 cm          | 105 - 109 cm    | 42 - 46 cm    | 50 cm          | 21 cm             | ≥ 14 kg          | 120 kg   |
| F-LIGHT-44 | 44 cm         | 62 cm          | 105 - 109 cm    | 42 - 46 cm    | 50 cm          | 21 cm             | ≥ 14 kg          | 120 kg   |
| F-LIGHT-46 | 46 cm         | 64 cm          | 105 - 109 cm    | 42 - 46 cm    | 50 cm          | 21 cm             | ≥ 14 kg          | 140 kg   |
| F-LIGHT-49 | 49 cm         | 66 cm          | 105 - 109 cm    | 42 - 46 cm    | 50 cm          | 21 cm             | ≥ 14 kg          | 140 kg   |
| F-LIGHT-52 | 52 cm         | 69             | 105 - 109 cm    | 42 - 46 cm    | 50 cm          | 21 cm             | ≥ 14 kg          | 140 kg   |

The F-Light wheelchairs in aluminum can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.



**FX-11L** Elevating legrests for size from 37 to 44 cm



FX-11S Elevating legrests for size from 46 to 52 cm



FL-R16 Anti-tipping kit



P-36 Universal I.V. pole for Intermed wheelchairs

# Flexa II - lightweight aluminum wheelchair





Wheelchair with folding aluminum frame and double cross, with the possibility of adjusting the seat depth by about 5 cm, backrest with tensionable straps and padded Nylon cover with rear pocket. Armrests adjustable in height and depth, foldable and removable, equipped with side panels to protect clothes. 24"rear wheels with full PU tire or, on request, with inflatable, with quick release, equipped with aluminum handrails, adjustable parking brakes, with retractable folding levers to facilitate lateral transfers, wheels for narrow passages and anti-roll over system. the wheels are 8" in size with a tilt adjustable aluminum fork, designed to fit other wheel sizes. The removable footrests are equipped with a heel strap, have the possibility of front-to-back rotation and to adjust the height and flexionextension

of the footplate. Matte grey color.

















| Code      | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight<br>(from) | Capacity |
|-----------|---------------|----------------|-----------------|---------------|----------------|-------------------|------------------|----------|
| FLEXA2-37 | 37 cm         | 56 cm          | 105 - 109 cm    | 42 - 46 cm    | ≥50 cm*        | 23 - 30 cm        | ≥ 15 kg          | 120 kg   |
| FLEXA2-40 | 40 cm         | 59 cm          | 105 - 109 cm    | 42 - 46 cm    | ≥50 cm*        | 23 - 30 cm        | ≥ 15 kg          | 120 kg   |
| FLEXA2-42 | 42 cm         | 60 cm          | 105 - 109 cm    | 42 - 46 cm    | ≥50 cm*        | 23 - 30 cm        | ≥ 15 kg          | 120 kg   |
| FLEXA2-44 | 44 cm         | 62 cm          | 105 - 109 cm    | 42 - 46 cm    | ≥50 cm*        | 23 - 30 cm        | ≥ 15 kg          | 120 kg   |
| FLEXA2-46 | 46 cm         | 64 cm          | 105 - 109 cm    | 42 - 46 cm    | ≥50 cm*        | 23 - 30 cm        | ≥ 15 kg          | 140 kg   |
| FLEXA2-49 | 49 cm         | 66 cm          | 105 - 109 cm    | 42 - 46 cm    | ≥50 cm*        | 23 - 30 cm        | ≥ 15 kg          | 140 kg   |
| FLEXA2-52 | 52 cm         | 69 cm          | 105 - 109 cm    | 42 - 46 cm    | ≥50 cm*        | 23 - 30 cm        | ≥ 15 kg          | 140 kg   |

<sup>\*</sup> Regolazione standard ≥50 cm (da 38 a 52 cm in funzione del diametro ruote)

The Flexa2 wheelchairs in aluminum can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.



**FX-11L** Elevating legrests for size from 37 to 44 cm



**FX-11S** Elevating legrests for size from 46 to 52 cm



FL-R16 Anti-tipping kit



P-36 Universal I.V. pole for Intermed wheelchairs

### Brake - aluminum wheelchair with drum brakes





Wheelchair with a folding aluminum frame and double crossbar, available in 7 seat widths: 37, 40, 42, 44, 46, 49 and 52 cm. It is equipped with drum brakes with levers for the caregiver. The 24" rear wheels have solid PU tires, quick-release, aluminum rims. Adjustable aluminum front forks with 8" wheels, designed to accommodate other wheel sizes. The rear wheel mounting plate allows for height and depth adjustments. Hand lever brakes on the push-handles activate the drum brakes for the caregiver, while side parking brakes with folding levers facilitate lateral transfers. The seat is made of padded black nylon, with a backrest that includes adjustable tension straps and a padded nylon cover with a back pocket. The desk-style armrests are foldable, removable and height-adjustable, with paddings adjustable polyurethane armrests and plastic side panels. Removable footrests with heel straps can rotate forward-backward, allow for height and flex-extension adjustments for footplate. Color: Metallic Blue

















| Code      | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight<br>(from) | Capacity |
|-----------|---------------|----------------|-----------------|---------------|----------------|-------------------|------------------|----------|
| BRAKE2-37 | 37 cm         | 56 cm          | 105-109 cm      | 42-46 cm      | ≥50 cm         | 23-30 cm          | ≥ 15 kg          | 120 kg   |
| BRAKE2-40 | 40 cm         | 59 cm          | 105-109 cm      | 42-46 cm      | ≥50 cm         | 23-30 cm          | ≥ 15 kg          | 120 kg   |
| BRAKE2-42 | 42 cm         | 60 cm          | 105-109 cm      | 42-46 cm      | ≥50 cm         | 23-30 cm          | ≥ 15 kg          | 120 kg   |
| BRAKE2-44 | 44 cm         | 62 cm          | 105-109 cm      | 42-46 cm      | ≥50 cm         | 23-30 cm          | ≥ 15 kg          | 120 kg   |
| BRAKE2-46 | 46 cm         | 64 cm          | 105-109 cm      | 42-46 cm      | ≥50 cm         | 23-30 cm          | ≥ 15 kg          | 140 kg   |
| BRAKE2-49 | 49 cm         | 66 cm          | 105-109 cm      | 42-46 cm      | ≥50 cm         | 23-30 cm          | ≥ 15 kg          | 140 kg   |
| BRAKE2-52 | 52 cm         | 69 cm          | 105-109 cm      | 42-46 cm      | ≥50 cm         | 23-30 cm          | ≥ 15 kg          | 140 kg   |

The Brake wheelchairs in aluminum can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.



**FX-11L** Elevating legrests for size from 37 to 44 cm



**FX-11S** Elevating legrests for size from 46 to 52 cm



FL-R16 Anti-tipping kit



P-36 Universal I.V. pole for Intermed wheelchairs

#### **REHA-JR**

### RehaJunior - aluminum wheelchair for children











Children's wheelchair with folding aluminum frame, 22" rear wheels with quick-release PU solid tires and variable positioning on the frame, equipped with aluminum handrails, parking brakes, anti-tip kit. The front wheels are 6" mounted on an aluminum fork with the possibility of adjustment to three positions to vary the height of the seat.

The backrest with rear pocket and the seat are padded and made of Nylon. (optionally available in self-extinguishing fabric).

The armrests have a semi-desk configuration with polyurethane padding and a side panel to protect clothes, foldable and adjustable in height.

The removable footrests are equipped with a heel strap, have the possibility of antero-posterior rotation and height adjustment for footplate.

The wheelchair is available in two seat sizes 30 and 35 cm as indicated in the technical characteristics table and two colors, Blue and Orange.

















| Code      | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight  | Capacity |
|-----------|---------------|----------------|-----------------|---------------|----------------|-------------------|---------|----------|
| REHA-JR30 | 30 cm         | 48 cm          | 34 cm           | 88 a 92,5 cm  | 45-48 cm       | 18 - 24 cm        | 13,5 kg | 80 kg    |
| REHA-JR35 | 35 cm         | 53 cm          | 34 cm           | 88 a 92,5 cm  | 45-48 cm       | 18 - 24 cm        | 13,5 kg | 80 kg    |

Reha Junior self-propelled wheelchairs can be equipped with specific accessories to adapt them to the most suitable configuration for the user.



REHA-JR-A01 Spoke cover design "Satellites



REHA-JR-A02 Spoke cover design "Dragons"



REHA-JR-A03 Spoke cover design "Panda"



REHA-JR-A04 Spoke cover design "Intermed"



REHA-JR-A05 Elevating legrests



REHA-JR-A06 Headrest



REHA-JR-A07 Anti-tip kit



REHA-JR-A08 Single footplate

### **REHA-REC**

# Reha-Reclining - wheelchair with reclining backrest









Folding aluminum wheelchair with adjustable reclining backrest with rack and stabilizer bar. Folding armrests, elevating legrests, with adjustable calfrests in depth. Lever parking brakes for the 24" quick-release full PU rear wheels, 6" full PU front wheels.



















| Code        | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight<br>(from) | Capacity |
|-------------|---------------|----------------|-----------------|---------------|----------------|-------------------|------------------|----------|
| REHA-REC-39 | 39 cm         | 60,5 cm        | 42 cm           | 105 cm        | 50 cm          | 44 cm             | 16,9 kg          | 125 kg   |
| REHA-REC-42 | 42 cm         | 63,5 cm        | 42 cm           | 105 cm        | 50 cm          | 44 cm             | 17,0 kg          | 125 kg   |
| REHA-REC-45 | 45 cm         | 66,5 cm        | 42 cm           | 105 cm        | 50 cm          | 44 cm             | 17,1 kg          | 125 kg   |
| REHA-REC-48 | 48 cm         | 69,5 cm        | 42 cm           | 105 cm        | 50 cm          | 44 cm             | 17,2 kg          | 125 kg   |
| REHA-REC-51 | 51 cm         | 72,5 cm        | 42 cm           | 105 cm        | 50 cm          | 44 cm             | 17,3 kg          | 125 kg   |

Reha-Reclining wheelchairs can be equipped with specific dedicated accessories to adapt the configuration to the user's needs.



REHA-REC-A01 Anti-tip Kit



**P-29L**Tray with recess



P-36 Universal I.V. pole for Intermed wheelchairs

### **NARROW**

# Narrow - compact wheelchair









Compact wheelchair with folding frame, to facilitate use in narrow spaces. The frame is equipped with a single cross, removable armrests that facilitate the patient's tranfer and rear handles for the caregiver. 20" diameter rear wheels for self-propeled. 7" diameter swivel front wheels. The footrests are rotatable, removable and adjustable in height.

The wheelchair is available in 3 different sizes of 40, 43 and 45 cm. Grey color.



NAR-A01 Height-Adjustable Footrests















| Code      | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Weight<br>(from) | Capacity |
|-----------|---------------|----------------|-----------------|---------------|----------------|------------------|----------|
| NARROW-40 | 40 cm         | 51 cm          | 102 cm          | 42 cm         | 56 cm          | 16 kg            | 120 kg   |
| NARROW-43 | 43 cm         | 54 cm          | 102 cm          | 42 cm         | 56 cm          | 16 kg            | 120 kg   |
| NARROW-45 | 45 cm         | 56 cm          | 102 cm          | 42 cm         | 56 cm          | 16 kg            | 120 kg   |

# **VALLETTA-N** | Valletta - folding aluminum transport chair







Folding aluminum transport chair, with wheels and brakes for caregiver on the push handles. Equipped with padded folding armrests and carrying bag.

- Foldable frame.
- Foldable backrest.
- Folding armrests with EVA padding.
- Brake levers for caregiver on the push and parking handles.
- 8" rear wheels with brake.
- 5" swivel front wheels
- Checked patterned color canvas.
- Transport bag



















| Code       | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Volume<br>when closed | Weight<br>(from) | Capacity |
|------------|---------------|----------------|-----------------|---------------|----------------|-----------------------|------------------|----------|
| VALLETTA-N | 36 cm         | 45 cm          | 94,5 cm         | 37 cm         | 47,5 cm        | 56 x 28 x 59 cm       | 8,5 kg           | 100 kg   |

### **TRANSIT**

# Transit - compact transit wheelchair





Foldable aluminum wheelchair with 12" solid PU rear wheels. Fixed armrests, removable and height-adjustable footrests, cable brakes on the rear wheels operated by the caregiver through levers on the push handles. The seat is made of durable padded nylon with a back pocket and a safety belt. Available in green.

| Handle height        | 95 cm |
|----------------------|-------|
| Armrest height       | 24 cm |
| Front wheel diameter | 8"    |
| Rear wheel diameter  | 12"   |















| Code    | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Seat<br>height | Weight<br>(from) | Capacity |
|---------|---------------|----------------|-----------------|---------------|----------------|------------------|----------|
| TRANSIT | 45 cm         | 57 cm          | 90 cm           | 40 cm         | 50 cm          | 10,5 kg          | 100 kg   |

# Folding Bariatric wheelchair



Reinforced folding frame wheelchair with 24" solid PU rear wheels. Flip-back semi-desk armrests, removable and height-adjustable footrests. Fire-resistant padded nylon seat with a back pocket and safety belt. Reinforced fork attachment. Designed for obese patients weighing up to 250 kg. Seat depth customization to 47.5 cm or 50 cm available upon request.













| Code        | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Weight<br>(from) | Capacity |
|-------------|---------------|----------------|-----------------|---------------|------------------|----------|
| BAR-250-55P | 55 cm         | 71 cm          | 107 cm          | 42,5 cm       | 19 kg            | 250 kg   |
| BAR-250-60P | 60 cm         | 76 cm          | 107 cm          | 42,5 cm       | 19,5 kg          | 250 kg   |
| BAR-250-65P | 65 cm         | 81 cm          | 107 cm          | 42,5 cm       | 20 kg            | 250 kg   |
| BAR-250-70P | 70 cm         | 86 cm          | 107 cm          | 42,5 cm       | 20,5 kg          | 250 kg   |
| BAR-250-75P | 75 cm         | 91 cm          | 107 cm          | 42,5 cm       | 21 kg            | 250 kg   |

### **BAR-250-T**

# Folding Bariatric Transit Wheelchair



Reinforced folding frame wheelchair with 12" solid PU rear wheels. Flip-back semi-desk armrests, removable and height-adjustable footrests. Fire-resistant padded nylon seat with a back pocket and safety belt. Reinforced fork attachment. Suitable for obese patients weighing up to 250 kg. Seat depth customization to 47.5 cm or 50 cm available upon request.













| Code        | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Weight<br>(from) | Capacity |
|-------------|---------------|----------------|-----------------|---------------|------------------|----------|
| BAR-250-55T | 55 cm         | 68 cm          | 107 cm          | 42,5 cm       | 17 kg            | 250 kg   |
| BAR-250-60T | 60 cm         | 72 cm          | 107 cm          | 42,5 cm       | 17,5 kg          | 250 kg   |
| BAR-250-65T | 65 cm         | 77 cm          | 107 cm          | 42,5 cm       | 19 kg            | 250 kg   |
| BAR-250-70T | 70 cm         | 82 cm          | 107 cm          | 42,5 cm       | 19,5 kg          | 250 kg   |
| BAR-250-75T | 75 cm         | 87 cm          | 107 cm          | 42,5 cm       | 20 kg            | 250 kg   |

### **BAR-250-TF**

# Bariatric wheelchair with reclining backrest



Reinforced wheelchairs with a rigid frame and reclining backrest, available with 24" rear wheels with solid PU tires. Features flip-back semi-desk armrests, removable and height-adjustable footrests. The seat and backrest are fire-resistant and padded. The reclining backrest and leg rests are gas-spring assisted. Reinforced fork attachment. These wheelchairs are suitable for obese patients weighing up to 250 kg. Seat depth customization to 47.5 cm or 50 cm is available upon request.













| Code         | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Weight<br>(from) | Capacity |
|--------------|---------------|----------------|-----------------|---------------|------------------|----------|
| BAR-250-TF55 | 55 cm         | 77 cm          | 109 cm          | 45 cm         | 29 kg            | 250 kg   |
| BAR-250-TF60 | 60 cm         | 82 cm          | 109 cm          | 45 cm         | 29,5 kg          | 250 kg   |
| BAR-250-TF65 | 65 cm         | 87 cm          | 109 cm          | 45 cm         | 30 kg            | 250 kg   |
| BAR-250-TF70 | 70 cm         | 92 cm          | 109 cm          | 45 cm         | 30,5 kg          | 250 kg   |
| BAR-250-TF75 | 75 cm         | 87 cm          | 109 cm          | 45 cm         | 31 kg            | 250 kg   |

### **BAR-250-TW**

# Bariatric commode wheelchair with reclining backrest



Reinforced bariatric commode wheelchair with rigid frame and reclining backrest, available with 24" rear wheels with solid PU tires. Folding semi-desk armrests, removable and height-adjustable footrests. Fireproof padded seat and backrest. The reclining backrest and legrests are assisted by gas springs. Reinforced fork attachment. Suitable for obese patients up to 250 kg. Customization of the seat depth to 47.5 cm or 50 cm is available on request.













| Code         | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Weight<br>(from) | Capacity |
|--------------|---------------|----------------|-----------------|---------------|------------------|----------|
| BAR-250-TW55 | 55 cm         | 77 cm          | 109 cm          | 45 cm         | 29 kg            | 250 kg   |
| BAR-250-TW60 | 60 cm         | 82 cm          | 109 cm          | 45 cm         | 29,5 kg          | 250 kg   |
| BAR-250-TW65 | 65 cm 87 c    | 87 cm          | 109 cm          | 45 cm         | 30 kg            | 250 kg   |
| BAR-250-TW70 | 70 cm 92 cm   |                | 109 cm          | 45 cm         | 30,5 kg          | 250 kg   |
| BAR-250-TW75 | 75 cm         | 87 cm          | 109 cm          | 45 cm         | 31 kg            | 250 kg   |

# **Accessories** | for all models of bariatric wheelchairs

| Code    | Description           | BAR-250-P | BAR-250-T | BAR-250-TF | BAR-250-TW |
|---------|-----------------------|-----------|-----------|------------|------------|
| BAR-AG  | Removable armrests    | X         | X         |            |            |
| BAR-AMP | Removable side panels | X         | X         | X          | X          |
| BAR-AP  | Rechargeable battery  | X         | X         | X          | X          |

# Simple - electric wheelchair





Electric wheelchair with a foldable frame and fold-down backrest, covered in padded nylon. Equipped with flip-up armrests and footrests. The wheelchair is equiped with 12" solid polyurethane rear wheels with anti-tip kit and 8" front wheels. It includes a 13Ah lithium battery mounted on the side, allowing for easy transport of the folded wheelchair without removing the battery, providing a range of 15 km.

Thanks to the use of latest-generation brushless motors, wear on the carbon brushes is eliminated. Color: Gray.

















| Code   | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Front<br>wheels | Rear<br>wheels | Weight<br>(from) | Capacity |
|--------|---------------|----------------|-----------------|---------------|-----------------|----------------|------------------|----------|
| PW-E10 | 46 cm         | 63 cm          | 98 cm           | 42 cm         | 8"              | 12"            | 30 kg            | 100 kg   |
| '      |               | •              | •               | 1             | 1               | '              | •                | ' '      |

| Total height (ground to handles)         | 86.5 cm       |
|--|---------------|
| Flip-up armrest height                   | 22.5 cm       |
| Backrest height                          | 40 cm         |
| Footrests                                | Flip-up       |
| Maximum incline                          | 8°            |
| Max speed                                | 6 km/h        |
| Range (at average speed on flat terrain) | 15 km         |
| Frame material                           | Painted steel |

### **PW-X10**

# Aloy - aluminum electric wheelchair













Electric wheelchair with a foldable aluminum frame in a compact, wallet-style design. The backrest and seat are covered in padded nylon, with flip-up armrests and a single flip-up footrest. The wheelchair is equiped with 11" solid polyurethane rear wheels with aluminum rims and 7" front wheels mounted on an aluminum fork.

Equipped with a compact 6.6Ah lithium battery, allowing for easy transport of the folded wheelchair without removing the battery, providing a range of approximately 10 km.

Thanks to the use of latest-generation brushless motors, wear on the carbon brushes is eliminated. Color: Matte Blue.

















| Code   | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Total Height (ground to handles) | Weight<br>(from) | Capacity |
|--------|---------------|----------------|-----------------|---------------|----------------------------------|------------------|----------|
| PW-X10 | 43 cm         | 56 cm          | 89 cm           | 40 cm         | 91 cm                            | 16,1 kg          | 130 kg   |

| Rear Wheel Diameter                   | 11"  |
|---------------------------------------|--|
| Front Wheel Diameter                  | 7"   |
| Armrests                              | Flip-up  |
| Footrest                              | Flip-up  |
| Battery Weight                        | 1.4 kg   |
| Maximum Incline                       | 10°  |
| Max Speed                             | 6 km/h   |
| Range (average speed on flat terrain) | 10 km  |
| Motor                                 | 2 x 180 W Brushless  |
| Control                               | Brushless  |
| Battery                               | 1 x 24 V, 6.6 Ah Lithium   |
| Battery Charger                       | HP 24V - 2A  |
| Materials                             | Frame: Powder-coated aluminum Backrest and Seat: Nylon Rear Wheels: Aluminum rims with solid PU tires Front Wheels: Solid PU tires Front Fork: Aluminum Armrests: Polyurethane |

# Carbonfold - carbon fiber electric wheelchair



carbonfold

Electric wheelchair with a wallet-folding carbon fiber frame, padded nylon backrest with a rear pocket. Flip-up armrests and a single flip-up footrest. The wheelchair has 10" rear wheels with solid polyurethane tires on aluminum rims and 7" front wheels with aluminum forks and shock absorbers. Equipped with a 6.6Ah lithium battery, mounted to allow easy transport of the folded wheelchair without needing to remove the battery, providing a range of 10–12 km.

Thanks to the use of latest-generation brushless motors, wear on the carbon brushes is eliminated. Available in carbon fiber color.















| width width lenght depth (ground to handles) (from) | Capacity |
|---|----------|
| PW-X30 42 cm 57 cm 86 cm 40 cm 53 cm 15 kg          | 135 kg   |

| Rear Wheel Diameter                   | 10"  |
|---------------------------------------|--|
| Front Wheel Diameter                  | 7"   |
| Armrests                              | Flip-up  |
| Footrest                              | Flip-up  |
| Battery Weight                        | 1.4 kg   |
| Maximum Incline                       | 13°  |
| Max Speed                             | 6 km/h   |
| Range (average speed on flat terrain) | 10-12 km   |
| Motor                                 | 2 x 250 W Brushless  |
| Control                               | Brushless  |
| Battery                               | 1 x 24 V, 6.6 Ah Lithium   |
| Battery Charger                       | HP 24V - 2A  |
| Materials                             | Frame: Carbon fiber Backrest and Seat: Padded nylon Rear Wheels: Aluminum rims with solid PU tires Front Wheels: Solid PU tires Front Fork: Aluminum with shock absorbers Armrests: Flip-up carbon fiber |

### **PW-X40**

# Fiber II - carbon fiber power wheelchair













Power wheelchair with foldable carbon fiber frame with cross, backrest with padded Nylon covering, with rear pocket. Folding armrests, foldable footrests. 11" rear wheels with full polyurethane tire on aluminum rim, the front wheels are 7" mounted on aluminum fork. Equipped with 1 6.6Ah lithium battery mounted laterally, to facilitate the transport of the folded wheelchair without having to remove it, which allows a range of 10 km. Thanks to the use of latest-generation brushless motors, wear on the carbon brushes is eliminated.

Available in carbon fiber color.















| Code   | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Total Height | Weight<br>(from) | Capacity |
|--------|---------------|----------------|-----------------|---------------|--------------|------------------|----------|
| PW-X40 | 46 cm         | 65 cm          | 91 cm           | 41,5 cm       | 89 cm        | 13 kg            | 130 kg   |

|                      | 1   |
|----------------------|---|
| Rear Wheel Diameter  | 11"   |
| Front Wheel Diameter | 7"  |
| Armrests             | Flip-up   |
| Footrest             | Flip-up   |
| Battery Weight       | 1.4 kg  |
| Maximum Incline      | 9°  |
| Max Speed            | 6 km/h  |
| Motor                | 2 x 250W brushless  |
| Control              | Brushless   |
| Battery              | n. 1 x 24 V, 6,6 A Lithium  |
| Battery Charger      | HP 24V - 2A   |
| Materials            | Frame: Carbon fiber Backrest and Seat: Padded nylon Rear Wheels: Aluminum rims with solid PU tires Front Wheels: Solid PU tires Front Fork: Aluminum Armrests: Flip-up carbon fiber |













Equipped with a 10Ah lithium battery, which enables easy transport of the folded wheelchair without removing the battery, providing a range of up to 17 km. An optional additional battery can extend the range to 30 km. The latest generation of brushless motors eliminates carbon brush wear. Available in seven seat widths (37, 40, 42, 44, 46, 49, and 52 cm) and two colors: Blue (code ending in "B") or Orange (code ending in "A"). The joystick control can be positioned on either the right or left armrest, with an optional rear joystick for an attendant and elevating footrests available upon request. (NB: the autonomy km refer to use on flat ground without obstacles and a at an average speed).



















| Code                     | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Front<br>wheels | Rear<br>wheels | Weight<br>(from) | Capacity |
|--------------------------|---------------|----------------|-----------------|---------------|-----------------|----------------|------------------|----------|
| PW-L10-37A<br>PW-L10-37B | 37 cm         | 59 cm          | 105 cm          | 40 cm         | 8"              | 12"            | ≥ 23,3 kg        | 120 kg   |
| PW-L10-40A<br>PW-L10-40B | 40 cm         | 62 cm          | 105 cm          | 40 cm         | 8"              | 12"            | ≥ 23,3 kg        | 120 kg   |
| PW-L10-42A<br>PW-L10-42B | 42 cm         | 64 cm          | 105 cm          | 40 cm         | 8"              | 12"            | ≥ 23,3 kg        | 120 kg   |
| PW-L10-44A<br>PW-L10-44B | 44 cm         | 66 cm          | 105 cm          | 40 cm         | 8"              | 12"            | ≥ 23,3 kg        | 120 kg   |
| PW-L10-46A<br>PW-L10-46B | 46 cm         | 68 cm          | 105 cm          | 40 cm         | 8"              | 12"            | ≥ 23,3 kg        | 120 kg   |
| PW-L10-49A<br>PW-L10-49B | 49 cm         | 71 cm          | 105 cm          | 40 cm         | 8"              | 12"            | ≥ 23,3 kg        | 120 kg   |
| PW-L10-52A<br>PW-L10-52B | 52 cm         | 74 cm          | 105 cm          | 40 cm         | 8"              | 12"            | ≥ 23,3 kg        | 120 kg   |

Enjoy wheelchairs can be equipped with specific accessories to customize the configuration for the user's needs.

| Motor           | 2 x 150 W Brushless  |
|-----------------|--|
| Control voltage | 24 V   |
| Battery         | 1 x 24 V, 10 Ah Lithium (optional second 10 Ah battery for extended range) |
| Range           | 17 km (up to 30 km with two batteries, upon request)                       |
| Max incline     | 13°  |
| Battery charger | 24V - 2A   |

# Accessories

| PW-L10-A01 | Elevating footrests   |
|------------|-----------------------|
| PW-L10-A34 | Rear joystick control |

# Level II - electric wheelchair











Electric wheelchair with folding aluminum frame and double cross, folding backrest with tensioning straps and padded nylon cover, with rear pocket. Folding and removable desk armrests equipped with clothes protection sides, removable and height-adjustable footrests. 12" rear wheels with solid polyurethane tire on aluminum rim (alternatively on request, with inflatable tires), the front wheels have size 8" mounted on an aluminum fork. Equipped with 1 20Ah lithium battery mounted laterally, to facilitate the transport of the folded wheelchair without having to remove it, which allows an autonomy of 15/18 km and the possibility of mounting an additional battery, as an option, to increase the autonomy up to 30 km.

Available in three seat sizes 43, 45, 48 cm.

















|   | Code      | Seat<br>width | Total<br>width | Total<br>lenght | Seat<br>depth | Front<br>wheels | Rear<br>wheels | Weight<br>(from) | Capacity |
|---|-----------|---------------|----------------|-----------------|---------------|-----------------|----------------|------------------|----------|
|   | PW-110-43 | 43 cm         | 61 cm          | 108 cm          | 44 cm         | 8"              | 12,5"          | 30 kg            | 120 kg   |
| Ī | PW-110-45 | 45 cm         | 63 cm          | 108 cm          | 44 cm         | 8"              | 12,5"          | 30 kg            | 120 kg   |
|   | PW-110-48 | 48 cm         | 66 cm          | 108 cm          | 44 cm         | 8"              | 12,5"          | 30 kg            | 120 kg   |

| Armrests                                      | Folding semi-desks adjustable in height   |
|---|---|
| Pillow  | Removable   |
| Footrest                                      | Removable, adjustable in height and with heel strap   |
| Battery weight                                | 3,5 kg  |
| Max. slope                                    | 10°   |
| Max. speed                                    | 8 km/h  |
| Autonomy (on fat ground and at average speed) | 15/18 km (*30 km with two lithium batteries)  |
| Engine  | 2 x 200 W Linix China   |
| Command                                       | 24 V Maikong, China   |
| Lithium battery                               | n. 1 x 24 V, 20 Ah Lithium (* on request, an additional lithium battery 20Ah, to increase autonomy) |
| Charger                                       | HP 24V - 3A   |

# Smarty - electric scooter











Yellow

SC-10M Manually foldable SC-X10E Foldable with remote control





Small 4-wheel electric scooter, foldable with remote control and removable. Its easy maneuverability and frame features make it suitable for use in indoor environments with limited space and flat outdoor paths. The tilt and height adjustments of the handlebar, combined with the two shock absorbers located under the seat, allow you to easily adapt it to your needs and obtain better driving comfort. The backrest can be folded forward and the armrests are foldable and height-adjustable. On the handlebar console there are: an LED screen, buttons and levers, to activate and view the various functions of the scooter and the battery charge indicator. The equipment includes a front LED headlight, a practical side bag, a rear backpack, a stick holder and a remote control to activate the remote folding function. The completely foldable and removable frame, without the use of tools, makes it easily transportable.

The SMARTY E scooter can be customized with 4 different color shades; Red, Blue, Yellow and Gray The two 7.5 Ah/24V lithium batteries each offer a range of 23 km.















| Code   | Seat<br>width | Total<br>width | Total<br>lenght | Backrest<br>height | Engine<br>power | Weight (including batteries) | Capacity |
|--------|---------------|----------------|-----------------|--------------------|-----------------|------------------------------|----------|
| SC-X10 | 39 cm         | 45 cm          | 101 cm          | 34 cm              | 120W            | 30,4 kg                      | 120 kg   |

### **SC-X20**

# Regular - light electric scooter











The REGULAR is a small, foldable 4-wheel electric scooter. Its easy maneuverability and frame design make it suitable for indoor use in tight spaces and flat outdoor paths. The handlebar can be adjusted in both tilt and height, allowing easy customization for greater driving comfort.

The backrest folds forward, and the armrests are flip-up, height-adjustable, and removable. The handlebar console includes an LED screen, buttons, and levers to activate and monitor various scooter functions, as well as a battery charge indicator. The lightweight magnesium alloy frame is fully foldable without tools, making it easy to transport.

The REGULAR scooter is available in two colors: Red (SC-X20R) and Blue (SC-X20B). The 10 Ah/24V lithium battery provides a range of 15 km.\*



(The range km refers to use on flat terrain without obstacles and at an average speed.)















|   | Code   | Seat<br>width |
|---|--------|---------------|
| - | SC-X20 | 39 cm         |



Total

width

45 cm

| Total<br>lenght |
|-----------------|
| 96 cm           |

| Backrest<br>height |  |
|--------------------|--|
| 34 cm              |  |

Engine power 120W

Weight (batteries not included) 19 kg

Capacity 125 kg

# Ultra - light electric scooter







The ULTRA is a small, foldable 4-wheel electric scooter. Its easy maneuverability and frame design make it suitable for indoor use in tight spaces and on flat outdoor paths. The handlebar tilt adjustment allows for easy customization, enhancing driving comfort.

The backrest folds forward, and the armrests are flip-up, height-adjustable, and removable. The handlebar console includes buttons and levers to activate and monitor various scooter functions, along with a battery charge indicator. The super-lightweight magnesium alloy frame is fully foldable without tools, making it easy to transport.

The ULTRA scooter is available in three colors: Red (SC-X30R), Blue (SC-X30B), and Gray (SC-X30G). The 10 Ah/24V lithium battery provides a range of 15 km.\*

















| Code   | Seat<br>width | Total<br>width | Total<br>lenght | Backrest<br>height | Engine<br>power | Weight (batteries not included) | Capacity |
|--------|---------------|----------------|-----------------|--------------------|-----------------|---------------------------------|----------|
| SC-X30 | 39 cm         | 45 cm          | 102 cm          | 34 cm              | 120W            | 16,5 kg                         | 125 kg   |

# Color - electric scooter







Electric scooter with 4-wheel and 4 shock absorbers, small in size and easy to maneuver, it is suitable for use both indoors and outdoors.

The seat, 360° rotating and adjustable on longitudinal guides, combined with the handlebar angle adjustment, allow to easily adapt it to different needs and obtain better driving comfort.

The backrest can be folded forward, and the armrests are foldable and adjustable in width. The equipment includes a front LED headlight and a front basket fixed on the handlebar column. The completely removable frame, without the use of tools, makes it easily transportable.

The two 12 Ah batteries allow for an autonomy of 16 km\* and a top speed of 8 km/h. If necessary, the rear lever allows to disengage the wheel drive to easily push it.















| Code   | Seat<br>width | Total<br>width | Total<br>lenght | Backrest<br>height | Engine<br>power | Weight (including batteries) | Capacity |
|--------|---------------|----------------|-----------------|--------------------|-----------------|------------------------------|----------|
| SC-100 | 43 cm         | 52 cm          | 114 cm          | 37 cm              | 220 W           | 58 kg                        | 135 kg   |

# Identity - electric scooter







Electric scooter with 4-wheel and 4 shock absorbers. The medium-size frame makes it suitable for use outdoors and, if necessary, also indoors.

A comfortable seat with headrest, 360° rotating and adjustable on longitudinal guides, combined with the inclination adjustment of the handlebar, allows to easily adapt it to the needs of the user and obtain better driving comfort. The backrest can be reclined, and the armrests can be folded down. The battery charge indicator, buttons and levers to activate the various functions of the scooter are located on the handlebar console. The equipment includes: front and rear directional arrows, a USB socket (useful for charging the mobile phone), a socket to recharge the batteries and a charger, two rear-view mirrors, a front LED headlight and a front basket fixed on the handlebar column. Two 38 Ah batteries allow for an autonomy of 45 km\* and top speed of 8 km/h.















| Code   | Seat<br>width | Total<br>width | Total<br>lenght | Backrest<br>height | Engine<br>power | Weight (including batteries) | Capacity |
|--------|---------------|----------------|-----------------|--------------------|-----------------|------------------------------|----------|
| SC-150 | 48 cm         | 63 cm          | 130 cm          | 53 cm              | 500 W           | 120 kg                       | 136 kg   |

### **SC-700**

## Ares - electric scooter



The ARES is a electric scooter with four 12" pneumatic wheels diameter, equipped with front and rear shock absorbers. Its large yet maneuverable frame makes it suitable for outdoor use and long distances.

A comfortable seat with a 360° swivel and adjustable on longitudinal guides, along with the handlebar tilt adjustment, allows for easy customization according to the user's needs and provides a better driving comfort.

The backrest is reclining, and the armrests are foldable and adjustable. On the handlebar console, there is a liquid crystal display to view various active parameters of the scooter (e.g., speed, battery charge, etc.) and buttons to control its different functionalities.

The equipment includes front and rear turn signals, a charging socket, a battery charger, a mechanical parking brake, two rear-view mirrors, a bottle holder, a front storage box, front headlights, and rear lights. The two 55 Ah batteries each offer a power of 800W (with a peak power of 1200W) and allow a range of 45 km\* with a maximum speed of 15 km/h.















| Code   | Seat<br>width | Total<br>width | Total<br>lenght | Backrest<br>height | Engine<br>power | Weight (including batteries) | Capacity |
|--------|---------------|----------------|-----------------|--------------------|-----------------|------------------------------|----------|
| SC-700 | 46 cm         | 65 cm          | 142 cm          | 67 cm              | 800W            | 119 kg                       | 150 kg   |

### **SC-800**

# Voyager - electric scooter











The VOYAGER is a electric scooter with four wheels 13" pneumatic tires on alloy rims, equipped with front and rear shock absorbers. Its large but maneuverable frame makes it suitable for outdoor use and long distances. A comfortable, 360° rotating seat with an adjustable headrest, along with adjustable handlebar tilt, allows easy customization for user comfort. The backrest is reclining, and the armrests are flip-up and height-adjustable.

The handlebar console includes an LCD display to view various active scooter parameters (e.g., speed, battery level) and buttons to control different functions. Standard features include front and rear directional indicators, a battery charging port, a charger, a mechanical parking brake, two rear-view mirrors, a rear storage compartment, a front storage compartment, front headlights, and rear lights. The two 75 Ah batteries provide 950W power (up to 1800W peak power) with a range of 40 km\* and a maximum speed of 15 km/h. Available in Matte Blue (SC-800B) and Matte Orange (SC-800A).















| Code   | Seat<br>width | Total<br>width | Total<br>lenght | Backrest height<br>(Headrest included) | Engine<br>power | Weight (including batteries) | Capacity |
|--------|---------------|----------------|-----------------|--|-----------------|------------------------------|----------|
| SC-800 | 49 cm         | 69 cm          | 150 cm          | 67 cm                                  | 950 W           | 131 kg                       | 150 kg   |

## **SC-1000R PLUS** | Racer - electric scooter







The RACER is a electric scooter with four wheels; 14" front and 15", rear pneumatic tires on alloy rims, equipped with front and rear shock absorbers. Its large yet easy-to-maneuver frame is suitable for outdoor use and long distances. A comfortable, 360° rotating seat with an adjustable headrest and handlebar tilt adjustment allows for easy customization and improved driving comfort. The backrest is reclining, and the armrests are flip-up and height-adjustable.

The handlebar console includes an LCD display to monitor active scooter parameters (e.g., speed, battery level) and control buttons for various functions. Standard features include front and rear directional indicators, a battery charging port, a charger, a mechanical parking brake, two rear-view mirrors, a rear storage compartment, front headlights, and rear lights. The two 100 Ah batteries provide 1400W power (up to 2400W peak power) with a range of 70 km\* and a maximum speed of 18 km/h. Available in Matte Red.















| Code          | Seat<br>width | Total<br>width | Total<br>lenght | Backrest height<br>(Headrest included) | Engine<br>power | Weight (including batteries) | Capacity |
|---------------|---------------|----------------|-----------------|--|-----------------|------------------------------|----------|
| SC-1000R PLUS | 51 cm         | 79 cm          | 165 cm          | 78 cm                                  | 1400 W          | 169 kg                       | 200 kg   |

# Endurance - 3 wheels electric scooter





The ENDURANCE is a 3-wheel electric scooter with 15" pneumatic tires on alloy rims, equipped with front and rear shock absorbers. Its large, maneuverable frame is ideal for outdoor use and long distances. A comfortable, adjustable seat with flip-up armrests allows easy customization for user comfort.

The handlebar console includes an LCD display to view various active parameters (e.g., speed, battery level) and buttons to control different functions. Standard features include front and rear directional indicators, a battery charging port, a charger, a mechanical parking brake, two rear-view mirrors, a rear storage compartment, front headlights, and rear lights. The two 20 Ah batteries provide 1000W power (up to 2400W peak power) with a range of up to 70 km\* and a top speed of around 25 km/h. Available in Metallic Brown.















| Code    | Seat<br>width | Total<br>width | Total<br>lenght | Backrest<br>height | Engine<br>power | Weight (including batteries) | Capacity |
|---------|---------------|----------------|-----------------|--------------------|-----------------|------------------------------|----------|
| SC-3000 | 51 cm         | 79 cm          | 165 cm          | 78 cm              | 1000 W          | 131 kg                       | 150 kg   |

# Accessories for model

| Code    | Description                                   |
|---------|---|
| SCS-01  | COLOR scooter body kit - metallic red         |
| SCS-02  | COLOR scooter body kit - metallic blue        |
| SCS-03  | COLOR scooter body kit - metallic grey        |
| SCS-04  | COLOR scooter body kit - matt bronze          |
| SCS-05  | COLOR scooter body kit - matt grey            |
| SCS-06  | COLOR scooter body kit - matt light blue      |
| SCS-07  | COLOR scooter body kit - matt black           |
| SCS-09  | COLOR scooter body kit - orange               |
| SCS-10  | COLOR scooter body kit - white                |
| SCS-20  | IDENTITY scooter body kit - metallic red      |
| SCS-21  | IDENTITY scooter body kit - metallic blue     |
| SCS-22  | IDENTITY scooter body kit - metallic grey     |
| SCS-23  | IDENTITY scooter body kit - matt bronze       |
| SCS-24  | IDENTITY scooter body kit - matt grey         |
| SCS-25  | IDENTITY scooter body kit - matt light blue   |
| SCS-26  | IDENTITY scooter body kit - matt black        |
| SCS-27  | IDENTITY scooter body kit - orange            |
| SCS-28  | IDENTITY scooter body kit - white             |
| SC-A101 | Bottle holder for COLOR and IDENTITY scooters |
| SC-A102 | Crutch holder for COLOR and IDENTITY scooters |
| SC-A703 | Crutch holder for COLOR scooters              |

# Accessories for all models

| Code     | Description                               |
|----------|---|
| SC-A701  | Cylinder holder                           |
| SC-A702  | Canopy                                    |
| SC-A703P | Rear crutch holder                        |
| SC-A712  | Accessory adapter                         |
| SC-A705  | Large rear trunk                          |
| SC-A706  | Walker holder                             |
| SC-A707  | Windshield                                |
| SC-A708  | Rear basket                               |
| SC-A709  | Rear rollator holder                      |
| SC-A710  | Rear nylon bag                            |
| SC-A711  | Walking stick holder                      |
| SC-A712  | Scooter cover                             |
| SC-R702  | Rear scooter accessory attachment adapter |

## **RAM**

# Telescopic ramps



Telescopic aluminum ramps, with side handles that facilitate transport and movement.

The package includes a comfortable nylon bag, resealable with a zip.

Width when open: 11 cm. Maximum load: 270 kg.

Available in two variants of maximum length

| Code    | Lenght | Weight |
|---------|--------|--------|
| RAM-150 | 150 cm | 6,5 kg |
| RAM-210 | 210 cm | 8.4 kg |

### **RAM**

# Folding ramps





Folding aluminum ramps, with side handles that facilitate transport and lo shift.

Open width: 73 cm. Maximum load: 300 kg.

The package includes a comfortable nylon bag, resealable with a zip. Available in four variants of maximum length.

| Code    | Lenght | Weight  |
|---------|--------|---------|
| RAM-60  | 60 cm  | 6,5 kg  |
| RAM-90  | 90 cm  | 8,2 kg  |
| RAM-120 | 120 cm | 12 kg   |
| RAM-180 | 180 cm | 15,5 kg |

# **ARMCHAIRS**

Electric lift chairs with one or two motors operated by wired remote control. Their design and handmade, carefully crafted in Italy, allow them to be used in a family environment, ensuring comfort and maximum durability and effectiveness over time.

The structure is made of wood covered with a layer of polyurethane with metal mechanics;

the padding is made of ecological polyurethane foam with differentiated density, covered with a Dacron layer. Three different designs, which allow the choice of the most suitable model.

### **ELYSEE N**

# **Armchair Elysee**







Cacao





Geriatric armchair with manually reclining frame and a base with transit wheels, ideal for both indoor and outdoor use. It comes with a headrest cushion, a containment belt, an anatomical leg rest cushion, and a memory foam anti-decubitus cushion for the seat in the basic configuration.

The manually elevatable leg rest with 6 positions aligns with the seat when the armchair is in a semi-reclined position. It features a pedal brake system accessible from three sides of the armchair (sides and back). Cocoa color (other colors available upon request). The coverings are removable and washable at 30°C.















| Code      | Seat<br>width | Total<br>width | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight | Capacity |
|-----------|---------------|----------------|---------------|----------------|-------------------|--------|----------|
| ELYSEEN38 | 38 cm         | 61 cm          | 48 cm         | 45 cm          | 20 cm             | 40 kg  | 130 kg   |
| ELYSEEN44 | 44 cm         | 67 cm          | 48 cm         | 45 cm          | 20 cm             | 40 kg  | 130 kg   |
| ELYSEEN50 | 50 cm         | 73 cm          | 48 cm         | 45 cm          | 20 cm             | 40 kg  | 130 kg   |
| ELYSEEN56 | 56 cm         | 79 cm          | 48 cm         | 45 cm          | 20 cm             | 40 kg  | 130 kg   |

### **ELYSEE NE**

# Electric armchair Elysee







Cacao





Geriatric armchair with electric tilting frame controlled by a remote and a base with transit wheels, ideal for both indoor and outdoor use. It comes with an anatomical headrest cushion, a containment belt, an anatomical leg rest cushion, and a memory foam anti-decubitus cushion for the seat in the basic configuration.

The manually elevatable leg rest with 6 positions aligns with the seat when the armchair is in a semi-reclined position. It features a pedal brake system accessible from three sides of the armchair (sides and back). Cocoa color (other colors available upon request). The coverings are removable and washable at 30°C.















| Code       | Seat<br>width | Total<br>width | Seat<br>depth | Seat<br>height | Armrest<br>height | Weight | Capacity |
|------------|---------------|----------------|---------------|----------------|-------------------|--------|----------|
| ELYSEEN38E | 38 cm         | 61 cm          | 48 cm         | 45 cm          | 20 cm             | 40 kg  | 130 kg   |
| ELYSEEN44E | 44 cm         | 67 cm          | 48 cm         | 45 cm          | 20 cm             | 40 kg  | 130 kg   |
| ELYSEEN50E | 50 cm         | 73 cm          | 48 cm         | 45 cm          | 20 cm             | 40 kg  | 130 kg   |
| ELYSEEN56E | 56 cm         | 79 cm          | 48 cm         | 45 cm          | 20 cm             | 40 kg  | 130 kg   |

### VANITY 2

# Electric lift chair model Vanity





Lift chair with a motorized mechanism with 2 motors (1 motor version available upon request). The sturdy frame includes external and internal wood composite (plywood and solid wood) covered with non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). Non-removable cover. PVC feet. The two-motor mechanism allows separate adjustment of the backrest and leg rest. Standard features include 2 rear wheels for easy movement when tilted backward, a double footrest panel, and additional armrest covers to protect the fabric. The optional ROLLER lift system provides four independent wheels controlled by a rear pedal for easy transport between rooms.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 78 cm | 105 cm | 176 cm     | 82 cm      | 130 kg   |

# METRÒ 2

# Electric lift chair model Metrò





Lift chair featuring a motorized two-motor mechanism (one-motor version available upon request). The frame is crafted from wood composite (plywood and solid wood) and covered in non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). Non-removable cover. PVC feet. The two-motor mechanism allows for independent adjustment of the backrest and leg rest. Equipped as standard with 2 rear wheels for easy movement when tilted backward and a double footrest extension panel. A lift mechanism (ROLLER) with four independent wheels is available upon request and is operated by a rear pedal, allowing easy movement from room to room.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 70 cm | 108 cm | 180 cm     | 89 cm      | 130 kg   |

### **NUVOLA 2**

## Electric lift chair model Nuvola





Electric lift chair with a motorized mechanism with 2 motors (1 motor version available upon request). The sturdy frame is assembled with internal and external parts made of wood composite (plywood and solid wood) covered in non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). Non-removable cover. PVC feet. The two-motor mechanism allows separate adjustment of the backrest recline and leg rest. Equipped as standard with 2 rear wheels for easy movement when tilted backward and a double footrest panel for added comfort. A practical lift mechanism (ROLLER) with four independent wheels can be added on request, operated by a pedal lever at the rear, allowing for easy chair movement from room to room.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 79 cm | 114 cm | 187 cm     | 91 cm      | 130 kg   |

### EASY 2

# Electric lift chair model Easy





A compact electric lift chair with a motorized mechanism with 2 motors (1 motor version available upon request). The solid frame is assembled from wood composite (plywood and solid wood) and covered with non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). Non-removable cover. PVC feet. The two-motor mechanism allows independent adjustment of the backrest and leg rest. Equipped with a double footrest extension panel and 2 rear wheels for easy movement when tilted backward. The ROLLER mechanism with four independent wheels, operated by a pedal at the rear, is available upon request for easy movement between rooms.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 58 cm | 105 cm | 171 cm     | 80 cm      | 130 kg   |

### MAMY 2

# Electric lift chair model Mamy





The MAMY lift chair is equipped with a motorized two-motor mechanism (one-motor version available upon request). The solid frame is constructed with internal and external parts made of wood composite (plywood and solid wood), covered in non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). Non-removable cover. PVC feet. The two-motor mechanism allows for independent adjustment of the backrest recline and leg rest. Standard features include 2 rear wheels for easy movement when tilted backward, a double footrest panel for extra comfort, and two removable side flaps on the backrest. An optional lift mechanism (ROLLER) with four independent wheels can be added, operated by a rear pedal, allowing the chair to be moved easily from room to room.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 78 cm | 108 cm | 177 cm     | 84 cm      | 130 kg   |

# GALÀ 2

# Electric lift chair model Galà





The GALÀ lift chair features a motorized two-motor mechanism (one-motor version available upon request). The sturdy frame includes internal and external parts made of wood composite (plywood and solid wood), covered with non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). Non-removable cover. PVC feet. The two-motor mechanism allows separate adjustment of the backrest recline and leg rest. Standard features include 2 rear wheels for easy movement when tilted backward and a double footrest panel for enhanced comfort. An optional lift mechanism (ROLLER) with four independent wheels is available, controlled by a rear pedal, making it easy to move the chair from one room to another.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 76 cm | 116 cm | 186 cm     | 87 cm      | 130 kg   |

# MIRÒ 2

### Electric lift chair model Mirò





The MIRÒ lift chair is equipped with a motorized two-motor mechanism (one-motor version available upon request). The sturdy frame is made from internal and external parts of wood composite (plywood and solid wood) covered with non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). Non-removable cover. PVC feet. The two-motor mechanism allows independent adjustment of the backrest recline and leg rest. Standard features include removable armrests, 2 rear wheels for easy movement when tilted backward, a double footrest panel for added comfort, and an additional cover on the armrests to protect the fabric.

An optional lift mechanism (ROLLER) with four independent wheels, operated by a rear pedal, allows for easy movement from room to room.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 74 cm | 111 cm | 180 cm     | 82 cm      | 130 kg   |

### **HEVEN 2**

### Electric lift chair model Heven





The HEVEN lift chair is a compact model with a motorized two-motor mechanism (one-motor version available upon request). The solid frame is assembled from wood composite (plywood and solid wood) and covered with non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). Non-removable cover. PVC feet. The two-motor mechanism allows for separate adjustment of the backrest recline and leg rest. Standard features include a double footrest extension panel and 2 rear wheels for easy movement when tilted backward. An optional lift mechanism (ROLLER) with four independent wheels, controlled by a rear pedal, allows for easy transport between rooms.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 76 cm | 104 cm | 176 cm     | 89 cm      | 130 kg   |

### BOURBON2

### Electric lift chair model Bourbon





Lift chair with a two-motor mechanism (one-motor version available upon request). Made with a solid frame in wood composite, covered with non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). Non-removable cover. PVC feet. The two-motor mechanism allows independent adjustment of the backrest and leg rest. Standard features include 2 rear wheels for easy movement when tilted backward and a double footrest panel for added comfort. Optional ROLLER mechanism with four independent wheels is available, controlled by a rear pedal, for easy transport between rooms.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 70 cm | 108 cm | 180 cm     | 89 cm      | 130 kg   |

# MINÙ 2

### Electric lift chair model Minù





Lift chair featuring a motorized two-motor mechanism (one-motor version available upon request). The solid frame is made of wood composite, covered in non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). PVC feet. The two-motor mechanism allows for separate adjustment of the backrest and leg rest. Standard features include removable side flaps, 2 rear wheels for easy movement when tilted backward, a double footrest extension panel for added comfort, and an additional cover on the armrests to protect the fabric. An optional ROLLER mechanism with four independent wheels, operated by a rear pedal, is available for easy movement between rooms.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 74 cm | 108 cm | 180 cm     | 89 cm      | 130 kg   |

### **CHANEL 2**

### Electric lift chair model Chanel





A compact lift chair featuring a motorized two-motor mechanism (one-motor version available upon request). The sturdy frame is made of wood composite (plywood and solid wood) covered in non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). Non-removable cover. PVC feet. The two-motor mechanism allows separate adjustment of the backrest and leg rest. Standard features include a double footrest extension panel and 2 rear wheels for easy movement when tilted backward.

An optional ROLLER lift mechanism with four independent wheels is available, operated by a rear pedal, enabling easy movement from room to room.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 80 cm | 105 cm | 178 cm     | 85 cm      | 130 kg   |

### **BONT**

### Electric lift chair model Bont





This lift chair is equipped with a motorized two-motor mechanism. The solid frame includes wood composite (plywood and solid wood) covered in non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). Non-removable cover. The two-motor mechanism allows independent adjustment of the backrest and leg rest. Standard features include removable armrests and backrest side flaps, a double footrest extension, four independent wheels with brakes, and a rear handle, allowing for easy movement between rooms.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 77 cm | 105 cm | 176 cm     | 91 cm      | 130 kg   |

### **VELVET 2**

### Electric lift chair model Velvet





The VELVET lift chair features a motorized two-motor mechanism (one-motor version available upon request). The sturdy frame is made of wood composite (plywood and solid wood) covered with non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). Non-removable cover. PVC feet. The two-motor mechanism allows independent adjustment of the backrest and leg rest. Standard features include 2 rear wheels for easy movement when tilted backward and a double footrest panel for added comfort. An optional lift mechanism (ROLLER) with four independent wheels is available, operated by a rear pedal, enabling easy movement from room to room.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 70 cm | 113 cm | 182 cm     | 90 cm      | 130 kg   |

### **BATIK 2**

### Electric lift chair model Batik





The BATIK lift chair is designed with a motorized two-motor mechanism (one-motor version available upon request) and combines elegance with ergonomic design, featuring removable armrests as standard. The sturdy frame is constructed of wood composite (plywood and solid wood) and covered with non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). Non-removable cover. PVC feet. The two-motor mechanism allows for separate adjustment of the backrest recline and leg rest. Standard features include 2 rear wheels for easy movement when tilted backward and a double footrest panel for added comfort. An optional lift mechanism (ROLLER) with four independent wheels, controlled by a rear pedal, allows easy transport between rooms.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 74 cm | 113 cm | 182 cm     | 90 cm      | 130 kg   |

#### **DENIM 2**

#### Electric lift chair model Denim





The DENIM lift chair is equipped with a motorized two-motor mechanism (one-motor version available upon request). The sturdy frame is constructed with internal and external wood composite (plywood and solid wood) and covered with non-deformable polyurethane foam. Upholstered in Savoy fabric, with other fabric, eco-leather, or leather options available upon request (see color/fabric chart). Non-removable cover. PVC feet. The two-motor mechanism allows independent adjustment of the backrest and leg rest. Standard features include 2 rear wheels for easy movement when tilted backward and a double footrest panel for added comfort. An optional ROLLER lift system with four independent wheels is available, controlled by a rear pedal, making it easy to move the chair from room to room.

| Width | Height | Max Length | Min Length | Capacity |  |
|-------|--------|------------|------------|----------|--|
| 73 cm | 113 cm | 182 cm     | 90 cm      | 130 kg   |  |

#### **ARTEMIS**

#### Electric lift chair model Artemis





Adjustable headrest

The ARTEMIS lift chair features a classic design offering exceptional comfort in all positions, enhanced by an adjustable ratchet headrest. The armrests are padded for a soft, ergonomic feel. This model is equipped with a two-motor mechanism (one-motor version available upon request). The solid frame is made of wood composite (plywood and solid wood), covered with non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). Non-removable cover. PVC feet. The two-motor mechanism allows independent adjustment of the backrest and leg rest, while the single-motor version adjusts both simultaneously. Standard features include 2 rear wheels for easy movement when tilted backward, a double footrest panel for added comfort, and additional armrest covers to protect the fabric. An optional ROLLER lift system with four independent wheels, controlled by a rear pedal, is available for easy movement between rooms.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 74 cm | 104 cm | 182 cm     | 90 cm      | 130 kg   |

#### **EMPIRE**

#### Electric lift chair model Empire





A classic, comfortable lift chair designed for long-term sitting needs. The solid frame is assembled with internal and external wood composite parts (plywood and solid wood) covered in non-deformable polyurethane foam. Coverings made in nine fabrics with a wide range of colours (see colour/fabric table). The 7-motor mechanism allows independent adjustments for each part, especially beneficial for orthopedic and healthcare needs. Besides standard positions, the chair can rise approximately 30 cm (with a load capacity up to 250 kg) while keeping the seat parallel to the floor or tilting to shift pressure points, helping to prevent bedsores. The chair includes four swivel wheels, two with brakes, for easy movement. Removable armrests and side panels facilitate transfers, use of an accessory table, and ease of approach to a standard table.

| Width | Height | Max Length | Min Length | Capacity |
|-------|--------|------------|------------|----------|
| 84 cm | 120 cm | 200 cm     | 93 cm      | 250 kg   |

#### Accessories

#### for all models

| Code                            | Description                                     | ARTEMIS | BATIK 2 | BONTON | BOURBON 2 | CHANEL 2 | DENIM 2 | GALA' 2 | HEVEN 2 | EMPIRE | MAMY 2 | METRO' 2 | MINU' 2 | MIRO' 2 | NUVOLA 2 | VANITY 2 | VELVET 2 |
|---------------------------------|---|---------|---------|--------|-----------|----------|---------|---------|---------|--------|--------|----------|---------|---------|----------|----------|----------|
| BA                              | Removable armrests                              |         |         |        |           |          |         |         |         |        | Х      |          |         |         | Х        |          |          |
| KIT_F_M_PLF                     | Removable side panels                           | Χ       | Х       |        | Х         | Х        | Х       | Х       | Х       |        | Х      | Х        | Х       | Х       | X        | Х        | X        |
| BATT_CIAR_1                     | Rechargeable battery                            | Χ       | Х       |        | Х         | Х        | Х       | Х       | X       |        | Х      | Х        | Х       | Χ       | X        | Χ        | X        |
| CAR                             | Zero Gravity Motor (12° tilt)                   | Χ       |         |        |           |          |         |         |         | X      |        |          |         |         |          |          |          |
| COP                             | Protective covers                               |         | X       | Х      | X         | Х        | Х       | Х       | X       |        | Х      | Х        | Х       | X       | X        | Χ        | X        |
| COP<br>+ codice/colore poltrona | Kit protective covers                           |         | X       |        |           | X        | X       |         | X       |        |        |          |         |         |          | Х        | X        |
| KIT BF15                        | Lumbar support kit                              | Χ       |         |        |           |          |         |         |         |        |        |          |         |         |          |          |          |
| KIT VIBRO                       | Seat massage kit                                |         |         |        | X         | Х        |         | Х       | X       |        | Х      | Х        | Х       | X       | X        | Χ        |          |
| MANIGLIA F                      | Rear handle                                     |         |         | X      | Х         | Х        |         | Х       | Х       |        | Х      | Х        | Χ       | Χ       | X        | Χ        |          |
| RINF-160                        | Armchair reinforcement capacity 150kg - seat 57 |         |         |        |           | X        |         | Х       |         |        |        |          |         |         | Х        | Χ        |          |
| ROLLER_CF57                     | Lifting System with Four Wheels                 |         | Χ       | Х      |           | Х        |         |         |         |        |        |          |         | Х       | X        | Χ        |          |
| ADAPTA                          | Depth adjustment system                         | X       | Х       |        |           |          | Х       |         |         |        |        |          |         |         | X        | Χ        |          |
| TAVOLINO                        | Table (for chairs with removable armrests)      |         | Х       | Х      |           |          |         |         |         | X      |        |          |         | Х       |          |          |          |

#### **Colors/Fabrics**

#### Globe



#### **Tixer**



#### **Profile**

TIXER - 03



#### Sunset






SAVOY - 64

SUNSET - Petrol

SUNSET - Light Grey

SAVOY - 95


### Crystal



#### Minerva



#### Sofia



#### LT-M3E

## Electric bed with variable height with optional side rails







The LT-M3E electric bed features variable height and a 4-section articulated metal frame, allowing adjustments via remote control for separate or simultaneous raising of the backrest and leg sections. This enables users to find the most comfortable position. The Trendelenburg and Anti-Trendelenburg functions assist healthcare professionals in preventing bedsores.

- 4 swivel wheels (80 mm) with parking brakes
- Electric backrest and leg lift
- Variable height adjustment
- Integrated patient lifter
- Magnetic key to activate remote control

















Code LT-M3E Bed dimensions 200 x 90 cm Overall dimensions 213 x 94 cm

Height from floor 38 a 79 cm Backrest lift 70°

Leg lift 25°

capacity

170 kg

Weight 98 kg

#### **Accessories**

#### for LT-M3E

| Code       | Description                              |
|------------|--|
| LT-M3E-A01 | Steel fold-down side rails with hooks    |
| LT-M3E-A02 | Aluminum fold-down side rails with hooks |

#### LT-M3F

## Electric bed with variable height and metal slats + wooden frame





Trendellemburg Anti-Trendellemburg

The LT-M3F model includes a variable height feature and a 4-section articulated metal slat frame. With remote control, users can independently or simultaneously adjust the backrest and leg positions for maximum comfort. The Trendelenburg and Anti-Trendelenburg functions support preventive care for bedsores

- 4 swivel wheels (100 mm) with parking brakes
- Electric backrest and leg lift
- Variable height adjustment
- Integrated patient lifter
- Aluminum sliding side rails
- Magnetic key to activate remote control

|        |                   |                    |                   |                  |             |                 | kg     |
|--------|-------------------|--------------------|-------------------|------------------|-------------|-----------------|--------|
| Code   | Bed<br>dimensions | Overall dimensions | Height from floor | Backrest<br>lift | Leg<br>lift | Max<br>capacity | Weight |
| LT-M3F | 200 x 90 cm       | 220 x 102 cm       | 38 a 79 cm        | 70°              | 30°         | 180 kg          | 98 kg  |

#### LT-M3

### Electric bed with variable height with wooden slats and frame





Trendellemburg Anti-Trendellemburg


Electric bed with variable height with articulated movement in 4 sections of the bed base equipped with wooden slats. Thanks to the remote control, the chest lift and leg lift can be adjusted separately or simultaneously, and allow the user to assume the most comfortable position. The Trendellemburg and Anti-trendellemburg function allows the Healthcare Worker to take action to prevent bedsores.

The basic configuration of the bed is equipped with:

- 4 100 mm swivel wheels with parking brake
- Electric leg lift and chest lift.
- Variable height.
- Plug-in patient lift.
- Sliding aluminum sides.
- Magnetic remote control activation key

|       |                   |                    |                   |                  |             |                 | kg     |
|-------|-------------------|--------------------|-------------------|------------------|-------------|-----------------|--------|
| Code  | Bed<br>dimensions | Overall dimensions | Height from floor | Backrest<br>lift | Leg<br>lift | Max<br>capacity | Weight |
| LT-M3 | 200 x 90 cm       | 220 x 102 cm       | 38 a 79 cm        | 70°              | 30°         | 180 kg          | 98 kg  |

#### LT10-ALLUM | Electric bed with variable height and aluminum side rails + wooden slats





Trendellemburg Anti-Trendellemburg

Electric bed with variable height with articulated movement of the bed base equipped with wooden slats. Thanks to the remote control, the chest lift and leg lift can be adjusted separately or simultaneously, and allow the user to assume the most comfortable position. The Trendellemburg and Anti-Trendellemburg function allows the Healthcare Worker to take action to prevent bedsores.

The basic configuration of the bed is equipped with:

- 4 100 mm swivel wheels with parking brake.
- Electric leg lift and chest lift.
- Variable height.
- Plug-in patient lift.
- Sliding aluminum sides.
- Magnetic remote control activation key.

|                                       |                   |                    |                   |                  |             |                 | kg     |
|---------------------------------------|-------------------|--------------------|-------------------|------------------|-------------|-----------------|--------|
| Code                                  | Bed<br>dimensions | Overall dimensions | Height from floor | Backrest<br>lift | Leg<br>lift | Max<br>capacity | Weight |
| LT10-ALLUM<br>(Letto con alza-malati) | 200 x 90 cm       | 220 x 105 cm       | 43 a 86 cm        | 70°              | 30°         | 180 kg          | 105 kg |

#### LT-HB20


## Electric bed with optional opening side rails, low height





The LT-HB20 electric bed has an external perimeter frame made of rectangular steel profiles and a 4-section adjustable frame in charcoal gray. The head and leg sections are adjustable with two 24V DC electric actuators controlled by a wired remote. The foot section adjusts manually with a rack mechanism, while the pelvic section remains fixed. The bed's height can be adjusted between approximately 21 cm (minimum) and 59 cm (maximum) via two 24V DC electric actuators built into the bed's headboard panels. Separate controls allow for Trendelenburg (up to 11°) and Anti-Trendelenburg (up to 11°) positioning.


Innovative side rails can be added upon request:





Optional accessories include a patient lifter pole with strap and handle, as well as other compatible accessories. Mattress sold separately based on individual needs.





#### **LT-C20**

#### **Bedside Cabinet**





A bedside cabinet with two shelves, a drawer, and a cabinet compartment. It has 4 swivel wheels, 2 of which have brakes. The cabinet is designed to integrate a bed tray when not in use, reducing unnecessary clutter around the bed.

| Dimensions | Height |
|------------|--------|
| 55 x 50 cm | 95 cm  |


#### Accessories

### for LT-HB20

| Code         | Description         |
|--------------|---------------------|
| LT-HB20-A01  | Openable bed rails  |
| LT-HB20-A02  | Lowerable bed rails |
| LT-HB20-A03  | Patient lifter pole |
| LT-HB20-A03M | Bedside cabinet     |

#### LT-M3A

#### Electric bed for Alzheimer's patient - ultra low





Trendellemburg Anti-Trendellemburg

Electric bed with variable height with articulated movement in 4 sections of the bed base equipped with metal slats. Thanks to the remote control, the chest lift and leg lift can be adjusted separately or simultaneously, and allow the user to assume the most comfortable position. The Trendellemburg and Anti-trendellemburg function allows the Healthcare Worker to take action to prevent bedsores and the minimum height from the ground of 20 cm, make it suitable for the hospitalization of Alzheimer's patients.

- 4 80 mm swivel wheels with parking brake
- Electric leg lift and chest lift.
- Variable height.
- Plug-in patient lift.
- Sliding aluminum sides.
- Magnetic remote control activation key

|        |                   |                    |                   |                  |             |                 | kg     |
|--------|-------------------|--------------------|-------------------|------------------|-------------|-----------------|--------|
| Code   | Bed<br>dimensions | Overall dimensions | Height from floor | Backrest<br>lift | Leg<br>lift | Max<br>capacity | Weight |
| LT-M3A | 200 x 90 cm       | 215 x 102 cm       | 20 a 61 cm        | 70°              | 25°         | 170 kg          | 105 kg |

#### LT-120B LT-140B

### Electric bed for bariatric patient 120cm or 140cm wide





Trendellemburg Anti-Trendellemburg

Electric bed with variable height for obese people. 4-section articulated bed base with metal slats. Using the remote control, the torso and leg lifts can be adjusted to allow the patient to assume the most comfortable position. The remote control is deactivated if not used for about 2 minutes and is reactivated using the magnetic key supplied.

The Trendelenburg and anti-Trendelenburg functions support the healthcare worker in the maneuvers of prevention of bedsores.

The bed is equipped with sliding aluminum rails, four swiveling wheels with parking brake and graft-mounted patient lifters with handle.

Available in two different sizes as indicated in the technical characteristics table.















| Code    | Bed<br>dimensions | Overall dimensions | Height from<br>floor | Backrest<br>lift | Leg<br>lift | Max<br>capacity | Weight |
|---------|-------------------|--------------------|----------------------|------------------|-------------|-----------------|--------|
| LT-120B | 120 x 191 cm      | 132 x 215 cm       | da 36 a 76 cm        | 70°              | 30°         | 285 kg          | 125 kg |
| LT-140B | 140 x 191 cm      | 152 x 215 cm       | da 36 a 76 cm        | 70°              | 30°         | 285 kg          | 135 kg |

#### **AQ-10N**

#### Single side, for bed



Painted steel height adjustable single bed rail. The base is provided with nonslip rubber supports. Capacity: 110 kg.

| Dimensions | Height           |  |
|------------|------------------|--|
| 87 x 76 cm | from 47 to 55 cm |  |

#### **AQ-11**

#### Single side with adjustable legs, for bed



Single bed rail with height adjustable legs, tubes are coated with epoxy powder paint.

Provided with rubber protections.

| Legs adjustment (A) | Rail adjustment (B) | Length adjustment (C) | Width (D) |
|---------------------|---------------------|-----------------------|-----------|
| da 45 a 55 cm       | da 77 a 98 cm       | da 86 a 114 cm        | 47 cm     |

#### **AQ-12**

#### Universal adjustable bed rail



Chrome-plated steel universal bed rail, can be adapted to every bed type. The possibility to adjust its height ensures a great safety to the user.

| Length | Width                                 |  |
|--------|---------------------------------------|--|
| 154 cm | from 68 to 118 and from 142 to 204 cm |  |

#### **AQ-20N**

#### Back raiser




Painted steel pillow support, can be adjusted in five different tilt positions. Transpiring nylon upholstery with padded head support.

Size: 50 x 57 cm; Weight: 3 kg; Capacity: 114 kg.

#### **AQ-120**

#### Blanket support





Steel blanket support. Weight: 500 g. Size: 48,5 x 38 x 37,5 cm.

#### **AQ-64**

#### **Overbed Table**



Overbed table, ideal for reading, writing, or eating while bedridden. Available in two heights: 33 or 35 cm.

| Dimensions | Height     | Max capacity |
|------------|------------|--------------|
| 40 x 62 cm | 33 o 35 cm | 13 kg        |

#### **AQ-60N**

#### Height adjustable tilt-top overbed table



Carriage overbed table with wooden tilt height adjustable surface. Metallic frame with four casters, two of them with locking system.

| Dimensions | Height            | Weight |
|------------|-------------------|--------|
| 40 x 60 cm | from 72 to 115 cm | 7,1 kg |

#### **AQ-62**

#### Height adjustable tilt-top overbed table



Overbed table with folding steel frame, four swivel casters, two of them with locking system.

Board and stand structure can be tilted separately. Height adjustable and plastic board edges.

| Dimensions | Height           | Weight |
|------------|------------------|--------|
| 60 x 40 cm | from 70 to 95 cm | 7,1 kg |

#### AQ-63

#### Table Easy Bridge





This large coffee table can be used when eating, drinking or doing other activities, while in bed or sitting in a chair. It can be used on a bed or on a chair and is equipped with four swiveling wheels, 2 of which with brakes.

| Code   | Adjustable width      |  |
|--------|-----------------------|--|
| AQ-63  | from cm 113 to cm 136 |  |
| AO-63L | from cm 133 to cm 156 |  |

#### **AQ-200**

#### Fixed top table



Bedside table with a fixed top, featuring 4 wheels, two of which have brakes. It has an ergonomic tabletop with a built-in cup holder and adjustable height.

| Dimensions | Height            | Weight |
|------------|-------------------|--------|
| 45 x 82 cm | from 79 to 114 cm | 25 kg  |

#### **AQ-201**

#### Dual fixed and tilt-adjustable table



Bedside table with 4 wheels, two with brakes. It features a dual tabletop, with one side adjustable in tilt and equipped with a reading support, and the other side fixed, including a cup holder and retaining edge. Manual height adjustment system. Suitable for use with wheelchairs or in bed.

| Dimensions | Height            | Weight |
|------------|-------------------|--------|
| 45 x 84 cm | from 79 to 114 cm | 25 kg  |

#### **AQ-202**

#### Table with wheelchair base



Serving table with a base on 4 wheels, including brakes, designed for wheelchair users. It has a recessed tabletop with a retaining edge. Manual height adjustment system.

| Dimensions | Height            | Weight |
|------------|-------------------|--------|
| 40 x 85 cm | from 76 to 114 cm | 13 kg  |

### Floor standing patient lifter





Patient lift with pedestal base, suitable for use with all types of bed, space-saving and completely removable.

- In basic configuration equipped with:
- Structure in painted steel and chromed adjustable coupling tube.
- Three height adjustments.
- Triangle handle with adjustable strap.









| Code  | Dimensions       | Height             | Capacity | Weight |
|-------|------------------|--------------------|----------|--------|
| SA-10 | from 70 to 86 cm | from 182 to 191 cm | 80 kg    | 11 kg  |

#### Electric patient lifter



Provided with sling with head support size. M cod. 150-I



Electric patient lift, steel frame with opening and positioning base legs; 100 mm swivel casters with the rear ones provided with brakes. Thanks to the lifting arm structure and its sling, it allows to lift the patient from the floor. Basic model is provided with:

- High shape sling with head support.
- Four swivel casters with brakes on the rear ones.
- Base with pedal opening legs.
- Electric piston operator
- Rechargeable battery operator.
- Power supply.



#### Hydraulic patient lifter





Electric patient lift, steel structure with a base featuring spreadable legs and 100 mm swivel wheels, with the two rear wheels equipped with parking brakes. Thanks to the design of the lifting arm and its harness, it allows the patient to be lifted even from the ground. Equipped in its basic configuration with:

- High wrap-around harness with head support.
- Four swivel wheels, with rear wheels featuring parking brakes.
- Pedal-operated spreadable leg base.
- Electric piston actuator.
- Rechargeable battery unit.
- Power adapter.













| Code   | Base width   | Base length | Base height | Lifting height | Capacity | Weight |
|--------|--------------|-------------|-------------|----------------|----------|--------|
| SA-160 | 67 to 105 cm | 107 cm      | 15 cm       | 63 to 154 cm   | 150 kg   | 36 kg  |

#### **SA-170**

#### Electric patient lifter







The SA-170 patient lifter features a compact steel structure, allowing for safe patient lifting from the floor. It can lift up to 160 kg, and its lithium battery significantly extends usage time, providing more than double the autonomy compared to a standard lead-acid battery. This ensures far greater mobility than any other electric lifter currently available. The lifting height ensures safe and comfortable patient transfer and enables direct lifting from the floor.

The lifter's base width is easily adjustable via a convenient pedal (or optional lever) to ensure maximum stability. This compact version is ideal for use in limited spaces. An optional external charging base for a second battery is available, allowing for continuous operation of the lifter. Base Configuration Includes:

- High-support sling with head containment
- Four swivel wheels, with rear wheels featuring parking brakes
- Pedal-operated spreadable base legs
- Electric piston actuator
- Lithium rechargeable battery
- Power adapter













Code Base width Base length Base height Lifting height SA-170 48 to 102 cm 107 cm 11,8 cm 48 to 155 cm

Capacity 160 kg

Weight 33 kg

#### Electric patient lifter - high capacity





Electric lift with steel structure, also suitable for obese patients, leg opening through electric actuator. Barbell with four hooks, with the possibility of taking the patient from the ground. Four swiveling wheels, 2 of which at the rear with brake, equipped with a hard rubber cover to facilitate movement. Emergency manual descent mechanism. Large handles and good ergonomics to ensure maximum maneuverability.

In basic configuration equipped with:

- Four swivel wheels of 100 mm, of which the rear ones with brake.
- Base with electric actuator-operated legs.
- Barbell with 4 anti-slip hooks.
- Wire pushbutton panel control with battery charge signaling LED.
- Control unit equipped with emergency button and auxiliary engine control buttons.
- 2 electric piston actuators.
- Battery charger incorporated in the control unit, through an electric cable.













| Code   | Base width   | Base length | Base height | Lifting height | Capacity | Weight |
|--------|--------------|-------------|-------------|----------------|----------|--------|
| SA-202 | 59 to 110 cm | 150 cm      | 14,5 cm     | 58 to 167 cm   | 205 kg   | 41 kg  |

#### **Electric front lifter**



Electric front lift that allows you to reach the vertical or semi-seated position, safely and comfortably. The painted steel tube structure, combined with the possibility of spreading the legs of the base using a pedal (with lever on request), guarantee maximum stability and safety during use. Thanks to the lumbar harnesses and anatomical cushions for the tibial supports, in soft material, this type of "semi-active" transfer is particularly suitable for patients who have difficulty maintaining an upright position, thus ensuring the necessary comfort during the transfer and facilitating the medical/nursing staff in the various assistance operations such as:

- Stimulation of residual autonomy.
- Easier and more comfortable patient transfer.
- Ease of intervention for hygiene operations on the patient.
- Simple and practical maneuverability of the aid.
- Foldable without the aid of tools.













| Code   | Base width  | Base length | Base height | Lifting height | Capacity | Weight |
|--------|-------------|-------------|-------------|----------------|----------|--------|
| SA-300 | 57 to 85 cm | 88 cm       | 9 cm        | 46 to 126 cm   | 175 kg   | 32 kg  |

#### 200 | Universal standard harness





For electric patient-lifter SA-200 - SA-202 size small, medium, large and extra large.

| Code   | Size   |
|--------|--------|
| 200-S  | Small  |
| 200-M  | Medium |
| 200-L  | Large  |
| 200-XL | XLarge |



#### 200T | Universal harness with headrest



For electric patient-lifter SA-200 - SA-202 size small, medium, large and extra large.

| Code    | Size   |
|---------|--------|
| 200-TS  | Small  |
| 200-TM  | Medium |
| 200-TL  | Large  |
| 200-TXL | XLarge |



#### 200W | Bathing harness



For electric patient-lifter SA-200 - SA-202 size small, medium and large.

| Code   | Size   |
|--------|--------|
| 200-WS | Small  |
| 200-WM | Medium |
| 200-WL | Large  |



## 250 | Standard hammock-style harness with leg padding



For electric patient-lifter SA-200 - SA-202 size small, medium, large and extra large.

| Code   | Size   |
|--------|--------|
| 250-S  | Small  |
| 250-M  | Medium |
| 250-L  | Large  |
| 250-XL | XLarge |



# 250-T | Standard hammock-style harness with leg padding and headrest



For electric patient-lifter SA-200 - SA-202 size small, medium, large and extra large.

| Code    | Size   |
|---------|--------|
| 250-TS  | Small  |
| 250-TM  | Medium |
| 250-TL  | Large  |
| 250-TXL | XLarge |



#### 150-I | Harness with head support



for SA-160 electric patient lifter.



#### 150-IS | Standard hammock harness



for SA-160 electric patient lifter.

### **SUPPORT BELT**

#### For Wheelchairs

Made of velvet fabric paired internally with a breathable mesh and padded with polyurethane foam, equipped with adjustable belts with rings and nylon hook closures. Ideal for maintaining posture and preventing falls.

#### For Beds

Made of cotton fabric with polyamide stitching and acetal nylon hooks. The adjustment and closure holes are finished in nickel-plated brass, and closure is achieved through applied magnets.



### 19/15 | Abdominal support belt

with suspenders and central zip opening

### 20/15 | Abdominal support belt



### 21/15 | Pelvic containment belt




### 22/08 | Leg containment belt





#### 23/08 | Abdominal containment belt

with suspenders for women





32/10 | Pelvic support belt 45°



27/08 | Wrist support belt



20/04/1 | Basic abdominal support



waterproof and fire-resistant



### 24/07 S | Simple bed restraint belt





Provides maximum safety in fall prevention while allowing the patient limited movement.

#### 24/07 D | Double bed restraint belt





Ensures maximum safety in fall prevention while offering the patient a wide range of movement.

#### 24/19/TR | Transfer belt





Belt for the transfer of disabled patients, equipped with handles for grip in any position and buckle closure with safety button. Indicated to facilitate transfers or during walking exercises of disabled patients. Available in three sizes pf waist circumference.

| Code        | Waist circumference |
|-------------|---------------------|
| 24/19/TR-M  | 50 to 55 cm         |
| 24/19/TR-L  | 55 to 60 cm         |
| 24/19/TR-XL | 60 to 65 cm         |

### **WALKING STICKS**

Adjustable in height, these aids are suitable for individuals who genuinely need support while walking. Their adjustable height and choice of handle design allow customization based on personal needs. Wooden sticks are a reliable aid for individuals looking to compensate for minor instability while walking. They come in various styles, offering different handle designs and wood types, either plain or decorated. They are the perfect "walking companion."

#### Kent- wooden stick



Wooden stick, ergonomic T-shaped handle, colored aluminum decorative band, rubber tip.

#### Colorur range

AD-34B Blue Band AD-34V Green Band

Height Capacity
91 cm 100 kg

#### **AD-35**

#### Derby - wooden stick



Wooden stick, T-shaped handle, rubber tip.

| Height | Capacity |
|--------|----------|
| 91 cm  | 100 kg   |

#### **AD-54**

#### Liverpool - wooden stick



Wooden stick, curved handle, metal ring, rubber tip.

| Height | Capacity |
|--------|----------|
| 91 cm  | 100 kg   |

### Devon - aluminum walking stick with ergonomic handle



Aluminum stick with anatomical grip for right or left hand. Easily adjustable in height with a locking pin. Rubber tip. Black color.

Available in two versions: right-hand grip (AD-30D) and left-hand grip (AD-30S).

| Code   | Handle |
|--------|--------|
| AD-30D | Right  |
| AD-30S | Left   |
|        |        |

| Height           | Capacity |
|------------------|----------|
| from 75 to 98 cm | 113 kg   |

#### **AD-33**

#### York - luminum walking stick

Height



Aluminum stick with a soft polyurethane T-handle, featuring a safety strap to be worn around the wrist. Easily adjustable with a locking pin. Rubber tip. Available in three color variations.

|        |      | Coloru | r range |      |    |       |
|--------|------|--------|---------|------|----|-------|
| AD-33G | Grey | ′      |         | AD-3 | 3N | Black |
|        |      | AD-33B | [       | Blue |    |       |
|        |      |        |         |      |    |       |

Capacity

from 75 to 98 cm 113 kg

#### **AD-39P**

#### Orlando - aluminum stick with a triple support tip



Aluminum stick with a soft T-handle made of antibacterial silicone, adjustable in height. Equipped with a triple support shock-absorbing tip with a threaded attachment to the stick tube, ensuring maximum grip even on steep slopes.

Available in black color.

| Height           | Capacity |
|------------------|----------|
| rom 86 to 109 cm | 113 kg   |





#### Torino - aluminum stick with continuous adjustment

Black aluminum stick with an ergonomic handle, featuring a button that allows for continuous height adjustment to the desired level. Rubber tip.

| Height            | Capacity |
|-------------------|----------|
| from 67 to 104 cm | 150 kg   |

#### **AD-71**



#### Lugano - aluminum stick with LED and sound alert

Blue aluminum stick with an ergonomic handle, adjustable in height. Equipped with safety devices to use when needed and a rubber tip:

- Button to adjust the height: press it and extend the lower tube to the desired height.
- Sound alert button: press it to notify others of your presence.
- Flashing red light: helps you be seen in low light conditions.
- Spotlight: provides better visibility in low light conditions.

| Height           | Capacity |
|------------------|----------|
| from 76 to 99 cm | 113 kg   |

#### **AD-80**



## Barby - adjustable aluminum stick, whole or foldable tube

Height-adjustable aluminum stick with a floral pattern, featuring a black wooden handle. Available in either a full tube or folding version. Black rubber tip.

| Code   | Tube    |
|--------|---------|
| AD-80  | full    |
| AD-80P | folding |

| Height           | Capacity |
|------------------|----------|
| from 76 to 99 cm | 113 kg   |



### Stone - adjustable aluminum stick, whole or foldable tube

Height-adjustable aluminum stick with a floral pattern, featuring a brown wooden handle. Available in either a full tube or folding version. Brown rubber tip.

| Code   | Tube    |
|--------|---------|
| AD-81  | full    |
| AD-81P | folding |

| Height           | Capacity |
|------------------|----------|
| from 76 to 99 cm | 113 kg   |

#### **AD-82**



### Stone - adjustable aluminum stick, whole or foldable tube

Height-adjustable aluminum stick with a geometric pattern, featuring a brown wooden handle. Available in either a full tube or folding version. Brown rubber tip.

| Code   | Tube    |
|--------|---------|
| AD-82  | full    |
| AD-82P | folding |

| Height           | Capacity |
|------------------|----------|
| from 83 to 93 cm | 113 kg   |

#### **AD-83**



## Giuly - adjustable aluminum stick, whole or foldable tube

Height-adjustable aluminum stick with a geometric pattern, featuring a blue wooden handle. Available in either a full tube or folding version. Blue rubber tip.

| Code             | Tube     |
|------------------|----------|
| AD-83            | full     |
| AD-83P           | folding  |
|                  |          |
| Height           | Capacity |
| from 83 to 93 cm | 113 kg   |



### Nataly - adjustable aluminum stick, whole or foldable tube

Height-adjustable aluminum stick with a floral pattern, featuring a brown wooden handle. Available in either a full tube or folding version. Brown rubber tip.

| Code   | Tube    |
|--------|---------|
| AD-84  | full    |
| AD-84P | folding |

| Height           | Capacity |
|------------------|----------|
| from 76 to 99 cm | 113 kg   |

#### **AD-85**



### Lisa - adjustable aluminum stick, whole or foldable tube

Height-adjustable aluminum stick with a floral pattern, featuring a brown wooden handle. Available in either a full tube or folding version. Brown rubber tip.

| Code   | Tube    |
|--------|---------|
| AD-85  | full    |
| AD-85P | folding |
|        |         |
|        |         |

| Height           | Capacity |
|------------------|----------|
| from 76 to 99 cm | 113 kg   |

#### AD-X11



#### Rossy - adjustable aluminum stick

Aluminum stick with a 19mm diameter tube and a T-handle covered in soft silicone. Available in either a folding tube or full tube version, adjustable in height.

Glossy patterned color.

Rubber tip.

| Code    | Tube    | Height           |
|---------|---------|------------------|
| AD-X11  | full    | from 76 to 99 cm |
| AD-X11P | folding | from 84 to 94 cm |

| Capacity |
|----------|
| 113 kg   |

#### **AD-X12**



### Jessy - adjustable aluminum stick

Aluminum stick with a 19mm diameter tube and a T-handle covered in soft silicone. Available in either a folding tube or full tube version, adjustable in height.

Matte patterned color.

Rubber tip.

| Code    | Tube    | Height           |
|---------|---------|------------------|
| AD-X12  | Fixed   | from 76 to 99 cm |
| AD-X12P | Folding | from 84 to 94 cm |
|         |         |                  |

Capacity

113 kg

#### **AD-50**

#### Patty - women's aluminum stick



Women's aluminum stick with a wooden T-handle, easily adjustable in height using a locking pin. Rubber tip.

Blue color.

| Height           | Capacity |
|------------------|----------|
| from 75 to 98 cm | 90 kg    |

#### **AD-51**

#### Lilly - women's aluminum stick



Women's aluminum stick with a wooden T-handle, easily adjustable in height using a locking pin. Rubber tip.

Brown color.

| Height          | Capacity |
|-----------------|----------|
| rom 75 to 98 cm | 90 kg    |



#### Angy - women's aluminum stick



Women's aluminum stick with a soft wooden T-handle, easily adjustable in height using a locking pin. Rubber tip.

Blue color.

| Height          | Capacity |
|-----------------|----------|
| rom 75 to 98 cm | 90 kg    |

#### **AD-53**

#### Lory - women's aluminum stick



Women's aluminum stick with a wooden T-handle, easily adjustable in height using a locking pin. Rubber tip.

Patterned color. ò

| Height           | Capacity |
|------------------|----------|
| from 75 to 98 cm | 90 kg    |

#### Bristol - aluminum stick



Folding aluminum stick with a wooden T-handle. Easily adjustable in height using a locking pin. Comes with a plastic carrying case. Rubber tip. Available in two color variations.

#### Colorur range

| AD-32M Brown | AD-32N | Black |
|--------------|--------|-------|
|--------------|--------|-------|

| Height           | Capacity |
|------------------|----------|
| from 83 to 93 cm | 113 kg   |

#### **AD-38**



#### Maginot - aluminum stick

Folding aluminum stick with a plastic T-handle and safety strap. Easily adjustable in height using a locking pin. Rubber tip.

Available in black color.

| Height           | Capacity |
|------------------|----------|
| from 86 to 96 cm | 100 kg   |

#### AD-33xx

#### Steel - stick for obese



Steel stick with a soft handle, easily adjustable in height using a locking pin. Suitable for users up to 220 kg. Rubber tip.

Available in two color variations.

#### Colorur range

AD-33GX Grey AD-33NX Black

| Height          | Capacity |
|-----------------|----------|
| rom 75 to 98 cm | 220 kg   |

#### **AD-X10**

#### Adriana - carbon fiber stick



Carbon fiber stick, with a 22mm diameter tube and a wooden handle, adjustable in height. Black color. Rubber tip.

| Height           | Capacity |
|------------------|----------|
| from 76 to 87 cm | 113 kg   |

#### AD-X10D

#### Betty - carbon fiber stick



Carbon fiber stick, 19mm diameter tube, folding, with a women's wooden handle adjustable in height. Exposed carbon color. Rubber tip.

| Height           | Capacity |
|------------------|----------|
| from 74 to 84 cm | 113 kg   |

#### AD-X10U

#### Monica - carbon fiber stick



Carbon fiber stick, 22mm diameter tube, folding, with a men's wooden handle adjustable in height. Exposed carbon color. Rubber tip.

| nin nika | Height           | Capacity |
|----------|------------------|----------|
|          | from 74 to 84 cm | 113 kg   |

#### **AD-X13**



# Milano - aluminum stick with continuous adjustment

Aluminum stick with a 22mm diameter tube and a wooden T-handle, featuring continuous height adjustment (without holes). Scottish pattern color.

Rubber tip.

| Height           | Capacity |
|------------------|----------|
| from 65 to 99 cm | 113 kg   |

#### **AD-X14**

# Vaito - adjustable aluminum stick for walking or trekking



Aluminum stick with a 22mm diameter tube and an anatomical TPR handle: soft and adjustable. Wide height adjustment in two modes: walking or trekking.

Height: from 84 to 117 cm (walking) - from 92 to 125 cm (trekking)

Beige color. Rubber tip.

> Capacity 113 kg

#### BC-4x



#### Folding stick for the visually impaired or blind

Stick for the visually impaired, folding in 3 sections, with a rubber handle and safety strap. Made with reflective white and red material for nighttime visibility. Plastic tip. Available in 3 length variations.

| Code  | Size   |
|-------|--------|
| BC-44 | 112 cm |
| BC-48 | 128 cm |
| BC-52 | 137 cm |

#### **AD-100L**



#### Aluminum stick with memory height adjustment

Aluminum stick with an ergonomic handle, featuring a button that allows you to store the desired height setting. Ideal for travel, as it can be shortened for easier storage and then returned to the desired height by simply pulling the lower tube.

Available in Black or Orange color. Rubber tip.

| Code      | Colour |
|-----------|--------|
| AD-100L/N | black  |
| AD-100L/O | orange |
|           |        |
|           |        |

| Height            | Capacity |
|-------------------|----------|
| from 62 to 100 cm | 130 kg   |

#### **AD-100M**




## Aluminum stick with memory height adjustment for women

Aluminum stick with an ergonomic handle, ideal for women, featuring a button that allows you to store the desired height setting. Ideal for travel, as it can be shortened for easier storage and then returned to the desired height by simply pulling the lower tube.

Available in Blue or Orange color. Rubber tip.

| Code      | Colour |
|-----------|--------|
| AD-100M/B | blue   |
| AD-100M/O | orange |

| Height           | Capacity |
|------------------|----------|
| from 56 to 90 cm | 130 kg   |



# Crutches



Adjustable aluminum axillary crutches with 9 different height levels. Equipped with the following base configuration:

- Soft PVC underarm supports, removable.
- Ergonomic handles with 5 height adjustments, covered in soft PVC.
- Rubber tips.
- Aluminum structure with a height-adjustable tip made from a double aluminum tube.
- Three model variations.

| AD-26N | Normal adult |
|--------|--------------|
| AD-26X | Tall adult   |
| AD-26Y | Short adult  |

#### Tripod stick with an ergonomic handle

Tripod sticks with a straight ergonomic polyethylene handle, anodized aluminum structure with a steel base and non-slip soft rubber tips.

Height adjustment with a dedicated pin.

| Height           | Capacity |
|------------------|----------|
| from 73 to 99 cm | 114 kg   |

#### **AD-11**


## Quadripod stick with ergonomic handle and narrow base

Quadrapod walking sticks with an ergonomic straight polyethylene handle, anodized aluminum structure with a steel base and non-slip soft rubber tips. Height adjustment with the dedicated pin.

| Height           | Capacity |
|------------------|----------|
| from 73 to 99 cm | 114 kg   |

#### **AD-12**

## Quadripod stick with ergonomic handle and narrow base



| Height           | Capacity |
|------------------|----------|
| from 73 to 96 cm | 100 kg   |

#### Tripod walking stick

Tripod walking sticks with a polyurethane handle, anodized aluminum structure with a black painted steel base, and non-slip soft rubber tips. Height adjustment with ten different levels.

| Height            | Capacity |
|-------------------|----------|
| from 77 to 100 cm | 100 kg   |

#### **AD-18**

#### Quadripod walking stick



Quadrapod walking sticks with a polyurethane handle, anodized aluminum structure with a black painted steel base, and non-slip soft rubber tips. Height adjustment with the dedicated pin. Height can be adjusted to ten different levels.

| Height          | Capacity |
|-----------------|----------|
| om 77 to 100 cm | 100 kg   |

#### **AD-19**

#### Quadripod walking stick with a narrow base



Quadrapod walking sticks with a polyurethane handle, anodized aluminum structure with a black painted steel base, and non-slip soft rubber tips. Height adjustment with ten different levels.

| Height           | Capacity |
|------------------|----------|
| from 75 to 98 cm | 100 kg   |

#### **AD-17B**

#### Tripod walking stick with a forearm support



Walking tripod with forearm support and a height-adjustable base with 10 different levels, ergonomic handle, and non-slip rubber tips.

| Height          | Capacity |
|-----------------|----------|
| om 77 to 100 cm | 100 kg   |

#### **AD-18B**

#### Quadripod walking stick with forearm support



Walking quadripod with forearm support and a height-adjustable base with 10 different levels, ergonomic handle, and non-slip rubber tips.

| Height            | Capacity |
|-------------------|----------|
| from 77 to 100 cm | 100 kg   |

# AQ-50

#### Folding aluminum walking stick

Aluminium folding seat stick, ergonomic plastic seat with rubber tips. Plastic closed handle.

| Seat to floor height | Height | Capacity |
|----------------------|--------|----------|
| 51 cm                | 86 cm  | 100 kg   |

#### **AQ-51**

#### Folding aluminum walking stick



Aluminium folding seat stick, height adjustable and plastic round seat with rubber tips. Polyurethane round handle.

| Seat to floor height | Height           | Capacity |
|----------------------|------------------|----------|
| from 46 to 55 cm     | from 86 to 96 cm | 100 kg   |

#### **AQ-52**

#### Folding aluminum walking stick



Folding sling seat stick made of aluminum and with nylon seat; rubber tips and polyurethane foam handle.

| Seat to floor height | Height | Capacity |
|----------------------|--------|----------|
| 54 cm                | 87 cm  | 100 kg   |

#### AD21N

#### **Crutches Safe-walk**





Height-adjustable crutches with enveloping forearm support and ergonomic handle. The aluminum structure is continuous along the entire length of the device and the tubes are not extruded but are made with welded aluminum sheets. The unique conformation of the rubber tips allows a perfect adherence to the ground even in case of inclination of the crutches. Height adjustment from 70 to 99.3 cm.

AD21N-A Light Blue Colorur range

AD21N-A Black AD21N-R Red

#### AD22N

#### **Crutches Access**





Height-adjustable crutches with enveloping forearm support and ergonomic handle. The aluminum structure is continuous along the entire length of the device and the tubes are not extruded but are made with welded aluminum sheets. The unique conformation of the rubber tips allows a perfect adherence to the ground even in case of inclination of the crutches. Height adjustment from 70,5 to 99.5 cm.

AD22N-A Light Blue AD22N-N Black AD22N-G Ice

#### **AD-23**

#### Crutches Mercury



Height adjustable aluminium crutches with polypropylene cuff and ergonomic handle. Basic model is provided with:

- Replaceable polypropylene handle.
- Ultra-soft replaceable grips.
- 14 height selection levels.
- Rubber tips structure ensures a great and a secure grip even if crutches are tilted.
- 5086 Aluminium frame with a high percentage of magnesium, covers the entire length of the crutch, including arm supports.
- Tube is made of welding foil (not extruded) for more load capacity for equal thickness.

|        | Со  | lorur range |       |
|--------|-----|-------------|-------|
|        |     |             |       |
| VD-33C | lce | ΔD-23N      | Black |





#### **Crutches Titanium**





Height adjustable aluminium crutches with polypropylene cuff and ergonomic handle. Basic model is provided with:

- Soft polyurethane folding handle.
- Height adjustable cuff.
- 14 height selection levels.
- Rubber tips structure ensures a great and a secure grip even if crutches are tilted.
- 5086 Aluminium frame with a high percentage of magnesium, covers the entire length of the crutch, including arm supports.
- Tube is made of welding foil (not extruded) for more load capacity for equal thickness.

#### Colorur range

| AD-24G | Ice | AD-24A | Light Blue |
|--------|-----|--------|------------|
|        |     |        |            |

#### **AD-28**

#### **Crutches Platinum**





Height adjustable aluminium crutches with polypropylene cuff and ergonomic handle. Basic model is provided with:

- Soft polyurethane folding replaceable handle.
- Height adjustable cuff.
- 14 height selection levels.
- Rubber tips structure ensures a great and a secure grip even if crutches are tilted.
- 5086 Aluminium frame with a high percentage of magnesium, covers the entire length of the crutch, including arm supports.
- Tube is made of welding foil (not extruded) for more load capacity for equal thickness.

| Code   | Rigidity |
|--------|----------|
| AD-28L | Hard     |
| AD-28M | Medium   |

#### 2000X

#### **Crutches Evolution**



Height adjustable aluminium crutches with polypropylene cuff and ergonomic handle. Basic model is provided with:

- Ergonomic handle.
- Embracing cuff.
- Anodized aluminium tube.
- 10 height selection levels.
- Rubber tips.
- Available in five different colors.

#### Colorur range

| 200000 | Dark grey | 200013 | Dark blue | 200015 | Purple |
|--------|-----------|--------|-----------|--------|--------|
|        | 200016    | Orange | 200017    | Green  |        |

#### **Crutches Anatomic**



Height adjustable aluminium crutches with polypropylene adjustable cuff and ergonomic handle. Ergonomic left/right handles made of soft polyurethane and spring-loaded cuff. Basic model is provided with:

- Ergonomic handles.
- Adjustable embracing spring-loaded cuff.
- Anodized aluminium tube.
- 12 height selection levels.
- Thick rubber tips.
- Color: Grey

#### **AD-90**

#### **Crutches Canadian**



Height adjustable aluminium crutches; ergonomic polypropylene handles Basic model is provided with:

- Ergonomic handles.
- Adjustable embracing cuff.
- Anodized aluminium tube
- 10 height selection levels.
- Rubber tips.
- · Color: Blue.

#### 200523

#### **Crutches Tiki**



Height adjustable aluminium children crutches with adjustable cuff. Ergonomic polypropylene handles. Basic model is provided with:

- Height adjustable ergonomic handles.
- Adjustable embracing cuff.
- Anodized aluminium tube.
- 10 height selection levels
- Rubber tips

## WALKERS ROLLATORS

Walkers help people who need additional support to maintain balance or stability while walking, both temporarily or permanently. Their lightweight frame and the four points base allow the user to acquire autonomy when moving around different spaces, indoor or outdoor. Models provided with caster wheels (Rollators), fixed or swivel, brakes or underarm cushions, are particularly suitable during a post-traumatic rehabilitation period. They are useful, however, for people with walking and moving difficulties.

Their usage is versatile: they ensure a safe movement and, thanks to their technical specifications designed to facilitate walking, they can also be used as a tool to transport small items (bags, shopping bags...). Doing so, the user can recover his autonomy during daily life activities.

#### **AD-A40**

#### Foldable aluminum walker



Foldable walker with an anodized aluminum frame, adjustable in height, featuring a horizontal stabilizing steel bar and four ground contact points. The opening and closing of the two side sections of the frame are easily operated using the locking pin located in the center of the upper bar. Two rubber handles provide a secure and comfortable grip on the structure. All four legs are equipped with non-slip rubber tips, creating a stable support base during use.

The walker is available in various configurations, including fixed or swiveling wheels with diameters of 3" or 5" and an auto-locking system.

| Base dimensions | Height adjustment | Ø Tube | Weight | Capacity |
|-----------------|-------------------|--------|--------|----------|
| 58,6 x 46 cm    | from 76 to 93 cm  | 2,6 cm | 2,9 kg | 136 kg   |

#### Walkers with wheel kits and auto-locking tips

| Code     | Description   |
|----------|---|
| AD-A41K3 | Foldable walker with two 3" fixed front wheels  |
| AD-A41K5 | Foldable walker with two 5" fixed front wheels  |
| AD-A42K3 | Foldable walker with two 3" swiveling front wheels                                      |
| AD-A42K5 | Foldable walker with two 5" swiveling front wheels                                      |
| AD-A43K3 | Foldable walker with two 3" fixed front wheels and two 3" rear auto-locking wheels      |
| AD-A43K5 | Foldable walker with two 5" fixed front wheels and two 5" rear auto-locking wheels      |
| AD-A44K3 | Foldable walker with two 3" fixed front wheels and two rear auto-locking tips           |
| AD-A44K5 | Foldable walker with two 5" fixed front wheels and two rear auto-locking tips           |
| AD-A45K3 | Foldable walker with two 3" swivelling front wheels and two 3" rear auto-locking wheels |
| AD-A45K5 | Foldable walker with two 5" swivelling front wheels and two 5" rear auto-locking wheels |
| AD-A46K3 | Foldable walker with two 3" swivelling front wheels and two rear auto-locking tips      |
| AD-A46K5 | Foldable walker with two 5" swivelling front wheels and two rear auto-locking tips      |

#### **AD-N46**

#### Foldable aluminum walker with dual bars



Foldable walker with an aluminum frame, two horizontal stabilizing steel bars, and four ground contact points. The two side sections of the frame open and close easily using the locking pin located in the center of the upper bar.

Two rubber handles ensure a secure and comfortable grip on the structure. Adjustable in height, the four legs are equipped with non-slip rubber tips, providing a stable base during use. Optional components include fixed or swiveling wheels with diameters of 3" or 5" and an auto-locking system.

| Base dimensions | Height adjustment | Ø Tube | Weight | Capacity |
|-----------------|-------------------|--------|--------|----------|
| 58,6 x 46 cm    | 75,2 to 92,9 cm   | 2,6 cm | 2,2 kg | 136 kg   |

#### **AD-N47**

#### Articulated foldable aluminum walker



Articulated foldable walker with an aluminum frame, one horizontal stabilizing steel bar, and four ground contact points. The two side sections of the frame open and close easily using the locking pin located in the center of the upper bar. Two rubber handles ensure a secure grip on the structure.

Usable in articulated mode, the articulated mechanism between the two sections allows for smoother steps during walking. Adjustable in height, with non-slip rubber tips on all four legs for stable support during use.

| Base dimensions | Height adjustment | Ø Tube | Weight | Capacity |
|-----------------|-------------------|--------|--------|----------|
| 58,6 x 46 cm    | 76 to 93 cm       | 2,6 cm | 2,2 kg | 136 kg   |

#### Folding aluminum walker with double handles



Folding walker with aluminum structure, a horizontal steel stabilizer bar and four points of support on the ground. The opening and closing of the two side sections of the frame are done easily through the locking pin located in the center of the upper bar. Two rubber grips ensure an adequate and safe grip to the structure during walking, and two grips placed lower, help in the lifting phase from the seat. Possibility of height adjustment.

The four legs are equipped with non-slip rubber tips which form a safe support base during use.

| Base dimensions | Height adjustment | Ø Tube | Weight | Capacity |
|-----------------|-------------------|--------|--------|----------|
| 60 x 55 cm      | 71 to 89 cm       | 2,6 cm | 2,7 kg | 136 kg   |

#### **AD-N46 Plus** | Folding aluminum walker Plus



Folding walker with blue aluminum structure, with two horizontal steel stabilizer bars. Equipped with 2 front 4" swieveling wheels with directional locking device and two push-to-open rods at the rear.

The opening and closing of the two side section of the frame are done easily through the locking pin located in the center of the upper bar.

Two rubber handles ensure an adequate and safe grip to the structure. Possibility of heght adjustment.

| Base dimensions | Height adjustment | Ø Tube | Weight | Capacity |
|-----------------|-------------------|--------|--------|----------|
| 53 x 47,5 cm    | 84 to 101 cm      | 2,6 cm | 2,9 kg | 136 kg   |

#### Folding aluminum walker with brakes



Folding walker with aluminum structure, a horizontal steel stabilizer bar and four points of support on the ground. The opening and closing of the two side sections of the frame are done easily using two buttons on the top bar. Two rubber handles ensure an adequate and safe grip to the structure. Equipped with two front swivel wheels and two rear fixed wheels with brakes operated by levers on the handles. Possibility of height adjustment.

| Base dimensions | Height adjustment | Ø Tube | Weight | Capacity |
|-----------------|-------------------|--------|--------|----------|
| 64 x 58 cm      | 85 to 103 cm      | 2,6 cm | 3,5 kg | 136 kg   |

## Walker accessories AD-N46

| Code   | Description   |
|--------|---|
| AD-R3  | Legs with fixed wheels, 3-inch diameter                   |
| AD-RG3 | Legs with swivel wheels, 3-inch diameter                  |
| AD-R3A | Legs with wheels and self-locking system, 3-inch diameter |
| AD-GA  | Legs with self-locking system                             |
| AD-R5  | Legs with fixed wheels, 5-inch diameter                   |
| AD-RG5 | Legs with swivel wheels, 5-inch diameter                  |
| AD-R5A | Legs with wheels and self-locking system, 5-inch diameter |

# Walker accessories AD-A40

These accessories enhance the technical features and usability of aluminum walkers. They are easy to install, allowing for quick assembly to make the device more suitable for the user's needs.

|     | Code    | Description   |
|-----|---------|---|
|     | AD-AR3  | Legs with fixed wheels, diameter 3 inches                   |
|     | AD-ARG3 | Legs with swiveling wheels, diameter 3 inches               |
|     | AD-AR3A | Legs with wheels and auto-locking system, diameter 3 inches |
|     | AD-AGA  | Legs with auto-locking system                               |
| 6.0 | AD-AR5  | Legs with fixed wheels, diameter 5 inches                   |
|     | AD-ARG5 | Legs with swiveling wheels, diameter 5 inches               |
|     | AD-AR5A | Legs with wheels and auto-locking system, diameter 5 inches |
|     |         |   |

#### Fixed-frame aluminum walker



Fixed walker with aluminum structure, adjustable in height with four points of support on the ground.

Two rubber handles ensure an adequate and safe grip to the structure.

The four legs are equipped with non-slip rubber tips which form a safe support base during use.

Available in three sizes to better suit the user's needs.

| Code    | Base space | Height           | Ø Pipe | Weight (from) | Capacity |
|---------|------------|------------------|--------|---------------|----------|
| AD-40FS | 50 x 37 cm | from 64 to 74 cm | 2,1 cm | 2,1 kg        | 136 kg   |
| AD-40FM | 51 x 38 cm | from 74 to 84 cm | 2,1 cm | 2,1 kg        | 136 kg   |
| AD-40FL | 52 x 40 cm | from 83 to 93 cm | 2,1 cm | 2,1 kg        | 136 kg   |

#### Axillary walker



 $\label{eq:axillary} \textbf{Axillary walker with folding steel structure}.$ 

In basic configuration equipped with:

- 4 swirveling wheels, the two rear ones with brakes.
- Height adjustable, padded axillary supports.

Accessories: removable padded seat, forearm supports with handles, complete padded forearm support, with groove and handles.

| Base space | Axillary height    | Seat height | Weight  | Capacity |
|------------|--------------------|-------------|---------|----------|
| 83 x 54 cm | from 114 to 144 cm | 56 cm       | 11,5 kg | 130 kg   |



AD-6B/PA Couple of brachial supports for walkers



AD-6BC Complete brachial support with handles for walkers



AD-6S Seat for walkers

#### Axillary walker with height-adjustable base



Axillary walker with folding steel structure, with adjustable base that allows to vary the height of the seat.

In basic configuration equipped with:

- 4 swirveling wheels, the two rear ones with brakes.
- Height adjustable, padded axillary supports.

Accessories: removable padded seat, forearm supports with handles, complete padded forearm support, with groove and handles.

| Base space | Axillary height    | Seat height   | Weight  | Capacity |
|------------|--------------------|---------------|---------|----------|
| 83 x 54 cm | from 114 to 144 cm | da 56 a 60 cm | 11,5 kg | 130 kg   |



AD-6B/PA Couple of brachial supports for walkers



AD-6BC Complete brachial support with handles for walkers



AD-6S Seat for walkers

#### Axillary walker with break handles



Axillary walker with folding steel structure.

In basic configuration equipped with:

- 4 wheels, 2 swirveling front wheels and 2 fixed rear wheels with brakes.
- Height adjustable, axillary supports.
- Two lever brake handles mounted on the front bar.

Accessories: removable padded seat, complete padded forearm support, with groove and handles.

| Base space | Axillary height    | Seat height | Weight  | Capacity |
|------------|--------------------|-------------|---------|----------|
| 83 x 54 cm | from 114 to 144 cm | 56 cm       | 11,5 kg | 130 kg   |



AD-6S Seat for walkers

#### AD-66 Axillary walker with brachial supports and brakes



Walker with brachial supports and folding steel structure. In basic configuration equipped with:

- 4 wheels, 2 swirveling front wheels and 2 fixed rear wheels with brakes.
- Brachial supports adjustable in height and depth with handles and level brakes.

Accessories: removable padded seat.

| Base space | Axillary height   | Seat height | Weight  | Capacity |
|------------|-------------------|-------------|---------|----------|
| 83 x 54 cm | from 98 to 127 cm | 56 cm       | 11,5 kg | 130 kg   |



AD-6S Seat for walkers

#### RA-215151N | Rollator Londra



Rollator with 2 fixed casters on the front and two rear tips. The basic model is provided with:

- Steel folding frame.
- Padded rigid seat.
- Height adjustable handles.
- PU foam filled tyres.

#### RA-215152

#### Rollator Parigi



4 wheels rollator with 2 swivel wheels on the front and 2 rear ones fixed with self-locking pressure brake system. The basic model is provided with: Aluminium folding frame.

- Padded rigid seat.
- Padded extractable backrest.
- Metallic storage basket.
- Height adjustable handles.
- Pressure brakes on rear wheels.
- PU foam filled tyres.

#### **RA-215165N**

#### **Rollator Montreal**



4 wheels rollator with aluminium folding frame; 2 swivel wheels on the front and 2 rear ones fixed with parking brakes. The basic model is provided with:

- Aluminium folding frame.
- Swivel wheels on the front.
- Padded rigid seat.
- Padded backrest.
- Ergonomic height adjustable handles with brakes.
- Metallic storage basket.

#### RA-215165M | Rollator NEW Montreal "MINI"



Walker rollator with a compact foldable aluminum frame and four wheels, with front swiveling wheels and fixed rear wheels with a parking brake. Standard configuration includes:

- Compact, foldable aluminum frame
- Front swiveling wheels
- Padded, rigid seat
- Padded backrest bar
- Height-adjustable ergonomic handles with brake levers
- Metal storage basket

#### **RA-150**

#### **Rollator Roma**



4 wheels rollator with 2 swivel wheels on the front and 2 rear ones fixed with

The basic model is provided with:

- Steel folding frame.
- Cane holder.
- Plastic tray.
- Metallic storage basket.
- Padded rigid seat.
- Parking brake.
- Height adjustable handles

#### **RA-155**

#### Rollator Vienna



4 wheels rollator with aluminium folding frame; 2 swivel wheels on the front and 2 rear ones fixed with brakes. The basic model is provided with:

- Compass vault aluminium folding frame.
- Swivel wheels on the front.
- PVC closable rear wheels with brakes.
- Rigid height adjustable seat padded and lined in Nylon.
- · Bar stool with EVA padding.
- · Storage bag.
- Height adjustable handles.

Colour Range

RA-155B Blue RA-155G Grev/Silver



#### **Rollator Toronto**



Foldable aluminum walker rollator with two swiveling front wheels ø 200 mm and rear wheels ø 200 mm, equipped with brakes.

In basic configuration equipped with:

- Seat surface in Polypropylene with padded cover, adjustable in height.
- Folding back tube with EVA padding for greater comfort.
- Ergonomic handles adjustable in height.
- Storage bag positioned under the seat surface.
- Stick holder.

#### **RA-171-AB**

# Rollator Mosca with forearm supports



Walker with wheels and folding aluminum structure. Swiveling front wheels. Fixed rear wheels with brakes.

In basic configuration equipped with:

- Seat top and backrest band in Nylon.
- Ergonomic handles adjustable in height and depth.
- Parking brake levers.
- PU padded forearm pads.
- Storage bag.
- Stick holder.

**RA-172** 

#### **Rollator Sparta**



Rollator walker with aluminum structure with four 8" wheels, the front swiveling and the rear with braking system. The frame is foldable cross-shaped and the handle rods can also be folded to reduce its space during transport.

In basic configuration equipped with:

- Ergonomic handles adjustable in height.
- Parking brake levers.
- Nylon seat surface and backrest band for greater comfort.
- Storage bag positioned under the seat surface.
- Stick holder.

#### **RA-173N**

#### Rollator New Monaco



Rollator walker in aluminum structure with four wheels, swiveling front 10", rear 8" with braking system. The frame is foldable to reduce the overall dimensions during transport.

In the basic configuration equipped with:

- Ergonomic handles adjustable in height.
- Parking brake levers.
- Rigid padded seat surface with backrest band.
- Armrests.
- Footrest for use as a transit wheelchair.
- Storage bag positioned under the seat surface.
- Stick holder.

#### RA-151-ORANGE | Rollator Londra Top



Folding aluminum walker rollator with two fixed front wheels ø 145 mm and two rear tips.

In basic configuration equipped with:

- Seat surface in polypropylene adjustable in height.
- Ergonomic handles adjustable in height.
- Backrest bar with EVA padding.

As an option, storage bag positioned under the seat surface, seat padding for greater comfort.

Orange colour.

#### RA-152-ORANGE | Rollator Parigi Top



Folding aluminum walker rollator with two swiveling front wheels ø 145 mm and rear twin wheels ø 145 mm, equipped with pressure brake.

In basic configuration equipped with:

- Seat surface in polypropylene adjustable in height.
- Folding tube / backrest with EVA padding for greater comfort.
- Ergonomic handles adjustable in height.

As an option, storage bag positioned under the seat surface, seat padding for greater comfort.

Orange colour.

#### RA-165-ORANGE | Rollator Montreal Top



Folding aluminum walker rollator with two swiveling front wheels ø 200 mm and rear wheels ø 200 mm, equipped with brakes.

In basic configuration equipped with:

- Seat surface in Polypropylene with padded cover, adjustable in height.
- Folding tube / backrest with EVA padding for greater comfort.
- Ergonomic handles adjustable in height.
- Storage bag positioned under the seat surface.
- Stick holder.
- Orange colour.

#### **RA-174**

#### Rollator Vancouver



Rollator walker with an aluminum frame and four 8" wheels, with rear wheels featuring a braking system. Standard configuration includes:

- Nylon seat platform.
- Height-adjustable ergonomic handles.
- · Parking brakes.
- Backrest strap.
- Storage bag.

The frame has a double-folding system: pulling the seat handle upward folds the cross brace and legs.

#### **RA-175**

#### Rollator Orlando



Shopping cart-style rollator walker with an aluminum frame and four wheels, with 10" front swiveling wheels and 8" rear wheels equipped with a braking system. The push handle is height-adjustable with an easy-to-use bar brake. Standard configuration includes:

- Aluminum frame with shopping cart structure
- 10" front swiveling wheels.
- 8" rear wheels with brake.
- Height-adjustable push handle with brake levers.
- Large front zippered bag.
- Small open mesh rear bag.

#### **RA-176**

#### Rollator Daytona



Rollator walker with a carbon fiber frame and four wheels: 10" front swiveling wheels and 8" rear wheels with a braking system. It has height-adjustable ergonomic handles with parking brake levers. The frame is cross-folding, with a nylon seat platform and backrest strap for added comfort. It also includes an under-seat storage bag and a cane holder. Standard configuration includes:

- Carbon fiber frame structure.
- 10" front swiveling wheels.
- 8" rear wheels with brake.
- Height-adjustable ergonomic handles with brake levers.
- Large zippered storage bag.

#### **RA-158B**

#### Rollator bariatric Kiev



Rollator walker for obese patients, with folding steel frame with four wheels, swiveling front and fixed rear with parking brake.

In basic configuration equipped with:

- Polypropylene seat.
- Anatomic adjustable handles.
- Parking brakes
- Tray.
- Basket for objects.
- Stick holder.

**RA-159B** 

#### Rollator bariatric Tula



Walker with wheels and folding structure in reinforced aluminum, also suitable for obese patients. 8" swivel front wheels and 8" fixed rear wheels equipped with brakes.

In basic configuration equipped with:

- Seat surface in padded polypropylene, adjustable in height.
- Wide backrest in reinforced Nylon.
- Ergonomic height-adjustable handles with parking brakes.
- Storage bag.
- Stick holder.



## Rollators comparative table

| Model         | Seat width | Total width | Seat height     | Handles height    | Weels<br>diameter | Wight  | Capacity |
|---------------|------------|-------------|-----------------|-------------------|-------------------|--------|----------|
| LONDRA        | 45,5 cm    | 60,5 cm     | 53,5 cm         | 83 to 95 cm       | 5"                | 5,5 kg | 100 kg   |
| PARIGI        | 43 cm      | 61,5 cm     | 55 cm           | 81 to 93 cm       | 5"                | 6 kg   | 120 kg   |
| MONTREAL      | 34 cm      | 58 cm       | 55 cm           | 89 to 97 cm       | 6"                | 7,2 kg | 135 kg   |
| MONTREAL MINI | 30 cm      | 52 cm       | 55 cm           | 78 to 88 cm       | 6"                | 5,7 kg | 100 kg   |
| ROMA          | 42 cm      | 59 cm       | 61 cm           | 78,5 to 93 cm     | 8"                | 9,1 kg | 120 kg   |
| VIENNA        | 37 cm      | 63,6 cm     | 53,7 to 60,8 cm | 93 to 101,7 cm    | 8"                | 9 kg   | 136 kg   |
| TORONTO       | 36 cm      | 63,8 cm     | 50,5 to 57,5 cm | 88,7 to 100,5 cm  | 8"                | 9 kg   | 136 kg   |
| MOSCA         | 45 cm      | 69,2 cm     | 61,8 cm         | 100,6 to 115,8 cm | 10" e 8"          | 11 kg  | 136 kg   |
| SPARTA        | 45,5 cm    | 63,5 cm     | 56 cm           | 78 cm             | 8"                | 9 kg   | 136 kg   |
| MONACO        | 77 cm      | 63 cm       | 52 cm           | 84 cm             | 10" e 8"          | 8,8 kg | 136 kg   |
| LONDRA TOP    | 37 cm      | 58,2 cm     | 46,6 to 53,8 cm | 78,5 to 97,5 cm   | 8"                | 6,8 kg | 136 kg   |
| PARIGI TOP    | 37 cm      | 62,5 cm     | 47 to 51,5 cm   | 83,9 to 93 cm     | 8"                | 7,1 kg | 136 kg   |
| MONTREAL TOP  | 37 cm      | 59 cm       | 52,5 to 57 cm   | 89,6 to 98,3 cm   | 8"                | 10 kg  | 136 kg   |
| VANCOUVER     | 43,2 cm    | 64,9 cm     | 49,2 cm         | 86,3 to 99 cm     | 8"                | 9 kg   | 136 kg   |
| ORLANDO       | -          | 64 cm       | -               | 85 to 105 cm      | 10" e 8"          | 7 kg   | 136 kg   |
| DAYTONA       | 43,2 cm    | 64 cm       | 54,4 cm         | 85,7 to 95,8 cm   | 10" e 8"          | 7 kg   | 136 kg   |

## Bariatric rollators comparative table

| Model | Seat width | Total width | Seat height    | Handles height   | Weels<br>diameter | Wight | Capacity |
|-------|------------|-------------|----------------|------------------|-------------------|-------|----------|
| KIEV  | 56 cm      | 79 cm       | 58 cm          | 85 to 93 cm      | 20 cm             | 14 kg | 280 kg   |
| TULA  | 47 cm      | 65,5 cm     | 49,1 a 57,6 cm | 92,9 to 104,4 cm | 20 cm             | 12 kg | 204 kg   |

## **BATHROOM AIDS**

In case of strong difficulties doing everyday life activities, like going to the bathroom, for physiological needs, to wash or for other needs, it is necessary to use specific aids and tool: raised toilet seats, bath or shower stools, commode, handrails and safety bars.

#### **AB-41N**

#### Bath seat with adjustable width



- Polythene ergonomic seat with drain holes for water flow.
- Width adjustable bath supports with non-slip rubber bands.



| Seat width | Overall width    | Weight | Capacity |  |
|------------|------------------|--------|----------|--|
| 37 x 23 cm | from 77 to 85 cm | 1,3 kg | 120 kg   |  |

#### **AB-43N**

#### Bath board with handle



Bath board with handle and width adjustable supports for more stability during usage. Perfect to be used both as a seat or a support board during transfer. The basic model is provided with:

- Anatomic polythene board with drain holes for water flow. Plastic safety handle.
- Plastic width adjustable non-slip supports with rubber stops to protect tub from scratches.

| Board width | Overall width    | Weight | Capacity |
|-------------|------------------|--------|----------|
| 73 x 29 cm  | from 33 to 58 cm | 3,2 kg | 135 kg   |

#### Swivel bath seat - Plus





Swivel bath seat with painted steel frame and stainless steel rotating pivot. Polythene seats with drain holes to facilitate water flow and fixed handgrips. 360° rotation, allowing the user to get into and out of the bath with much greater ease. The basic model is provided with:

- Polythene seat and backrest covered in plastic.
- Bath support.
- Stainless steel rotating pivot.

| Board width | Overall width | Weight | Capacity |
|-------------|---------------|--------|----------|
| 40 cm       | 73 cm         | 5,5 kg | 100 kg   |

## AB-33 Polyurethane padded swivel bath seat



Overall width Weight Capacity

Swivel bath seat with aluminium frame; padded with anatomic

#### **AB-11\***

#### Round shower stool



Height adjustable shower stool with anodized aluminium frame and round polythene seat. The basic model is provided with:

- Polythene round seat.
- Height adjustable legs in 5 different levels.
- Non-slip rubber tips.

| Seat    | Height           | Weight  | Capacity |
|---------|------------------|---------|----------|
| Ø 32 cm | from 36 to 54 cm | 1,25 kg | 120 kg   |

#### **AB-10\***

#### **Shower stool**



Height adjustable shower stool with anodized aluminium frame. Polythene rectangular seat with handles on both sides and drain holes for water flow. The basic model is provided with:

- Rectangular polythene seat with drain holes for water flow.
- Handles on both sides.
- Height adjustable legs in 5 different levels.
- Non-slip rubber tips.

| Seat       | Height           | Weight | Capacity |
|------------|------------------|--------|----------|
| 49 x 28 cm | from 36 to 54 cm | 1,9 kg | 120 kg   |

#### **AB-14N**

#### Shower stool - Plus



Height adjustable shower stool with anodized aluminium frame. Polythene rectangular anatomic seat with handles on both sides and drain holes for water flow. The basic model is provided with:

- Rectangular polythene ergonomic seat with drain holes for water flow.
- Handles on both sides.
- Height adjustable legs in 5 different levels
- Non-slip rubber tips.

| Seat       | Height           | Weight | Capacity |
|------------|------------------|--------|----------|
| 53 x 40 cm | from 36 to 50 cm | 2 kg   | 120 kg   |

#### **AB-12N**

#### Folding shower stool



Folding and height adjustable shower stool with anodized aluminium frame. Rectangular seat with handles on both sides and drain holes for water flow. The basic model is provided with:

- Polythene rectangular seat with drain holes for water flow.
- Handles on both sides.
- Height adjustable legs in 3 different levels.
- Non-slip rubber tips.

| Seat       | Height           | Weight | Capacity |
|------------|------------------|--------|----------|
| 50 x 30 cm | from 42 to 46 cm | 2,2 kg | 120 kg   |

### **AB-13**\*

## Shower stool with armrests



Height adjustable shower stool with anodized aluminium frame and polythene rectangular seat with armrests on both sides; drain holes for water flow. The basic model is provided with:

- Rectangular polythene seat with drain holes for water flow.
- Extractable padded armrests on both sides.
- Height adjustable legs in 5 different levels.
- Non-slip rubber tips.

| Seat       | Height           | Weight | Capacity |
|------------|------------------|--------|----------|
| 40 x 33 cm | from 40 to 50 cm | 2,8 kg | 120 kg   |

## Hygienic shower stool



Height adjustable shower stool with anodized aluminium frame and polythene ergonomic seat opened in the center, to facilitate personal care. The stool is covered with soft polyurethane and has handles on both sides. The basic model is provided:

- Polythene seat with central opening and drain holes for water flow.
- Handles on both sides.
- Height adjustable legs in 5 different levels.
- Non-slip rubber tips.

| Seat       | Height           | Weight | Capacity |
|------------|------------------|--------|----------|
| 44 x 36 cm | from 42 to 52 cm | 2 kg   | 120 kg   |

## AB-70 | Bath bench



Height adjustable bath bench with anodized aluminium frame and polythene board. The basic model is provided with:

- Legs can be height adjusted from 20 to 25,5 cm.
- Non-slip rubber tips.

| Seat       | Weight | Capacity |
|------------|--------|----------|
| 41 x 23 cm | 1,3 kg | 120 kg   |

#### **AB-20\***

### Shower chair



Height adjustable shower chair with anodized aluminium frame and polythene rectangular seat; handles on both sides, backrest and drain holes for water flow. The basic model is provided with:

Rectangular seat with polythene backrest and drain holes for water flow. Handles on both sides.

Height adjustable legs in 5 different levels.

Non-slip rubber tips.

| Seat       | Height           | Weight | Capacity |
|------------|------------------|--------|----------|
| 49 x 28 cm | from 42 to 46 cm | 2,2 kg | 120 kg   |

#### **AB-23N**

#### Shower chair - Plus



Height adjustable shower chair and polythene rectangular seat with armrests and drain holes for water flow. The basic model is provided with:

Rectangular polythene seat with drain holes for water flow.

Extractable padded armrests.

Height adjustable legs in 5 different levels.

Non-slip rubber tips.

| Seat       | Height           | Weight | Capacity |
|------------|------------------|--------|----------|
| 53 x 40 cm | from 36 to 50 cm | 2,5 kg | 120 kg   |

#### **AB-21**\*

## Shower chair with armrests



Height adjustable shower chair with anodized aluminium frame and polythene rectangular seat provided with backrest, armrests on both sides and drain holes for water flow. The basic model is provided with:

Rectangular seat with polythene backrest and drain holes for water flow. Extractable padded armrests.

Height adjustable legs in 5 different levels.

Non-slip rubber tips.

| Seat       | Height           | Weight | Capacity |
|------------|------------------|--------|----------|
| 40 x 33 cm | from 40 to 50 cm | 3,1 kg | 120 kg   |

#### **AB-22N**

## Folding shower chair



Height adjustable folding shower chair with anodized aluminium frame; rectangular seat with folding backrest and handles on both sides. Drain holes for water flow. The basic model is provided with:

Polythene rectangular seat with backrest and drain holes for water flow. Handles on both sides.

Height adjustable legs in 3 different levels.

Non-slip rubber tips.

| Seat       | Height           | Weight | Capacity |
|------------|------------------|--------|----------|
| 50 x 30 cm | from 42 to 46 cm | 2,5 kg | 120 kg   |

## Non-slip bath mat - LUX line



Soft polypropylene bath mat with antibacterial and anti-mould treatment, provided with draining grooves to facilitate water flow.



| LOX | Size           |        | Capacity |  |
|-----|----------------|--------|----------|--|
|     | 70 x 35 x 2 cm | 0,9 kg | 120 kg   |  |

#### **AB-209**

## Non-slip shower mat - LUX line



Soft polypropylene shower mat with antibacterial and anti-mould treatment, provided with draining grooves to facilitate water flow.



| Size |                | Weight | Capacity |
|------|----------------|--------|----------|
|      | 55 x 55 x 2 cm | 0,7 kg | 120 kg   |

#### **AB-200**

## Width adjustable bath seat - LUX line





Bath seat with a modern and appealing design, width adjustable supports with non-slip rubber tips. The frame is made of anodized aluminium while the seat is made of polypropylene and glass fiber. The basic model is provided with:

- Ergonomic polypropylene (70%) and glass fiber (30%) seat with drain holes for water flow.
- Width adjustable supports for bath edges and non-slip rubber tips.

| LUX | Board width | Supports overall width | Weight | Capacity |
|-----|-------------|------------------------|--------|----------|
|     | 37 x 30 cm  | from 67 to 77 cm       | 1,5 kg | 120 kg   |

## Width adjustable bath seat with backrest - LUX line





Bath seat with a modern and appealing design provided with backrest, width adjustable supports and non-slip rubber tips. The frame is made of anodized aluminium while the seat is made of polypropylene and glass fiber. The basic model is provided with:

- Ergonomic polypropylene (70%) and glass fiber (30%) seat with drain holes for water flow.
- Width adjustable supports for bath edges and non-slip rubber tips.

| L | X |
|---|---|
|   |   |

| Board width | Supports overall width | Weight | Capacity |
|-------------|------------------------|--------|----------|
| 37 x 30 cm  | from 67 to 77 cm       | 1,7 kg | 120 kg   |

#### **AB-303**

## Triangular shower stool - LUX line





Shower stool with a triangular seat, designed with drainage holes to facilitate water flow. The height is adjustable. The structure is made of anodized aluminum with anti-slip rubber tips. A rotating disc is available separately as an accessory, compatible with all stool shapes.

| LUX | Seat       | Height           | Weight | Capacity |
|-----|------------|------------------|--------|----------|
|     | 40 x 37 cm | from 39 to 54 cm | 1,9 kg | 150 kg   |



## Round shower stool - LUX line





Shower stool. Round seat with drainage holes to facilitate water flow, adjustable in height.

Anodized aluminum structure with non-slip rubber tips.

|         | V        |
|---------|----------|
| $\perp$ | $\wedge$ |

| LUX | Seat    | Height           | Weight | Capacity |  |
|-----|---------|------------------|--------|----------|--|
|     | ø 33 cm | from 39 to 54 cm | 1,5 kg | 150 kg   |  |

#### **AB-321**

## Round swivel shower stool - LUX line





Shower stool with a round seat, designed with drainage holes to facilitate water flow. The height is adjustable. The structure is made of anodized aluminum with anti-slip rubber tips. A rotating disc is available separately as an accessory, compatible with all stool shapes.

| LUX | Seat    | Height           | Weight | Capacity |
|-----|---------|------------------|--------|----------|
|     | ø 33 cm | from 39 to 54 cm | 1,5 kg | 150 kg   |

## Height adjustable shower stool - LUX line





Shower stool with a modern and appealing design with anodized aluminium legs; polypropylene and glass fiber ergonomic seat with drain holes for water flow. The basic model is provided with:

- Ergonomic polypropylene (70%) and glass fiber (30%) seat with drain holes for water flow.
- 4 anodized aluminium legs.
- Non-slip rubber tips.

| LOX | Seat           | Height           | Weight | Capacity |
|-----|----------------|------------------|--------|----------|
|     | 30,5 x 30,5 cm | from 39 to 54 cm | 1,3 kg | 150 kg   |

#### **AB-304**

### Shower stool with handles - LUX line





Height-adjustable shower stool with an ergonomic seat featuring handles and drainage holes for water flow. Optional add-ons include armrests, a backrest, and a soft antibacterial cushion. The frame is made of anodized aluminum with anti-slip rubber tips.



AB-204B Handles

| LOX | Seat       | Height           | Weight | Capacity |
|-----|------------|------------------|--------|----------|
|     | 50 x 30 cm | from 39 to 54 cm | 1,7 kg | 150 kg   |

## Shower stool with armrests - LUX line





Adjustable-height shower stool with an ergonomic seat featuring armrests and drainage holes to facilitate water flow. Optional additions include a backrest and a soft antibacterial cushion. Made with an anodized aluminum frame and anti-slip rubber tips.

|   | V        |
|---|----------|
| L | $\wedge$ |

| Seat       | Height           | Weight | Capacity |
|------------|------------------|--------|----------|
| 50 x 30 cm | from 39 to 54 cm | 1,8 kg | 150 kg   |

#### **AB-305**

## Shower chair with backrest and handles LUX line





Height-adjustable shower chair with an ergonomic seat, handles, and drainage holes to facilitate water flow. Optional armrests and a soft antibacterial cushion are available. The frame is made of anodized aluminum with anti-slip rubber tips.



AB-204B Handles

|  | X |
|--|---|
|  |   |

| Seat       | Height           | Backrest height | Weight | Capacity |
|------------|------------------|-----------------|--------|----------|
| 50 x 30 cm | from 39 to 54 cm | 36 cm           | 1,8 kg | 150 kg   |

## Shower chair with removable armrests LUX line





Height-adjustable shower chair with an ergonomic seat, handles, and drainage holes to facilitate water flow. Optional soft antibacterial cushion available. Made with an anodized aluminum frame and anti-slip rubber tips.

| LUX | Seat       | Height           | Backrest height | Weight | Capacity |
|-----|------------|------------------|-----------------|--------|----------|
|     | 50 x 30 cm | from 39 to 54 cm | 36 cm           | 1,8 kg | 150 kg   |

#### **AB-315**

## Hygienic shower stool - LUX line





Height-adjustable hygienic shower stool with an ergonomic seat, a front cut-out for personal hygiene, handles, and drainage holes. Optional add-ons include armrests, backrest, and a soft antibacterial cushion. Constructed with an anodized aluminum frame and anti-slip rubber tips.



AB-204B Handles

| _ L\X | Seat Height |                  | Weight | Capacity |
|-------|-------------|------------------|--------|----------|
|       | 35 x 46 cm  | from 39 to 54 cm | 1,7 kg | 150 kg   |

## Hygienic shower chair - LUX Line





Height-adjustable hygienic shower chair with an ergonomic seat, front cut-out for personal hygiene, handles, and drainage holes for water flow. Optional armrests and a soft antibacterial cushion available. Made with an anodized aluminum frame and anti-slip rubber tips.



AB-204B Handles

| LUX | Seat       | Height           | Backrest height | Weight | Capacity |
|-----|------------|------------------|-----------------|--------|----------|
|     | 35 x 46 cm | from 39 to 54 cm | 36 cm           | 1,9 kg | 150 kg   |

#### **AB-317**

## Hygienic shower stool with armrests LUX Line





Height-adjustable hygienic shower stool with an ergonomic seat, front cut-out for personal hygiene, handles, and drainage holes. Optional backrest and soft antibacterial cushion available. Constructed with an anodized aluminum frame and anti-slip rubber tips.

| LUX | Seat       | Height           | Weight | Capacity |
|-----|------------|------------------|--------|----------|
|     | 35 x 46 cm | from 39 to 54 cm | 1,8 kg | 150 kg   |

## Hygienic shower chair with armrests - LUX Line





Height-adjustable hygienic shower chair with an ergonomic seat, front cut-out for personal hygiene, armrests, and drainage holes for water flow. An optional soft antibacterial cushion is available. Constructed with an anodized aluminum frame and anti-slip rubber tips.

| LOX | Seat       | Height           | Backrest height | Weight | Capacity |
|-----|------------|------------------|-----------------|--------|----------|
|     | 35 x 46 cm | from 39 to 54 cm | 36 cm           | 1,9 kg | 150 kg   |

#### **AB-319**

## Shower and commode stool with handles LUX Line





This height-adjustable stool can be configured for multiple uses:

- Toilet Overlap: Can be placed over a toilet, providing a larger, more comfortable, and potentially raised seat than a standard toilet.
- Commode Option: With an optional bucket accessory, the stool can serve as a standalone commode outside the bathroom.
- Shower Stool: With a lid for the top opening, it functions as a shower stool.

Optional armrests, backrest, and soft antibacterial cushion are available. Made with an anodized aluminum frame and anti-slip rubber tips.





AB-204B Handles

| Seat       | Backrest height  |        | Capacity |
|------------|------------------|--------|----------|
| 40 x 50 cm | from 39 to 54 cm | 1,5 kg | 150 kg   |

#### **AB-319B**

## Shower and commode stool with armrests **LUX Line**





A height-adjustable stool with armrests, suitable for both shower and toilet use, offering three configuration options:

- Toilet Overlap: Can be positioned over a toilet, providing a larger, more comfortable, and potentially raised seat.
- Commode Option: When paired with an optional bucket accessory, the stool can be used as a commode outside the bathroom.
- Shower Stool: With a lid for the top opening, it can be used as a shower

An optional backrest and soft antibacterial cushion are available. Made with an anodized aluminum frame and anti-slip rubber tips.

| LUX | Seat       | Backrest height | Weight | Capacity |  |
|-----|------------|-----------------|--------|----------|--|
|     | 40 x 50 cm | da 39 a 54 cm   | 1,5 kg | 150 kg   |  |

#### **AB-320**

#### Shower and commode chair - LUX Line





A height-adjustable chair with a removable backrest, suitable for both shower and toilet use, offering three configuration options:

- Toilet Overlap: Can be placed over a toilet, providing a larger, more comfortable, and potentially raised seat.
- Commode Option: When paired with an optional bucket accessory, the chair can function as a standalone commode outside the bathroom.
- Shower Chair: With a lid for the top opening, it can be used as a shower

Optional armrests are available. Made with an anodized aluminum frame and anti-slip rubber tips.



| LUX | Seat       | Height           | Backrest height | Weight | Capacity |
|-----|------------|------------------|-----------------|--------|----------|
|     | 40 x 50 cm | from 39 to 54 cm | 36 cm           | 2 kg   | 150 kg   |

#### **AB-320B**

## Shower and commode chair with armrests LUX Line





This height-adjustable chair, designed for both shower and toilet use, features removable backrest and armrests. It can be set up in three configurations:

- Toilet Overlap: Can be positioned over a toilet, providing a larger, more comfortable, and potentially raised seat.
- Commode Option: With an optional bucket accessory, the chair can serve as a commode outside the bathroom.
- Shower Chair: With a lid for the top opening, it can be used as a shower chair.

A soft antibacterial cushion is available upon request. The frame is made of anodized aluminum with anti-slip rubber tips.

| LUX | Seat       | Height           | Backrest height | Weight | Capacity |
|-----|------------|------------------|-----------------|--------|----------|
|     | 40 x 50 cm | from 39 to 54 cm | 36 cm           | 2,1 kg | 150 kg   |

## Accessories | LUX line

| Code    | Description   |
|---------|---|
| AB-20CB | Blue cushion for AB-200/AB-201  |
| AB-20CG | Gray cushion for AB-200/AB-201  |
| AB-30CB | Blue cushion for AB-211   |
| AB-30CG | Gray cushion for AB-211   |
| AB-40CB | Blue cushion for AB-304/AB-305/AB-312/AB-314  |
| AB-40CG | Gray cushion for AB-304/AB-305/AB-312/AB-314  |
| AB-50CB | Blue cushion for AB-315/AB-316/AB-317/AB-318  |
| AB-50CG | Gray cushion for AB-315/AB-316/AB-317/AB-318  |
| AB-60CB | Blue cushion for AB-202/AB-210  |
| AB-60CG | Gray cushion for AB-202/AB-210  |
| AB-06B  | Blue cushion for AB-319/AB-319B/AB-320/AB-320B                                      |
| AB-06G  | Gray cushion for AB-319/AB-319B/AB-320/AB-320B                                      |
| AB-20S  | Backrest for AB-304/AB-312/AB-315/AB-317/AB-319/AB-319B                             |
| AB-05B  | Blue cushion for AB-321   |
| AB-05G  | Gray cushion for AB-321   |
| AB-321D | Rotating disc for AB-202, AB-211, AB-210, AB-303 (also as a replacement for AB-321) |
| AB-01S  | Bucket for LUX series commodes  |

## **RA-211007N** | 4 in 1 aluminium folding commode chair



4 in 1 height adjustable commode with aluminium folding frame. Perfect also as toilet lift or shower chair. The basic model is provided with: Soft polyurethane padded armrests.

- Can be adjusted in 7 different height levels.
- Seat with cover.
- Extractable bucket with lid.
- Non-slip rubber tips.

| Seat width | Overall width | Overall Length | Seat depth | Seat height | Weight | Capacity |
|------------|---------------|----------------|------------|-------------|--------|----------|
| 48,5 cm    | 50 cm         | 50 cm          | 37 cm      | 42-57 cm    | 5 kg   | 120 kg   |

#### **AB-94**

### Shower and commode chair



Shower and commode padded chair with aluminium folding frame; very practical for home usage. The basic model is provided with:

- Polyurethane padded seat .
- Polyurethane padded backrest.
- Height adjustable.
- Non-slip rubber tips.
- Extractable plastic bucket.



AB-9A
Polyurethane
seat cover

| Seat width | Overall width | Overall Length | Seat depth | Seat height | Weight | Capacity |
|------------|---------------|----------------|------------|-------------|--------|----------|
| 42 cm      | 52 cm         | 63 cm          | 42 cm      | 47-60 cm    | 6,8 kg | 120 kg   |

### Shower and commode with neckrest and casters



Shower and commode chair with aluminium frame and "ejection" seat, to facilitate user's moving during stand-up. The basic model is provided with: Polyurethane padded seat, backrest and armrests.

- Height adjustable.
- Non-slip rubber tips.
- Extractable plastic bucket.
- Height adjustable seat.



AB-9A Polyurethane seat cover

| Seat width | Overall width | Overall Length | Seat depth | Seat height | Weight | Capacity |
|------------|---------------|----------------|------------|-------------|--------|----------|
| 43 cm      | 50,5 cm       | 80 cm          | 42 cm      | 49-53 cm    | 11 kg  | 120 kg   |

#### AB-SBxx-5

## Tilting shower and commode chair



A tilt shower and commode chair with a painted aluminum frame, adjustable via two stainless steel pistons. The seat is height-adjustable with two levels, and the chair includes padded, flip-up armrests. Footrests are removable, height-adjustable, and equipped with heel straps. The foot platform is plastic, with an optional upgrade to elevating footrests. The soft polyurethane seat features an opening with a plug, and the soft nylon backrest has adjustable tension straps. The chair also includes sealed plastic swivel wheels with rubber coating

and parking brakes, a polyurethane adjustable headrest (height and depth), a nylon safety belt, and a removable plastic bucket with a lid.

| Code      | Seat width | Seat depth | Total width | Total length | Total height       | Backrest Height |
|-----------|------------|------------|-------------|--------------|--------------------|-----------------|
| AB-SB40-5 | 40 cm      | 41 cm      | 52 cm       | 93 cm        | from 116 to 123 cm | 48 cm           |
| AB-SB45-5 | 45 cm      | 41 cm      | 57 cm       | 93 cm        | from 116 to 123 cm | 48 cm           |
| AB-SB50-5 | 50 cm      | 41 cm      | 62 cm       | 93 cm        | from 116 to 123 cm | 48 cm           |

#### AB-SDxx-5

#### Shower and commode chair



Shower and commode chair with aluminum frame and 5" wheels equipped with parking brakes.

Two height adjustment levels.

Backrest and seat in soft, water-repellent polyurethane or padded fabric for larger sizes.

Seat with openable front U-shaped cutout.

Flip-up armrests with soft armrest padding.

Removable toilet container.

Detachable and foldable footrests.

Available in five seat sizes: 40, 45, 50, 55, 60 cm. Wheels: 4 wheels with a 5" (12.7 cm) diameter.

Weight: 13.8 kg.

| Code      | Seat width | Total width | Total length | Total height      | Backrest Height | Capacity |
|-----------|------------|-------------|--------------|-------------------|-----------------|----------|
| AB-SD40-5 | 40 cm      | 53 cm       | 85 cm        | from 97 to 104 cm | 47 cm           | 120 kg   |
| AB-SD45-5 | 45 cm      | 58 cm       | 85 cm        | from 97 to 104 cm | 47 cm           | 120 kg   |
| AB-SD50-5 | 50 cm      | 63 cm       | 85 cm        | from 97 to 104 cm | 47 cm           | 120 kg   |
| AB-SD55-5 | 55 cm      | 68 cm       | 85 cm        | from 97 to 104 cm | 47 cm           | 250 kg   |
| AB-SD60-5 | 60 cm      | 73 cm       | 85 cm        | from 97 to 104 cm | 47 cm           | 250 kg   |

#### AB-SDxx-24

#### Shower and commode chair



Shower and commode chair with aluminum frame and 24" rear wheels equipped with parking brakes.

Two height adjustment levels.

Backrest and seat in soft, water-repellent polyurethane or padded fabric for larger sizes.

Seat with openable front U-shaped cutout.

Flip-up armrests with soft armrest padding.

Removable toilet container.

Detachable and foldable footrests.

Available in five seat sizes: 40, 45, 50, 55, 60 cm. Wheels: 4 wheels with a 5" (12.7 cm) diameter.

Weight: 17.7 kg.

| Code       | Seat width | Total width | Total length | Total height      | Backrest Height | Capacity |
|------------|------------|-------------|--------------|-------------------|-----------------|----------|
| AB-SD40-24 | 40 cm      | 57 cm       | 102 cm       | from 97 to 104 cm | 47 cm           | 120 kg   |
| AB-SD45-24 | 45 cm      | 63 cm       | 102 cm       | from 97 to 104 cm | 47 cm           | 120 kg   |
| AB-SD50-24 | 50 cm      | 67 cm       | 102 cm       | from 97 to 104 cm | 47 cm           | 120 kg   |
| AB-SD55-24 | 55 cm      | 72 cm       | 102 cm       | from 97 to 104 cm | 47 cm           | 250 kg   |
| AB-SD60-24 | 60 cm      | 77 cm       | 102 cm       | from 97 to 104 cm | 47 cm           | 250 kg   |

## Shower and commode with neckrest and casters





AB-9A Polyurethane seat cover

Shower and commode chair with aluminium frame and tilt backrest. Polyurethane padded seat and backrest, perfect to ensure great comfort to the user. Ideal to be used both at hospital and at home; the basic model is provided with:

- Polyurethane height and depth adjustable neckrest.
- Extractable armrests.
- Extractable and folding footrest.
- 4 self-lubricating casters with brakes.
- Easy to disassemble for volume reduction.
- Safety belt.
- Extractable plastic bucket.















| Seat  |
|-------|
| width |
| 12 cm |

| Overall |  |
|---------|--|
| width   |  |
| 54 cm   |  |

Overall length 80 cm

Seat depth 42 cm

Seat height 55 cm

Weight 15 kg

Capacity 120 kg

## Shower and commode chair with casters



Tilt shower and commode chair (up to 25°) with painted aluminium frame and height adjustable seat and padded folding armrests. Ideal to be used both at hospital and at home; the basic model is provided with:

- Extractable and height adjustable plastic footrests.
- Nylon calf support band.
- Soft polyurethane seat with commode cover.
- Extractable plastic bucket.
- Nylon backrest with adjustable belts.
- Safety belt.
- Tilt seat up to 25°
- Seat-backrest corner adjustable to 93° or 103°.
- PU padded folding armrests.
- 120 mm plastic swivel casters, sealed and self-lubricating, with rubber upholstery and brakes.
- Polyurethane height and depth adjustable neckrest.















| Seat  |
|-------|
| width |
| 4.4   |

| Overa |
|-------|
| width |
| 54 cm |

Overall length 80 cm

| Seat  |  |
|-------|--|
| depth |  |
| 43 cm |  |

| Seat    |  |
|---------|--|
| height  |  |
| 55-57cm |  |

| Wei | ight |
|-----|------|
| 15  | kg   |

| Capacity |  |
|----------|--|
| 120 kg   |  |

## Commode chair adjustable in height



Commode chair with painted steel structure, adjustable in height, ideal for home use.

In basic configuration equipped with:

- Height adjustable legs.
- Five levels of height adjustment.
- Armrest with plastic padding.
- Full seat padded with cover.
- Padded seat with hole.
- Padded back.
- Removable bucket with lid.
- Non-slip rubber tips.

| Seat width | Overall width | Overall length | Seat depth | Seat height | Weight | Capacity |
|------------|---------------|----------------|------------|-------------|--------|----------|
| 40 cm      | 54 cm         | 60 cm          | 44 cm      | 40-50 cm    | 7,5 kg | 110 kg   |

#### **AB-55**

## Height adjustable commode chair - Plus



Height adjustable commode chair with detachable painted steel frame, perfect for home usage. The basic model is provided with:

- Extractable height adjustable legs.
- Can be adjusted in 6 different height levels.
- Plastic padded armrests.
- Padded covered seat.
- Padded commode seat.
- Padded backrest.
- Extractable bucket with lid.
- Non-slip rubber tips.

| Seat width | Overall width | Overall length | Seat depth | Seat height | Weight | Capacity |
|------------|---------------|----------------|------------|-------------|--------|----------|
| 40 cm      | 54 cm         | 60 cm          | 44 cm      | 48-61 cm    | 7,5 kg | 120 kg   |

## Commode chair with casters and armrests



Commode chair with 4 casters, two of them with brakes. Provided with folding flip-open armrests and extractable height adjustable footrests. The basic model is provided with:

- 4 swivel casters, 2 of them with brakes.
- Faux leather padded seat cover.
- Plastic seat with commode.
- Extractable bucket with lid.
- Detachable backrest.
- Flip-open armrests.
- Extractable and height adjustable footrests.

| Seat width | Overall width | Overall length | Seat depth | Seat height | Weight  | Capacity |
|------------|---------------|----------------|------------|-------------|---------|----------|
| 44 cm      | 56,5 cm       | 70 cm          | 41 cm      | 53 cm       | 12,9 kg | 120 kg   |

#### **AB-63N**

#### Anti-roll detachable WC frame



Anti-roll WC aluminium frame, detachable and height adjustable. Provided with non-slip rubber tips; suitable for all types of WC.

| Width | Depth | Height        | Weight | Capacity |
|-------|-------|---------------|--------|----------|
| 59 cm | 46 cm | da 68 a 77 cm | 2 kg   | 125 kg   |

#### **AB-64N**

## Anti-roll fixed WC frame



Stabilizing frame to be fixed to the toilet using a special plate. The height-adjustable legs allow it to be used with toilets of different heights, and thanks to the width adjustment, it can be adapted to individual needs. The presence of non-slip rubber tips helps improve the stability of the structure.

| Width            | Depth | Height           | Weight | Capacity |
|------------------|-------|------------------|--------|----------|
| from 51 to 61 cm | 46 cm | from 68 to 77 cm | 1,7 kg | 135 kg   |

### **AB-TUBI**

### Textured handrail tubes





Wall-mounted, textured handrails designed to reduce the risk of falls and accidents in the bathroom. Made of PVC with a grooved grip. Diameter:  $\emptyset$  3.5 cm.

| Code    | Length with joints at the ends |
|---------|--------------------------------|
| AB-026  | 26 cm                          |
| AB-036  | 36 cm                          |
| AB-041  | 41 cm                          |
| AB-056  | 56 cm                          |
| AB-0100 | 100 cm                         |

#### **AB-T**

## End cap for textured handrail tubes





Wall-mounted end cap for textured handrail tubes, made of PVC with ABS screw covers.

- Flange Diameter: 8.5 cm
- Length: 7.5 cm

### **AB-S**

## Joint kit for textured handrail tubes





Wall-mounted joint for textured handrail tubes, made of PVC with ABS screw covers.

- Flange Diameter: 8.5 cm
- Length: 8 cm

#### **RA-2120**

## Textured wall grab bars - LUX Line





Wall grab bars designed to reduce the risk of falls and accidents in the bathroom, made with a textured PVC grip and ABS screw covers.

- Diameter: 35 mm
- Maximum Load Capacity: 120 kg

| Code      | Lenght |
|-----------|--------|
| RA-212030 | 30 cm  |
| RA-212045 | 45 cm  |
| RA-212060 | 60 cm  |

#### **RA-2220**

## Stainless steel wall grab bars - LUX Line





Wall grab bars entirely made of stainless steel, designed to reduce the risk of falls and accidents in the bathroom.

- Diameter: 32 mm
- Maximum Load Capacity: 150 kg

| Code      | Lenght |
|-----------|--------|
| RA-222030 | 30 cm  |
| RA-222045 | 45 cm  |
| RA-222060 | 60 cm  |

#### **RA-2320**

## Satin stainless steel wall grab bars - LUX Line





Satin stainless steel wall grab bars for enhanced stability and safety in the bathroom.

- Diameter: 32 mm
- Maximum Load Capacity: 150 kg

| Code      | Lenght |
|-----------|--------|
| RA-232030 | 30 cm  |
| RA-232045 | 45 cm  |
| RA-232060 | 60 cm  |

#### RA-2x/45

## Angled 45° wall grab bars - LUX Line



45° angled wall grab bars in polished or satin stainless steel, designed for improved stability in the bathroom.

- Diameter: 32 mm
- Maximum Load Capacity: 150 kg



| Code     | Lenght              |
|----------|---------------------|
| RA-22/45 | lucido 30 x 30 cm   |
| RA-23/45 | satinato 30 x 30 cm |

#### RA-2x/90x

## Angled 90° wall grab bars - LUX Line



90° angled wall grab bars in polished or satin stainless steel, available in right or left configurations.

- Diameter: 32 mm
- Maximum Load Capacity: 150 kg

| Code      | Туре  | Lenght            |
|-----------|-------|-------------------|
| RA-22/90D | Right | glossy 30 x 60 cm |
| RA-22/90S | Left  | glossy 30 x 60 cm |
| RA-23/90D | Right | satin 30 x 60 cm  |
| RA-23/90S | Left  | satin 30 x 60 cm  |

#### **AB-80N**

## Stainless steel bathroom grab bar



Flip up bathroom grab bar made of painted steel.

- Dimensions: 74,5 x 19,5 cm;
- Attachment plate dimensions: 28 x 10,5 cm;
- Weight: 2,3 kg;
- · Capacity: 90 kg.

### **AB-83**

## Safety handle



Safety handle for bathtub made of plastic with screw fixing for the bathtub edge. Equipped with application guides with anti-slip and anti-scratch rubber pads.


- Dimensions 45 cm;
- Fixing adjustment from 6.5 to 15 cm;
- Capacity: 150 Kg.

#### AB-x


## Flip-up grab bar - LUX Line













## AB-8/x

## Toilet paper holder - LUX Line





| Toilet paper holder for LUX Line flip-up gra | ab bars, providing | g accessible positioning | to avoid |
|--|--------------------|--------------------------|----------|
| twisting.                                    |                    |                          |          |

| Code   | Colour | Size  |
|--------|--------|-------|
| AB-8/B | white  | 60 cm |
| AB-8/I | INOX   | 60 cm |
| AB-8/N | black  | 60 cm |
| AB-8/S | satin  | 60 cm |

## Clipper II - Raised toilet seat





Four locking systems, safe and simple, placed on the front and on the sides. It ensures a great stability and its anatomic shape provides great comfort during usage. Can be adapted to most of the WC. Available in white with blue attachments.

Maximum capacity: 135

Height: 11 cm.

#### RA-210xxx

## Anatomic raised toilet seat with side attachments



It can be fixed on the WC through a locking system constituted by two plastic clamps placed on the side and width adjustable.

Can be adapted to most of the oval WC and it is available in 3 different height sizes, in order to better suit each user's need. The anatomic opening facilitate personal care procedures.

Can be sanitized in the autoclave at 85° for 1 minute.

Maximum capacity: 225 kg

#### RA-210106

#### RA-210110

RA-210114







| Code        | Height                        |
|-------------|-------------------------------|
| RA-210106   | 6 cm                          |
| RA-210110   | 10 cm                         |
| RA-210110CF | 10 cm, in a box of 10 pieces. |
| RA-210114   | 14 cm                         |
| RA-210114CF | 14 cm, in a box of 7 pieces.  |

#### **RA-200**

## Soft cover for toilet lifter



Soft cover for toilet lifter with a thickness of 1.3 cm, ideal in case of need for a soft support compatible with the 6, 10 and 14 cm side-mounted toilet lifters.



|         |          | Colour range |         |            |
|---------|----------|--------------|---------|------------|
| RA-200A | Sky blue | -            | RA-200G | Light grey |

#### **RA-210170x**

## Soft toilet cover



Soft toilet seat cover made of polyurethane foam to be applied on the toilet seat, or, in case it is too narrow, directly on the ceramic of the toilet bowl. Load capacity: 200 kg.

|            | Colour range |            |       |
|------------|--------------|------------|-------|
|            | RA-210170V   | Green      |       |
| RA-210170B | White        | RA-210170N | Black |

### 500200N

## Soft toilet lift



Soft toilet seat raiser, height 11 cm, capacity 185 kg, easily adapts to most toilets.

## RA-2101125x | Raised toilet seat with central fixing system



The raised toilet seat is fixed to the WC through a locking system placed on the front so that it can be adapted to all oval WC types. The seat is provided with an anatomic contour and a central opening, to facilitate personal care procedures.

There are three models available: without armrests, with fixed armrests and with flip-open armrests, in order to fit every user's needs.

Maximum capacity: 130 kg

#### RA-2101125

#### RA-2101125BF

#### RA-2101125BR







| Code         | Height                          |  |
|--------------|---------------------------------|--|
| RA-2101125   | 12,5 cm without armrests        |  |
| RA-2101125BF | 12,5 cm with armrests           |  |
| RA-2101125BR | 12,5 cm with flip-open armrests |  |

#### Accessories for raised toilet seats



The following accessories can be useful to improve the technical features of raised toilet seats. Easy to apply, they can be quickly installed and therefore adapt the device to the user's needs.



| Code      | Description   |
|-----------|---|
| RA-210150 | Bidet for raised toilet seats RA-210106, RA-210110, RA-210114   |
| RA-210    | Lid for raised toilet seats RA-210106, RA-210110, RA-210114 each. Available individually or in pack of 10 pieces. |

## **DAILY LIFE AIDS**

During his daily life, each person makes actions focused on the usage of certain tools or specific procedures. When someone faces a difficult situation, in which he encounters difficulties doing a certain actions, he needs to restrict his indipendence since gestures and mobility weaken. That's when the "daily living aids" are useful for the user.

There are many types and categories of aids used for this kind of need: reachers, shoehorns, stocking aids, cutlery, plates, tumblers, various table or personal care tools, special protective devices, specific chairs.

#### **AQ-30**

## Easy reacher 360° rotation



Aluminium frame reacher. Jaws are covered with non-slip rubber and have a 360° rotation, which allows user to pick up objects without having to rotate arm and wrist. Ergonomic trigger grip with grasp/closure double system. Suggested for objects weighing up to 2,2 kg. Length: 66 cm.

AQ-31 AQ-32 AQ-33

## Reacher with magnetic tip

Aluminium frame reacher. Jaws are covered with non-slip rubber and have a magnet on the tip. Ergonomic and easy to use trigger grip with grasp/closure double system.



| Code  | Lenght           |
|-------|------------------|
| AQ-31 | 66 cm            |
| AQ-32 | 80 cm            |
| AQ-33 | 66 cm pieghevole |

## **AQ-74**

#### **Plate**



Aid designed for users with varying degrees of upper limb mobility limitations to facilitate routine tasks associated with eating.

### **AQ-84**

#### Plate with dividers and suction base.



The removable base adheres to the surface thanks to the suction effect, while the upper part is dishwasher safe.

The plate is suitable for microwave cooking.

#### 813073

## Plate rim



Ideal for plates with a low rim and a diameter of 23 to 28 cm.

## **AQ-71F**

## Comfort grip fork



Comfort grip fork with nylon strap to facilitate grasp. Can be adjusted both to left or right hand.

## **AQ-72**

## Comfort grip knife



Comfort grip knife with nylon strap to facilitate grasp.

## **AQ-76**

## **Bottle holder**



Clamp that can be used on a table or bench to stabilise bottles whilst they are opened or closed.

## **AQ-93N**

## Stocking aid



Stocking aid perfect for those who have difficulty bending, grabbing and wearing stockings.

### **AQ-100**

## Hair washing kit



Hair washing kit composed of an inflatable shampoo basin with drainage tube for waste water outflow. Also provided with sack and tube.

### **AQ-40**

### **Footrest**



Footrest stool with chrome-plated steel frame and non-slip rubber surface. Reinforced rubber tips.

Capacity: 150 kg.

## **AQ-131**

# Non-slip rubber bath mat with small suction cups



Bath mat made of natural rubber with suction cups for a slip-resistant safer surface. Color: ivory white Dimensions: 40 x 70 cm

## **AQ-132**

## Non-slip rubber bath mat for back



Bath back mat made of natural rubber with head support. Dimensions:  $32 \times 38$  cm. Color: ivory white.

#### **AQ-70N**

## Stand-up chair



Particularly indicated during rehabilitation post hip interventions and difficulties in taking the seat, but also ideal for people who are forced to stand upright.

| Seat       | Adjustable height | Weight | Capacity |
|------------|-------------------|--------|----------|
| 28 x 36 cm | from 55 to 70 cm  | 5,6 kg | 135 kg   |

## CO-100.51x

## Polyurethane round cushion





Ring-shaped round cushion with jersey sack lining cover and extractable hole cover lid.

| Code       | Length  |
|------------|---------|
| CO-100.510 | Ø 39 cm |
| CO-100.511 | Ø 42 cm |

## CN-100.5xx

## Ring-shaped rubber cushion



Suitable to soothe compression when seated. Before usage, it must be inflated through the pump (optional accessory).

| Code Plus  | Lenght  |
|------------|---------|
| CN-100.553 | Ø 35 cm |
| CN-100.554 | Ø 40 cm |
| CN-100.549 | Ø 43 cm |
| CN-100.555 | Ø 45 cm |

CN-100.784

Pump



## Other aids



Polyurethane latex free and sturdy protections; perfect to wear when bathing or while taking a shower, to cover a wound or the limb medical treatment. Easy to use, there's no need of adhesives or straps, it is enough to extend the elastic opening edge.

| _ | Code | Description                         | Size        |
|---|------|-------------------------------------|-------------|
|   | AP17 | Small Forearm protection            | 43 x 17 cm  |
|   | AP21 | Large Forearm protection            | 54 x 22 cm  |
|   | AP26 | Small protection for the entire arm | 66 x 19 cm  |
|   | AP31 | Large protection for the entire arm | 80 x 26 cm  |
|   | LP20 | Small leg and stocking protection   | 51 x 24 cm  |
|   | LP25 | Large leg and stocking protection   | 64 x 32 cm  |
|   | LP33 | Small protection for the entire leg | 84 x 31 cm  |
|   | LP44 | Large protection for the entire leg | 112 x 47 cm |

## **REHABILITATION AIDS**

Mobility rehabilitation aids are generally used during post-traumatic rehabilitation or for physical activity recovery after a break period. They allow to recover the entire physical usage of the wounded part, generally joints and muscles, in a gradual way, to avoid any pain problem due to excessive effort during movement.

Rehabilitation also means to help the person who is gradually losing mobility with ageing, maintaining fluidity when moving, being independent in daily life actions.

### RA-216005

## Chrome-plated steel pedal exerciser



Chrome-plated steel pedal exercisers perfect for post-traumatic rehabilitation and physiotherapy. Suitable for people with mobility problems. Provided with control knob to adjust the exercise intensity and non-slip soft plastic tips.

Dimensions: 54 x 42 x 24 cm.

## RA-216008

# Chrome-plated steel pedal exerciser with gripse



Chrome-plated steel pedal exercisers perfect for post-traumatic rehabilitation and physiotherapy. Suitable for people with mobility problems. Provided with control knob to adjust the exercise intensity and height adjustable to help coordinating pedal movement. Non-slip soft plastic tips. Dimensions:  $54 \times 42 \times 84-95$  cm.

## RA-216008D

# Chrome-plated steel pedal exerciser with rotating grips and pole



Chrome-plated steel pedal exercisers perfect for post-traumatic rehabilitation and physiotherapy of legs or arms. Suitable for people with mobility problems. The two handles allow to adjust separately the exercise intensity of pedals and upper rotating grips.

Non-slip soft plastic tips.

Dimensions: 54 x 42 x 24 cm.

## **RA-010**

# Rehabilitation pedal board with rotating handles



Pedal board for physical exercise or post-traumatic and physiotherapy rehabilitation indicated for people with motor difficulties in the lower and upper limbs.

Painted steel structure with non-slip rubber feet. Pedals with adjustable foot strap. Polyurethane handles with inclination adjustment mechanism positioned on the support rod. Effort intensity adjustment knobs.

Colorur range

| RA-010A | Sky blue | RA-010B |  | White |
|---------|----------|---------|--|-------|
|---------|----------|---------|--|-------|

### **RA-004**

# Folding pedal exerciser



Chrome-plated steel pedal exercisers perfect for post-traumatic rehabilitation and physiotherapy. Suitable for people with mobility problems. Folding frame provided with control knob to adjust the exercise intensity. Available in two different colors. Non-slip soft plastic tips.

| Code    | Dimensions      | Color    |
|---------|-----------------|----------|
| RA-004A | 41 x 41 x 24 cm | Sky blue |
| RA-004B | 41 x 41 x 24 cm | White    |

## **RA-007**

# Pedal board with digital display



Pedal boar with folding structure and non-slip pedals with adjustable loops. Knob for adjusting the voltage level.

Large, easy-to-read LCD screen to display RPM, time, speed and calories burned with the simple touch of a button.

## **RA-009**

# Electric pedal board



Electric pedal board for physical exercise, post-traumatic rehabilitation and physiotherapy indicated for people with motor difficulties. Steel structure with ABS shell. Digital display for the definition of the work cycle parameters.

Pedal board usable for exercise of the lower and upper limbs.

## **AQ-11N**

# Rehab therapy balls



Perfect for hand post-traumatic rehabilitation or for rheumatoid arthritis diseases.

| Code   | Model                 |
|--------|-----------------------|
| AQ-111 | Soft – color pink     |
| AQ-112 | Medium – color blue   |
| AQ-113 | Strong - color orange |


# **ANTI-DECUBITUS**

Even if bedsores can occur at every age, they represents one of the most fearsome medical complication for an old patient or for someone with mobility problems and they can cause the disease to get worse, revoking the rehabilitation processes.

That's why it is important to carry out an efficient prevention, through patient's mobility and using tools that soothe and redistribuite pressure areas when seating or lying for long periods.

# Anti-suffocation perforated pillow





This pillow is made from open-cell polyurethane foam with perforations, providing a density of  $21 \text{ kg/m}^3$ . Key features of the polyurethane foam include: Antifungal and antibacterial treatment.

Fire resistance classified as 1 IM according to UNI 9175 fire reaction standards when covered.

Size

70 x 40 x 9 cm

## **CA-054**

# Anti-suffocation perforated pillow





The pillow is made of expanded viscoelastic foam with a density of  $50 \text{ kg/m}^3$  and features perforations. It comes with a jersey containment cover, made of 100% polyester, removable via a zipper located on one side.

Size

72 x 42 x 10,5 cm

## **CA-F010**

# Trevira CS pillowcase





This pillowcase is made from Trevira CS, offering:

- 100% polyester
- Fire reaction class 1 according to UNI 9177 standards
- Antibacterial and antifungal properties

The case features a zip closure on one side, and washing does not alter its size.

| Size       |
|------------|
| 75 x 45 cm |

### **CA-F011**

# Polyurethane-coated pillowcase





Made with polyurethane coating on a polyester mesh base, this pillowcase has the following characteristics:

- Waterproof
- Breathable
- Bi-elastic
- Antifungal, antibacterial, antistatic
- Latex-free
- Fire reaction class 1 according to UNI 9177 standards
- Dimensions: 75 x 45 cm

| Size       |
|------------|
| 75 x 45 cm |

### **CA-74**

# Anatomic cervical support pillow





Cervical pillow made of visco elastic foam, covered with 100% cotton lining. The specific anatomic shape and the padding viscosity soothe the pressure areas and improves transpiration, ensuring comfort when sleeping and relaxing. Size:  $70 \times 42$  cm.

# Easy - siliconized hollow fiber cushions



Easy cushions for pressure sore prevention, made with  $285 \text{g/m}^2$  siliconized hollow fiber enclosed in a 100% sanforized cotton fabric cover. Equipped with Velcro fastening straps, they are available in five model variants in black color.

| Code   | Size                            |
|--------|---------------------------------|
| CA-200 | Three-section cushion           |
| CA-201 | Cushion with central depression |
| CA-202 | Cushion with central hole       |
| CA-203 | Horseshoe cushion               |
| CA-204 | Donut cushion                   |
|        |                                 |

# Easy - three-section cushions in hollow fiber





The Easy three-section cushions are constructed from siliconized hollow fiber encased in sanforized cotton. This structure helps distribute pressure on contact points, aiding in pressure ulcer prevention. The cushions include Velcro straps for secure attachment, high resilience, and breathability.

| Code        | Size       |
|-------------|------------|
| CA-200-3540 | 35 x 40 cm |
| CA-200-3544 | 35 x 44 cm |
| CA-200-3840 | 38 x 40 cm |
| CA-200-3844 | 38 x 44 cm |
| CA-200-4040 | 40 x 40 cm |
| CA-200-4044 | 40 x 44 cm |
| CA-200-4240 | 42 x 40 cm |
| CA-200-4244 | 42 x 44 cm |
| CA-200-4640 | 46 x 40 cm |
| CA-200-4644 | 46 x 44 cm |
| CA-200-4840 | 48 x 40 cm |
| CA-200-4844 | 48 x 44 cm |
| CA-200-5140 | 51 x 40 cm |
| CA-200-5144 | 51 x 44 cm |

# Hollow silicone fiber cushions



Cushions to prevent bedsores made of 300 g/m2 hollow silicone fiber, covered by a non-shrink 100% cotton upholstery. Provided with fixing velcro straps. High resistant and transpiring, they allow to efficiently prevent bedsores. available in five different models, in blue.

| Code   | Size                         |
|--------|------------------------------|
| CA-100 | Three sections cushion       |
| CA-101 | Cushion with central opening |
| CA-102 | Central hollow cushion       |
| CA-103 | Ring-shaped cushion          |
| CA-104 | Back cushion                 |

# Fluid gel cushion and polyurethane slab





This cushion is made of fluid gel with a central stitching and a removable cover with a zipper on three sides. Features include:

- Supporting base made of polyurethane foam with a density of 30 kg/m $^3$  and a height of 3.5 cm. Waterproof PVC bag of 400 $\mu$  containing the fluid gel.
- The innovative central stitching, created using high-frequency technology, helps stabilize and evenly distribute the gel. Bag height: 4 cm.


The cover is made of polyurethane-coated fabric, breathable and bi-elastic, waterproof to liquids and permeable to water vapor. It is fire reaction class 1 for the upper part in contact with the user, and features anti-slip fabric for the lower part in contact with the support (wheelchair).

| Code        | Size       |
|-------------|------------|
| CA-023-4040 | cm 40 x 40 |
| CA-023-4242 | cm 42 x 42 |
| CA-023-4545 | cm 45 x 45 |

### **CA-035**

# Preformed base cushion with self-molding silicone fluid





This cushion consists of a rigid preformed base with a layer of viscoelastic foam adhered using water-based adhesives. Self-molding fluid is applied and secured between two PU membranes with high-frequency processing. The fluid and viscoelastic foam adapt to body shape through pressure and heat, providing comfort and stability. The cushion's sloped design and lateral support enhance comfort and stability. It includes a removable cover with a "C" zipper on three sides, made of breathable, bi-elastic microfiber on the top and non-slip fabric on the bottom.

| Code        | Size       |
|-------------|------------|
| CA-035-3838 | cm 38 x 38 |
| CA-035-4040 | cm 40 x 40 |
| CA-035-4045 | cm 40 x 45 |
| CA-035-4242 | cm 42 x 42 |
| CA-035-4442 | cm 44 x 42 |
| CA-035-4540 | cm 45 x 40 |
| CA-035-4545 | cm 45 x 45 |
| CA-035-4550 | cm 45 x 50 |
| CA-035-5045 | cm 50 x 45 |

# Preformed base cushion with self-molding gel fluid





The CA-045 cushion has a rigid, anatomically preformed base with self-molding fluids and a removable cover with a three-sided zipper. The interior includes:

- Anatomical Base: Made from a rigid black polyethylene shell with an intermediate layer of polyurethane foam with a density of 25 kg/m³. The base height is designed for optimal pressure distribution in the ischial area, with a height of 8 cm at the front and 6.5 cm at the back.
- Self-Molding Fluid Insert: Contained within a PU and PVC membrane (500 microns thick) and sealed by high-frequency processing.


The cover is made of polyurethane-coated, bi-elastic, breathable fabric, liquid-proof, vapor-permeable, with a fire-resistance class 1 rating on the upper side and a non-slip bottom for wheelchair support. It includes two rear-side straps and a front handle for easy carrying.

| Code        | Size       |
|-------------|------------|
| CA-045-3838 | cm 38 x 38 |
| CA-045-4040 | cm 40 x 40 |
| CA-045-4045 | cm 40 x 45 |
| CA-045-4242 | cm 42 x 42 |
| CA-045-4442 | cm 44 x 42 |
| CA-045-4540 | cm 45 x 40 |
| CA-045-4545 | cm 45 x 45 |
| CA-045-4550 | cm 45 x 50 |
| CA-045-5045 | cm 50 x 45 |

### **CA-050**

# Preformed base cushion with sacral area self-molding fluid





The CA-050 cushion features a preformed anatomical base with self-molding fluids and a removable cover with a three-sided zipper. The interior consists of:

- Anatomical Base: A rigid black polyethylene shell with an intermediate layer of polyurethane foam (25 kg/m³ density) featuring a sacral recess, and an upper layer of viscoelastic foam (50 kg/m³) with a nodular surface. Base height is 9 cm in the front and 8 cm in the back for optimal ischial pressure distribution.
- Self-Molding Fluid Bag: Contained within a 500-micron PU and PVC membrane, inserted in the intermediate layer's recess and covered by the upper layer of the preformed base. The fluid bag is non-removable

The cover is made from polyurethane-coated, bi-elastic, breathable fabric, liquid-proof, vapor-permeable, with a fire-resistance class 1 rating on the upper side and a non-slip bottom for wheelchair support. It includes a front handle for carrying.

| Code        | Size       |
|-------------|------------|
| CA-050-3838 | cm 38 x 38 |
| CA-050-4040 | cm 40 x 40 |
| CA-050-4045 | cm 40 x 45 |
| CA-050-4242 | cm 42 x 42 |
| CA-050-4442 | cm 44 x 42 |
| CA-050-4540 | cm 45 x 40 |
| CA-050-4545 | cm 45 x 45 |
| CA-050-4550 | cm 45 x 50 |
| CA-050-5045 | cm 50 x 45 |

# Viscoelastic cushion d60 with supporting base





The CA-096 cushion is made of viscoelastic foam and polyurethane foam with a removable cover, accessible through a zipper. The interior includes:

- Supporting Base: 2 cm of polyurethane foam with a density of 35 kg/m<sup>3</sup>.
- Top Layer: 3 cm of viscoelastic foam with a density of 60 kg/m<sup>3</sup>.

The cover is made of breathable, bi-elastic microfiber fabric on the top side (in contact with the user) and non-slip fabric on the bottom side (in contact with the support).

| Code        | Size       |  |  |
|-------------|------------|--|--|
| CA-096-3838 | cm 38 x 38 |  |  |
| CA-096-4040 | cm 40 x 40 |  |  |
| CA-096-4045 | cm 40 x 45 |  |  |
| CA-096-4242 | cm 42 x 42 |  |  |
| CA-096-4442 | cm 44 x 42 |  |  |
| CA-096-4540 | cm 45 x 40 |  |  |
| CA-096-4545 | cm 45 x 45 |  |  |
| CA-096-4550 | cm 45 x 50 |  |  |
| CA-096-5045 | cm 50 x 45 |  |  |

## **CA-096F**

# Viscoelastic cushion d60 with supporting base and central hole



The CA-096F cushion is made of viscoelastic foam and polyurethane foam with a central hole and a removable cover with a zipper. The interior includes:

- Supporting Base: 2 cm of polyurethane foam with a density of 35 kg/m<sup>3</sup>.
- Top Layer: 3 cm of viscoelastic foam with a density of 60 kg/m<sup>3</sup>.

The cover is made of breathable, bi-elastic microfiber fabric on the top side (in contact with the user) and non-slip fabric on the bottom side (in contact with the support).



| Code         | Size       |
|--------------|------------|
| CA-096F-3838 | cm 38 x 38 |
| CA-096F-4040 | cm 40 x 40 |
| CA-096F-4045 | cm 40 x 45 |
| CA-096F-4242 | cm 42 x 42 |
| CA-096F-4442 | cm 44 x 42 |
| CA-096F-4540 | cm 45 x 40 |
| CA-096F-4545 | cm 45 x 45 |
| CA-096F-4550 | cm 45 x 50 |
| CA-096F-5045 | cm 50 x 45 |

#### CA-3x

# Self-moulding liquid gel cushion with pre-shaped base





Liquid gel cushion to prevent bedsores made of polyurethane foam anatomic base, non-toxic, non-irritating and Latex free. The upper layer is made of a polyurethane gel sheet.

Provided with fireproof zipped upholstery with double elastic, waterproof and steamproof.

Resistant to urine and other organic liquids.

Non-slip base.

| Code   | Size           |  |  |
|--------|----------------|--|--|
| CA-30* | 40 x 40 x 8 cm |  |  |
| CA-31* | 42 x 42 x 8 cm |  |  |
| CA-32* | 45 x 45 x 8 cm |  |  |


## **KALLIFORM**

# Kalliform - anatomic viscoelastic cushion





Anatomic cushion to prevent bedsores made of viscoelastic polyurethane 80 kg/m3 memory foam. The chemical composition and the high density contribute to reach great mechanical properties that ensure an optimal weight distribution on the surface, limiting any possible pressure peak due to possible bony prominences.





| Code     | Size           | Note                  |
|----------|----------------|-----------------------|
| 17.17217 | 38 x 40 x 8 cm |                       |
| 17.17294 | 40 x 40 x 8 cm |                       |
| 17.17218 | 40 x 42 x 8 cm |                       |
| 17.17226 | 42 x 40 x 8 cm |                       |
| 17.17295 | 42 x 42 x 8 cm |                       |
| 17.17267 | 43 x 44 x 8 cm |                       |
| 17.17235 | 46 x 45 x 8 cm | for people over 90 kg |
| 17.17229 | 48 x 40 x 8 cm | for people over 90 kg |
| 17.17236 | 48 x 43 x 8 cm | for people over 90 kg |
| 17.17299 | 50 x 45 x 8 cm | for people over 90 kg |

## **ISKIO VISCO**

# Iskio-Visco - anatomic viscoelastic cushion









Iskio Visco Anatomic cushion is made of 100% viscoelastic polyurethane 80 kg/m3 memory foam with separated capacity; this ensures an optimal weight distribution on the surface. The foam covers completely the ischium and the sacrum-coccyx area, ensuring an optimal pressure release where there are bony prominences. The cushion is provided with 2 covers: one is made of 3d fabric (reproduced in the picture) and one made of Pharmatex fabric. It is available in four different sizes.

| Code         | Size              |
|--------------|-------------------|
| 17.17008     | 40 x 40 x 10,5 cm |
| 17.17018     | 43 x 43 x 10,5 cm |
| <br>17.17028 | 46 x 43 x 10,5 cm |
| 17.17038     | 50 x 45 x 10,5 cm |

## **ISKIO BI**

# Iskio-Bi - viscoelastic cushion with separated capacity





Iskio Visco cushion is made of viscoelastic 80 kg/m3 memory foam with 37 kg/m3 high resilience insert that acts like a containment shell and facilitates a better posture.

Thanks to its features, the cushion allows an optimal pressure balance, the foam insert covers completely the ischium and the sacrum-coccyx area, ensuring an optimal pressure release where there are bony prominences. The cushion is provided with 2 covers: one is made of 3d fabric and one made of Pharmatex fabric and it's available in four different length sizes and two different height sizes.



| Code     | Size              |
|----------|-------------------|
| 17.17106 | 40 x 40 x 8,5 cm  |
| 17.17108 | 40 x 40 x 10,5 cm |
| 17.17116 | 43 x 43 x 8,5 cm  |
| 17.17118 | 43 x 43 x 10,5 cm |
| 17.17126 | 46 x 43 x 8,5 cm  |
| 17.17128 | 46 x 43 x 10,5 cm |
| 17.17136 | 50 x 45 x 8,5 cm  |
| 17.17138 | 50 x 45 x 10,5 cm |

### STROB01

# PVC rubber air cushion with 1 valve





Cushion to prevent bedsores made of air bubbles connected through air micro-interchange with 1 inflation valve, designed to ensure an optimal pressure distribution and a great support comfort to people who spend a lot of time seating. Available in four different width sizes and two different height sizes, to better satisfy each person's needs. The package contains two transpiring covers with non-slip base, one inflation pump and a fixing kit.



| Code        | Size            |
|-------------|-----------------|
| CA-4040-16  | 40 x 40 x 6 cm  |
| CA-4540-16  | 45 x 40 x 6 cm  |
| CA-4545-16  | 45 x 45 x 6 cm  |
| CA-5045-16  | 50 x 45 x 6 cm  |
| CA-4040-18  | 40 x 40 x 8 cm  |
| CA-4540-18  | 45 x 40 x 8 cm  |
| CA-4545-18  | 45 x 45 x 8 cm  |
| CA-5040-18  | 50 x 40 x 8 cm  |
| CA-5045-18  | 50 x 45 x 8 cm  |
| CA-4040-110 | 40 x 40 x 10 cm |
| CA-4540-110 | 45 x 40 x 10 cm |
| CA-4545-110 | 45 x 45 x 10 cm |
| CA-5045-110 | 50 x 45 x 10 cm |

## STROBO2

# PVC rubber air cushion with 2 valves



Cushion to prevent bedsores made of air bubbles connected through air micro-interchange with 2 inflation valves, designed to ensure an optimal pressure distribution and a great support comfort to people who spend a lot of time seating. Available in four different width sizes and two different height sizes, to better satisfy each person's needs. The package contains two transpiring covers with non-slip base, one inflation pump and a fixing kit.



| Code        | Size            |  |  |
|-------------|-----------------|--|--|
| CA-4040-26  | 40 x 40 x 6 cm  |  |  |
| CA-4540-26  | 45 x 40 x 6 cm  |  |  |
| CA-4545-26  | 45 x 45 x 6 cm  |  |  |
| CA-5045-26  | 50 x 45 x 6 cm  |  |  |
| CA-4040-28  | 40 x 40 x 8 cm  |  |  |
| CA-4540-28  | 45 x 40 x 8 cm  |  |  |
| CA-4545-28  | 45 x 45 x 8 cm  |  |  |
| CA-5040-28  | 50 x 40 x 8 cm  |  |  |
| CA-5045-28  | 50 x 45 x 8 cm  |  |  |
| CA-4040-210 | 40 x 40 x 10 cm |  |  |
| CA-4540-210 | 45 x 40 x 10 cm |  |  |
| CA-4545-210 | 45 x 45 x 10 cm |  |  |
| CA-5045-210 | 50 x 45 x 10 cm |  |  |

## PR-100.705

## Lion - anti-decubitus kit



Kit composed of one compressor provided with alternate cycle pressure regulator, bubble air release mattress overlay, attachment strips, connecting tubes for inflation and fixing kit. The pressure difference, alternated between bubble rows, ensures a continuous pressure change on body contact areas on the surface. This way, it prevents bedsores.

#### Mattress overlay technical specifications

| Code       | Size Type     |              | Materials               | Capacity |
|------------|---------------|--------------|-------------------------|----------|
| PR-100.708 | 300x90x6,5 cm | Bolle d'aria | PVC (EN-71 non tossico) | 120 kg   |

#### Compressor technical specifications

| Code       | Power supply | Air capacity     | Pressure range | Cycle duration | Size           | Weight |
|------------|--------------|------------------|----------------|----------------|----------------|--------|
| PR-100.726 | 220V/50Hz    | 4-5 litri/minuto | 40 - 100 mmHg  | 10 minuti      | 24 x 11 x 9 cm | 1,4 kg |

## PR-100.707 | Aries IV - anti-decubitus kit



Kit composed of one compressor provided with alternate cycle pressure regulator, bubble air release mattress overlay, attachment strips, connecting tubes for inflation and fixing kit. The pressure difference, alternated between bubble rows, ensures a continuous pressure change on body contact areas on the surface. This way, it prevents bedsores.

#### Mattress overlay technical specifications

| Code       | Size          | Туре        | Materials               | Capacity |
|------------|---------------|-------------|-------------------------|----------|
| PR-100.708 | 300x90x6,5 cm | Air bubbles | PVC (EN-71 non tossico) | 120 kg   |

#### Compressor technical specifications

| Code       | Power supply | Air capacity     | Pressure range | Cycle duration | Size            | Weight |
|------------|--------------|------------------|----------------|----------------|-----------------|--------|
| PR-100.725 | 220V/50Hz    | 4-5 liter/minute | 40 - 100 mmHg  | 10 minutis     | 24 x 11 x 11 cm | 1,6 kg |

### **AK-206**

# Aries Plus - anti-decubitus kit



Aries Plus anti-decubitus kit consisting of a compressor with alternating cycle pressure regulator, 2 overlapping mattresses, with heat-sealing, air bubble with fastening flaps, connecting tubes for inflation and a repair set. Lining included.

The pressure difference between the rows of alternating bubbles allows the constant movement of the body surface in contact and thus contributes to the prevention of pressure sores.

Ideal for the prevention / treatment of pressure ulcers, level I.

#### Technical specification of the upper mattress

| Code    | Dimensions       | Lining          | Туре        | Materials             | Capacity |
|---------|------------------|-----------------|-------------|-----------------------|----------|
| AK-206M | 200 x 90 x 12 cm | Nylon/PU lining | Air bubbles | PVC (EN-71 non-toxic) | 130 kg   |

#### Technical specifications of the compressor

| Code       | Power supply | Air capacity      | Pressure range | Cycle duration | Dimensions      | Weight |
|------------|--------------|-------------------|----------------|----------------|-----------------|--------|
| PR-100.725 | 220V/50Hz    | 4-5 litres/minute | 40 - 100 mmHg  | 10 minute      | 24 x 11 x 11 cm | 1,6 kg |

### **AK-806**

## Libra I - anti-decubitus kit



Libra I anti-decubitus system, specially designed to offer comfort and prevention to bedridden people.

Composed of an over-mattress with 18 interchangeable elements in Nylon / PVC with 2-way connection tubes, a Nylon / PVC base, a Nylon / PU cover with button closure, and two flaps at the ends of the head and feet to better fasten it to the mattress, a compressor with pressure adjustment knob.

Ideal for the prevention / treatment of pressure ulcers, up to stage II.Ideale per la prevenzione/cura delle lesioni da decubito, fino al II stadio.

#### Technical specification of the upper mattress

| Code                                       | Dimensions    | s        | Lining          |          | Ele     | ments       | Base |                | Ca     | apacity |
|--|---------------|----------|-----------------|----------|---------|-------------|------|----------------|--------|---------|
| AK-806M                                    | 198 x 88 x 11 | cm       | Nylon/PU lining |          | Nylo    | on/PVC      |      | Nylon/PVC      | 140 kg |         |
| Technical specifications of the compressor |               |          |                 |          |         |             |      |                |        |         |
| Code                                       | Power supply  | Air ca   | apacity         | Pressur  | e range | Cycle durat | ion  | Dimensions     |        | Weight  |
| AK-806C                                    | 220V/50Hz     | 8 litres | /minute         | 40 - 100 | 0 mmHg  | 12 minut    | e    | 28 x 15 x 9 cm |        | 1,6 kg  |



## Libra II Plus - anti-decubitus kit



Libra II Plus Anti-Decubitus System, specifically designed to provide comfort and prevention for bedridden individuals. It consists of an overlay mattress with 18 interchangeable Nylon/PVC elements, featuring 2-way quick-connect tubes. A Nylon/PVC base, a Nylon/PU cover with button closure, and two flaps at the head and foot ends ensure better attachment to the mattress. It includes a compressor with a pressure adjustment knob and a visual low-pressure alarm.

Ideal for the prevention and treatment of pressure sores up to stage II.

#### Technical specification of the upper mattress

| Codice                                     | Misure        | Fode            | ra           | Elementi            | Base              | Portata  |  |  |  |
|--|---------------|-----------------|--------------|---------------------|-------------------|----------|--|--|--|
| AK-806M                                    | 198 x 88 x 11 | cm Nylon/PU     | J lining     | Nylon/PVC Nylon/PVC |                   | 140 kg   |  |  |  |
| Technical specifications of the compressor |               |                 |              |                     |                   |          |  |  |  |
| Code                                       | Power supply  | Air capacity    | Pressure ran | ge Cycle dur        | ation Dimensions  | Weight   |  |  |  |
| AK-806PC                                   | 220V/50Hz     | 8 litres/minute | 40 - 100 mm  | Hg 12 minu          | ute 28 x 15 x 9 c | m 1,6 kg |  |  |  |

## **AK-906**

# Taurus IV - Three channels anti-decubitus kit



Nylon/PVC 18 components mattress overlay  $\pm$  1 for replacement; air release through micro-holes placed on the central part, to improve the ventilation of body parts in contact with the device. Nylon/PU cover, waterproof, transpiring and anti-friction with zip closure, CPR valve for a fast air flow in case of emergency and 3 channels tubes with fast CPC connectors.

Compressor with inflation regulator both alternate and static provided with alarm for low pressure and 3 channels tubes.

Attachment hooks on the rear part.

#### Mattress overlay technical specifications


| Code    | Size           | Cover               | Components | Base      | Capacity |
|---------|----------------|---------------------|------------|-----------|----------|
| AK-906M | 200x86x12,5 cm | Nylon/PU wih zipper | Nylon/PVC  | Nylon/PVC | 160 kg   |

#### Compressor technical specifications

| Code    | Power supply | Air capacity     | Pressure range    | Cycle duration | Size            | Weight |
|---------|--------------|------------------|-------------------|----------------|-----------------|--------|
| AK-906C | 220V/50Hz    | 6-7 liter/minute | 40 mmHg - 80 mmHg | 10 minutes     | 28 x 20 x 10 cm | 2,5 kg |

### **AK-606**

# Virgo I - Three channels anti-decubitus kit



TPU 20 components mattress + 1 replacement component. Provided with air release system through micro-holes placed on the central part to improve the ventilation of body parts in contact with the device and provided with 3 CPC fast connectors tubes. Nylon/PU bielastic overlay, waterproof, transpiring and anti-friction.

CPR valve for a fast air release in case of emergency.

Compressor with alternate inflation regulator and button for static function. Provided with alarm for low pressure and 3 channels tubes. Attachment hooks on the rear part.

#### Mattress overlay technical specifications

| Code                                | Size           |                | Cover             |    | onents     | Base    |                   | Capacity |  |
|-------------------------------------|----------------|----------------|-------------------|----|------------|---------|-------------------|----------|--|
| AK-606M                             | 203x88x20      | m Nylon/F      | PU with zipper    | TF | νU         | Vinilyc |                   | 160 kg   |  |
| Compressor technical specifications |                |                |                   |    |            |         |                   |          |  |
| Code                                | Power supply   | Air capacity   | Pressure range    |    | Cycle dura | ation   | Size              | Weight   |  |
| AK-606C                             | 220V/50Hz , 1A | 8 liter/minute | 30 mmHg - 60 mmHg |    | 12 minu    | tes     | 31 x 12,5 x 21 cm | n 2,2 kg |  |

## **AK-506**

# Virgo II - Three channels anti-decubitus kit



TPU 20 components mattress + 1 replacement component; provided with air release system through micro-holes placed on the central part to improve the ventilation of body parts in contact with the device and provided with 3 CPC fast connectors tubes. Nylon/PU bielastic, waterproof, transpiring and anti-friction.

Digital compressor for pressure regulation, alternate inflation, working cycle settings, static function and seat function. Provided with alarm for low pressure, for lack of power and locked alternate cycle. Attachment hooks on the rear part.

#### Mattress technical specifications

| Code    | Size         | Cover                | Components | Base    | Capacity |
|---------|--------------|----------------------|------------|---------|----------|
| AK-506M | 203x88x20 cm | Nylon/PU with zipper | TPU        | Vinilyc | 160 kg   |

#### Compressor technical specifications

| Code    | Power supply   | Air capacity   | Pressure range    | Cycle duration      | Size              | Weight |
|---------|----------------|----------------|-------------------|---------------------|-------------------|--------|
| AK-506C | 220V/50Hz , 1A | 8 liter/minute | 20 mmHg - 55 mmHg | 10/15/20/25 minutes | 31 x 12,5 x 21 cm | 2,5 kg |



#### **AK-406**

# Gemini II - anti-decubitus kit for bariatric patients



Gemini II anti-decubitus system for bariatric patients, specially designed to offer comfort and prevention to people in conditions of obesity or overweight.

This system is composed of a mattress with 20 interchangeable elements in Nylon / TPU with 3-way connection pipes and CPR valve, a base in Nylon / PVC, a bi-elastic lining in Nylon / PU with zip. A compressor with digital pressure regulation, with the possibility of setting different functions to obtain effective prevention according to the patient's needs.

Ideal for the prevention / treatment of pressure ulcers, up to stage IV, for patients with obesity and overweight.

#### Technical specification of the mattress

| Code                                       | Dimens       | Dimensions             |        | Lining       |                  | Elements       | Base           |                   | Capacity |
|--|--------------|------------------------|--------|--------------|------------------|----------------|----------------|-------------------|----------|
| AK-406M                                    | 203 x 106    | 203 x 106 x 26 cm Nylo |        | n/PU lining  | lining Nylon/TPU |                | Nylon/PVC 840D |                   | 400 kg   |
| Technical specifications of the compressor |              |                        |        |              |                  |                |                |                   |          |
| Code                                       | Power supply | Air cap                | acity  | Pressure rai | nge              | Cycle duration | on             | Dimensions        | Weight   |
| AK-406C                                    | 220V/50Hz    | 12 litres/             | minute | 20 - 65 mm   | Нg               | 10/15/20/25    | min.           | 34 x 12,5 x 26 cm | n 3,5 kg |

## **AK-406P**

# Gemini II Plus - anti-decubitus kit for bariatric patients



Gemini II anti-decubitus system for bariatric patients, specially designed to offer comfort and prevention to people in conditions of obesity or overweight.

This system is composed of a mattress with 20 interchangeable elements in Nylon / TPU with 3-way connection pipes and CPR valve, a base in Nylon / PVC, a bi-elastic lining in Nylon / PU with zip. A compressor with digital pressure regulation, with the possibility of setting different functions to obtain effective prevention according to the patient's needs.

Ideal for the prevention / treatment of pressure ulcers, up to stage IV, for patients with obesity and overweight.

#### Technical specification of the mattress

| Code    | Dimensions        | Lining          | Elements  | Base           | Capacity |
|---------|-------------------|-----------------|-----------|----------------|----------|
| AK-406M | 203 x 120 x 26 cm | Nylon/PU lining | Nylon/TPU | Nylon/PVC 840D | 400 kg   |

#### Technical specifications of the compressor

| Code    | Power supply | Air capacity     | Pressure range | Cycle duration   | Dimensions        | Weight |
|---------|--------------|------------------|----------------|------------------|-------------------|--------|
| AK-406C | 220V/50Hz    | 12 litres/minute | 20 - 65 mmHg   | 10/15/20/25 min. | 34 x 12,5 x 26 cm | 3,5 kg |

### MA-112

# **Expanded PU mattress**





Anti-decubitus expanded PU aired mattress . The static surface is useful to prevent bedsores for

low risk patients (according to NORTON scale) and for those weighing up to 150 kg.

According to D. Lgs. 81/2008, surfaces can be managed with complete safety. Available in

the single section model or three sections model (upon request).

| Size        | Height | Capacity |
|-------------|--------|----------|
| 195 x 85 cm | 12 cm  | 150 kg   |

## **MA-114**

# **Expanded PU mattress**






Anti-decubitus expanded PU aired mattress . The static surface is useful to prevent bedsores for low risk patients (according to NORTON scale) and for those weighing up to 150 kg.

According to D. Lgs. 81/2008, surfaces can be managed with complete safety. Available in the single section model or three sections model (upon request).

| Size        | Height | Capacity |
|-------------|--------|----------|
| 195 x 85 cm | 14 cm  | 150 kg   |

## MA-12/14



# Cuff cover for mattresses MA-112 and MA-114



Blue covers for MA-112 and MA-114 mattresses in cuff version or with zip closure. Made up of an anti-slip bottom in polyester with PVC coating to allow safe anchoring to the bed base, and an upper cover made of polyester-polyurethane, completely free of latex and phthalates, with features such as impermeability to liquids, breathability to water vapor and bi-elasticity. This last property allows to strongly decrease the surface friction between the skin and the mattress.

The upper sheet is also characterized by the presence, within its microstructure, of silver ions, which have known antibacterial properties. In addition, all the tests conducted confirmed the absolute non-toxicity of the material both at an oral and dermal level.

Both covers combined with the mattresses are easily removable and sanitized.

Class 1IM in combination with the MA-112 and MA-114 mattresses.

#### MA-12/14F

White, jersey cuff mattress cover for MA-112 / MA-114 mattresses.
Measures 195 x 85 cm.

#### MA-12/14FC

Cuff lining, made of polyester and polyurethane, latex-free, free of phthalates, antibacterial, antifungal, anti-mite, antistatic, impermeable to liquids, resistant to biological liquids, breathable to water vapor and bi-elastic.

#### MA-12/14FZ

Lining with zip on three sides, made of polyester and polyurethane, latex-free, phthalate-free, antibacterial, antifungal, anti-mite, anti-static, impermeable to liquids, resistant to biological liquids, transpiring to water vapor and bi-elastic.

| Dimensions                                       | 195 x 85 cm   |
|--|---|
| Upper cover composition                          | Polyester (45%) / Polyurethane (55%), integrated with silver ions. Two-way stretch fabric, breathable, waterproof, fireproof, latex and phthalate free. Total weight: $220 \pm 10\%$ [g / m2] |
| Anti-slip bottom composition                     | Polyester-PVC with bacteriostatic, fungistatic and anti-mold properties, waterproof, fireproof, formaldehyde and phthalate-free fabric.   |
| Color  | Blue  |
| Waterproofness (EN ISO 811)                      | 3000 mm   |
| Permeability to water vapour (ASTM E96)          | ≥ 600 g/m2 x 24h a 38°C   |
| Upper cover reaction to fire (BS 6807 - BS 7175) | Class CRIB 5  |
| Antibacterial action (ISO 22196)                 | Permanent antifungal and antibacterial barrier  |
| Sanization                                       | Can be sanitized in an autoclave for 7 minutes at 134 ° C.  |
| Waterproofness (EN ISO 811)                      | Can be sanitized in an autoclave for 7 minutes at 134 ° C.  |

## MA-06/xx

## Thermo-ventilated foam mattress





This mattress is made of open-cell ventilated polyurethane foam with a density of 30 kg/m³ and an oval structure, usable on both sides. It is a single-section, non-covered mattress with the following specifications:

- CFC-Free Production: Manufactured without chlorofluorocarbons. Anti-Allergenic Treatment: Treated to prevent dust mites, bacteria, mold, microbes, and odors.
- Latex-Free
- Fire Resistance: Class 1 IM according to UNI 9175 standard.
- Compliance: Conforms to AIRBUS ATS 1000.001 standards.

| Code      | Size              |  |
|-----------|-------------------|--|
| MA-06/85  | 190 x 85 x 14 cm  |  |
| MA-06/90  | 200 x 90 x 14 cm  |  |
| MA-06/120 | 200 x 120 x 14 cm |  |

## MA-08/xx

# Composite foam mattress





The bi-component mattress is a single-section, non-covered mattress designed for articulated beds. It consists of:

- Support Structure: Open-cell polyurethane foam with a density of 40 kg/m<sup>3</sup> and an oval structure on both sides for improved breathability.
- Top Layer: Smooth viscoelastic foam with a density of 50 kg/m³, resilience of 5, and low elastic memory, which molds to body contours.

#### Additional features:

- CFC-Free Production: Manufactured without chlorofluorocarbons.
- Latex-Free
- Fire Resistance: Class 1 IM according to UNI 9175 standard.

| Code      | Size              |  |
|-----------|-------------------|--|
| MA-08/85  | 190 x 85 x 14 cm  |  |
| MA-08/90  | 200 x 90 x 14 cm  |  |
| MA-08/120 | 200 x 120 x 14 cm |  |

## MA-20/xx

# Composite mattress with removable sections for differentiated pressure relief





The MA-20/xx composite mattress is designed with removable sections for differentiated pressure relief and includes:

- Supporting Structure: Polyurethane foam with a density of 40 kg/m³, featuring 8 cm thick lateral containment sides molded as part of the frame (not glued).
- Top Surface in Viscoelastic Foam: Divided into three zones:
- Head Zone: Smooth surface with a density of 21 kg/m<sup>3</sup>.
- Trunk-Pelvic Zone: Pyramidal structure with a density of 50 kg/m³ and resilience of 5.
- Foot Zone: Pyramidal structure with a density of 50 kg/m³ and resilience of 2. Other polyurethane characteristics:
- CFC-Free Production: Manufactured without chlorofluorocarbons.
- Latex-Free
- Fire Resistance: Class 1 IM according to UNI 9175 standard.

| Code      | Size              |  |
|-----------|-------------------|--|
| MA-20/85  | 190 x 85 x 14 cm  |  |
| MA-20/90  | 200 x 90 x 14 cm  |  |
| MA-20/120 | 200 x 120 x 14 cm |  |

## MA-61/16

# Materasso bariatrico in poliuretano espanso con lavorazione ovoidale





Il materasso bariatrico è realizzato in poliuretano ventilato espanso a cellule aperte densità 50 kg/m3, con lavorazione ovoidale; è utilizzabile su entrambi i lati, è a sezione unica, non foderato.

Altre caratteristiche specifiche del poliuretano espanso:

- è stato prodotto all'origine senza l'impiego di C.F.C. (clorofluorocarburi);
- non contiene lattice (Latex free);
- classe 1 IM di reazione al fuoco secondo la norma UNI 9175. Portata utile 250 kg.

| Size              | Capacity |  |
|-------------------|----------|--|
| 200 x 120 x 16 cm | 250 kg   |  |

### MA-61/17

# Bariatric perforated polyurethane foam mattress





The MA-61/17 bariatric mattress is a bi-component design consisting of:

- Supporting Structure: Open-cell polyurethane foam with a density of 50 kg/m³.
- Top Surface: Open-cell polyurethane foam with a density of 40 kg/m<sup>3</sup>.
- Vertical Perforations: Channels for airflow and breathability.
- Flexible Base: Features flexibility cuts to follow the tilting movements of the bed.
- Single-section, non-covered mattress.

Additional polyurethane characteristics:

- CFC-Free Production: Manufactured without chlorofluorocarbons.
- Latex-Free
- Fire Resistance: Class 1 IM according to UNI 9175 standard.

| Size              | Capacity |  |
|-------------------|----------|--|
| 200 x 120 x 17 cm | 300 kg   |  |

## MA-61/20

# Bariatric polyurethane and memory foam mattress





This bariatric mattress includes:

- Supporting Structure (17 cm):
- Head Zone: Polyurethane foam with a density of 40 kg/m<sup>3</sup>.
- Central Trunk-Pelvic Zone: Polyurethane foam with a density of 50 kg/m³.
- Foot Zone: Polyurethane foam with a density of 30 kg/m³.
- Top Surface: 5 cm of viscoelastic memory foam with a density of 50 kg/m³.
- Single-section, non-covered mattress.
- Weight Capacity: 380 kg

#### Additional features:

- CFC-Free Production: Manufactured without chlorofluorocarbons.
- Anti-Allergenic Treatment: Viscoelastic foam treated to prevent dust mites, bacteria, mold, microbes, and odors.
- Latex-Free

| Size              | Capacity |
|-------------------|----------|
| 200 x 120 x 20 cm | 380 kg   |

### MA-F02x

# Trevira CS mattress covers





These removable and interchangeable covers feature a zipper on three sides. Made of Trevira CS fabric, they offer the following characteristics:

- Material: 100% polyester
- Fire Resistance: Class 1 according to UNI 9177 standard
- Antibacterial and antifungal properties

| Code    | Туре                     |  |
|---------|--------------------------|--|
| MA-F021 | for standard mattresses  |  |
| MA-F02  | for bariatric mattresses |  |

## MA-F04x

# Polyurethane-coated mattress covers





These removable covers feature a zipper on three sides and are made of polyurethane-coated polyester fabric with the following characteristics:

- Waterproof
- Breathable
- Bi-elastic
- Antibacterial and antifungal treatment
- Antistatic
- Latex-free (hypoallergenic)
- Fire Resistance: Class 1 according to UNI 9177 standard
- Wash Resistant: Dimensions remain stable after washing

| Code    | Туре                     |  |
|---------|--------------------------|--|
| MA-F041 | for standard mattresses  |  |
| MA-F04  | for bariatric mattresses |  |

### MA-09FC

# Siliconized hollow fiber overlay mattress with 12 tubes





This overlay mattress is designed for pressure ulcer prevention and is made from siliconized hollow fiber with 12 tubular sections. It features a 100% cotton cover, weighing 260 g/m $^2$ , which is sanforized for durability. The high resilience and breathability provide effective prevention against pressure sores.

| Size        | Height | Weight Capacity |
|-------------|--------|-----------------|
| 195 x 85 cm | 10 cm  | 100 kg          |

## MA-10FC

# Siliconized hollow fiber mattress with 13 removable tubes



This pressure ulcer prevention mattress has a fire-retardant polyurethane foam base and is constructed with 13 removable tubular sections of siliconized hollow fiber. It includes a fire-retardant cotton cover and an external bi-elastic, waterproof, breathable, antibacterial, antistatic, and mildew-resistant cover with a three-sided zipper. The high resilience and breathability ensure effective pressure sore prevention.



| Size        | Height | Weight Capacity |
|-------------|--------|-----------------|
| 195 x 85 cm | 18 cm  | 120 kg          |

# Hollow silicone fiber elbow protector



Hollow silicone fiber elbow protector with 100% cotton cover. Closure straps made of cotton with velcro closure. The high resilience and air release ensure a great prevention of bedsores.

Color: green. Size: 20 x 30 cm.

## **CA-306**

# Hollow silicone fiber heel and ankle protector



Hollow silicone fiber heel and ankle protector with 100% cotton cover. Closure straps made of cotton with velcro closure. Particularly designed to reduce pressure on heel bony prominence, ensuring great protection to the ankle as well. Color: green.

Size: 45 x 23 x 8,5 cm.

## **CA-307**

# Hollow silicone fiber knee protector



Hollow silicone fiber knee and leg protector with 100% cotton cover. Closure straps made of cotton with velcro closure. Particularly designed to reduce pressure on knee bony prominence. Color: green.

Size: 25 x 35 cm.

# Hollow silicone fiber elbow protector - Easy





Protector useful to prevent bedsores on elbow made of hollow silicone fiber enclosed in a cotton cover with velcro closure. The high resilience and air release ensure a great prevention of bedsores. Color: light blue.

Size: 40 x 20 cm.

### **CA-206**



# Hollow silicone fiber heel and ankle protector - Easy



Protector useful to prevent bedsores on ankle made of hollow silicone fiber enclosed in a cotton cover with velcro closure. The high resilience and air release ensure a great prevention of bedsores. Color: light blue.

Size: 40 x 20 cm.

## 17.17050







Viscoelastic foam protector to prevent bedsores on heel and ankle. Provided with openings on heel and ankle areas to improve air flow. Its enveloping shape gives movement freedom and ensure great comfort. Provided with Pharmatex fabric cover with elastic straps. Thickness: 80 kg/m3.

Size: 25 x 30 cm.

### 06.4200P

# Synthetic fleece heel protector





Protector useful to prevent bedsores on heel made of synthetic fleece, 100% Polyester fiber. Velcro closure. Size:  $25 \times 30$  cm.

# CO-100.90x

# Anti-decubitus synthetic fleece





Made of polypropylene. Thanks to its extremely soft and fiber-rich surface, it ensures a good level of bedsores prevention. Available in two different sizes. Size: 40 x 20 cm.

| Code       | Size        |  |
|------------|-------------|--|
| CO-100.900 | 50 x 70 cm  |  |
| CO-100.901 | 70 x 100 cm |  |

## CO-100.902

# Anti-decubitus genuine fleece





Made of Merinos wool. The extremely soft genuine surface ensures a good level of bedsores prevention.

Size: 50 x 100 cm.

# **POSITIONING CUSHION**

The combination of a long, hollow, memory-effect fiber with a fine-weave fabric and a removable, bi-elastic, and breathable Pharmatex Argent lining gives POZ' IN' FORM cushions their effective characteristics for the prevention of pressure sores. The resilience of the fiber, combined with excellent breathability, promotes good pressure distribution and reduces shear forces.

Positioning the patient in a permanent supine situation, combined with quality support, helps improve poor posture, reduces the risk of pressure sore formation, and ensures safe use, minimizing the risk of infection.

POZ' IN' FORM guarantees effective and comfortable positioning over time; the long fibers prevent the rubbing effects typically associated with traditional positions. The density helps prevent premature product degradation. The variety of shapes, sizes, and articles allows for a wide range of combinations.

POZ' IN' FORM cushions and modules are covered with bi-elastic Pharmatex Argent linings ( $205 \text{ g/m}^2$ ). They are removable and washable. The addition of silver ions to the polyurethane structure of Pharmatex limits bacterial proliferation (reduction > 99.90% according to ISO 22196:2007).

The breathability (>  $500g/m^2/24h-37$  °C) significantly reduces the risk of skin maceration.

## 22.90x



## Universal positioning cushion

The combination of a long, hollow, memory fiber, of a thin weave fabric and of a Pharmatex Argent removable transpiring and bielastic cover give to the POZ' IN' FORM cushions the effective features for bedsores prevention. The fiber resilience and the great transpiration facilitate a good pressure distribution and shear forces reduction.

| Code   | Size       |
|--------|------------|
| 22.901 | 35 x 25 cm |
| 22.902 | 55 x 40 cm |
| 22.903 | 40 x 15 cm |

## 22.910

## Delta positioning cushion



Perfectly adapts to every body shape. Placed under the knees, it relaxes articulations and prevents the patient from falling forward, limiting frictions and shear forces on the sacrum area. It can also be used in a semi-fowler position, to help relieving pressure on risk areas (sacrum, ischium and heels), transferring pressure to low risk parts (calves, thighs and back). Size:  $56 \times 32 \times 28$  cm.

## 22.920

## Half-moon positioning cushion



Gives support and holds the patient comfortably in a lying or sitting position. If one wishes to counteract unwanted lateral movement of the body, the ends of the Half-Moon can be pushed under the hip area, improving arms positioning. Size: 200 x 30 cm.

## 22.930

# Decubitus positioning cushion



Multi-purpose cushion, the cushion provides excellent trunk stability on back, shoulders, hips and knees. The lower part of the "S" can be drawn up between the knees so that one achieves good body symmetry. It also reduces frictions and shear forces. Size: 185 x 35 cm.

## 22.940

# Cylindrical positioning cushion



Placed between legs, it reduces shear forces and frictions on thighs and knees. It can also be used under heels and ankles in order to reduce pressure. Size: 75 x 18 cm.

## 22.950

# Abduction positioning cushion



Used when the patient is lying down, placed in crotch area to abduct hips and to enable legs usage when are stretched apart.

This way it reduces frictions and shear forces between thighs, knees and calves. Size:  $35 \times 30 \times 15$  cm.

## 22.960

# Semi-Head Ring positioning cushion



Combined with a cylindrical cushion, it avoids frictions between legs, knees and thighs, ensuring hips abduction. It can also be used around neck to supports the patient's head. Size:  $105 \times 22$  cm

# 22.965

# Open circular positioner



The open circular cushion is used as a complement to universal, triangular, or cylindrical cushions to help improve positioning.

When used as a collar, it provides relief for cervical support.

\*\*Dimensions\*\*: 135 x 20 cm.

### 22.970

# Heels positioning cushion



Fixed to the mattress at heel area, thanks to adjustable straps, it helps support ankles, thus relieving pressure on heels. Size:  $135 \times 20$  cm.

## 22.980

# Hand positioning cushion



Highly reduces pressure on skin and on areas which may suffer from bedsores. After operations, it raises comfort on aumenta il comfort on restricted parts and relieves pressure on wrist. Its size allows to avoid a pressure increase on wrist. Size:  $45 \times 23 \times 8.5$  cm.

## 22.985

# Foot positioning cushion



Foot positioning cushion ensures the pressure transfer from the heel to low risk areas (calf, knee) to allow a perfect pressure relief on the heel and a good ankle positioning. In case of vascular problems, it facilitates blood vessels movement. Its size allows to avoid a pressure increase on Achilles tendon.

Size: 48 x 30 x 12 cm.

## 22.990

# Occipital positioning cushion



Great posture stability and pressure reduction on occipital area, thank to the central opening. The viscoelastic foam, combined with a long hollow fiber, soothes the parts in contact. Size:  $50 \times 40 \times 9$  cm.